

*** SAP BW ABAP Routine Analyzer ***

** Version: 4.1 (May 2016)

>>>> Disclaimer

The checks provided by this tool are not necessarily complete or intended to replace existing tools and checks (like ABAP Test Cockpit and Code Inspector). Still the tool automates and combines various checks that would have to be performed manually otherwise.

** Collecting Process Chains

Number of process chains: 136

** Process Chain: BPC: Admin Make Dimensions (/CPMB/ADMINTASK_MAKEDIM)

>>>> Summary

Runtime: 0.14 sec

** Process Chain: BPC: Admin Validate Task (/CPMB/ADMINTASK_VALIDATE)

>>>> Summary

Runtime: 0.00 sec

** Process Chain: BPC: Allocation (/CPMB/ALLOCATION)

>>>> Summary

Runtime: 0.00 sec

** Process Chain: BPC: Import Transaction Data from Flat File - Appe (/CPMB/APPEND)

>>>> Summary

Runtime: 0.00 sec

** Process Chain: BPC: Archive Activity (/CPMB/ARCHIVE_ACTIVITY)

>>>> Summary

Runtime: 0.00 sec

** Process Chain: BPC: Archive Data (/CPMB/ARCHIVE_DATA)

>>>> Summary

Runtime: 0.00 sec

** Process Chain: BPC: Build index (/CPMB/BUILD_INDEX)

>>>> Summary

Runtime: 0.00 sec

** Process Chain: BPC: Clear Transaction Data (/CPMB/CLEAR)

>>>> Summary

Runtime: 0.02 sec

** Process Chain: BPC: Clear Comments (/CPMB/CLEARCOMMENTS)

>>>> Summary

Runtime: 0.00 sec

** Process Chain: BPC: Clear Journal Tables (/CPMB/CLEAR_JOURNALS)

>>>> Summary

Runtime: 0.00 sec

** Process Chain: BPC: Compress data (/CPMB/COMPRESS)

>>>> Summary

Runtime: 0.00 sec

** Process Chain: BPC: Copy Transaction Data (/CPMB/COPY)

>>>> Summary

Runtime: 0.00 sec

** Process Chain: BPC: Copy Comments (/CPMB/COPYCOMMENTS)

>>>> Summary

Runtime: 0.00 sec

** Process Chain: BPC: Copy Transaction Data Append Custom (/CPMB/COPY_APPEND_CUSTOM)

>>>> Summary

Runtime: 0.05 sec

** Process Chain: BPC: Default Formula Logic (/CPMB/DEFAULT_FORMULAS)

>>>> Summary

Runtime: 0.01 sec

** Process Chain: BPC: Equity Pick Up (/CPMB/EQUITY_PICKUP)

>>>> Summary

Runtime: 0.00 sec

** Process Chain: BPC: Export Journal Tables (/CPMB/EXPORT_JOURNAL)

⌄	>>>> Summary
⌄	Runtime: 0.00 sec
⌄	** Process Chain: BPC: Export Master Data to Application Server (/CPMB/EXPORT_MD_TO_APPL)
⌄	>>>> Summary
⌄	Runtime: 0.00 sec
⌄	** Process Chain: BPC: Export Master Data to BADI Retractor (/CPMB/EXPORT_MD_TO_BADI)
⌄	>>>> Summary
⌄	Runtime: 0.00 sec
⌄	** Process Chain: BPC: Export Master Data to File Service (/CPMB/EXPORT_MD_TO_FILE)
⌄	>>>> Summary
⌄	Runtime: 0.00 sec
⌄	** Process Chain: BPC: Export Transaction Data to Application Server (/CPMB/EXPORT_TD_TO_APPL)
⌄	>>>> Summary
⌄	Runtime: 0.00 sec
⌄	** Process Chain: BPC: Export Transaction Data to BADI Retractor (/CPMB/EXPORT_TD_TO_BADI)
⌄	>>>> Summary
⌄	Runtime: 0.00 sec
⌄	** Process Chain: BPC: Export Transaction Data to File Service (/CPMB/EXPORT_TD_TO_FILE)
⌄	>>>> Summary
⌄	Runtime: 0.00 sec
⌄	** Process Chain: BPC: Full Optimize (/CPMB/FULL_OPTIMIZE)
⌄	>>>> Summary
⌄	Runtime: 0.00 sec
⌄	** Process Chain: BPC: FX Restatement (/CPMB/FX_RESTATMENT)
⌄	>>>> Summary
⌄	Runtime: 0.00 sec
⌄	** Process Chain: BPC: IC Booking (/CPMB/ICBOOKING)
⌄	>>>> Summary
⌄	Runtime: 0.00 sec
⌄	** Process Chain: BPC: IC Data (/CPMB/ICDATA)
⌄	>>>> Summary
⌄	Runtime: 0.00 sec
⌄	** Process Chain: BPC: IC Elimination (/CPMB/IC_ELIMINATION)
⌄	>>>> Summary
⌄	Runtime: 0.00 sec
⌄	** Process Chain: BPC: Import Transaction Data from Flat File - Over (/CPMB/IMPORT)
⌄	>>>> Summary
⌄	Runtime: 0.00 sec
⌄	** Process Chain: BPC: Import Transaction Data from Flat File (Aggrg (/CPMB/IMPORT_APPEND)
⌄	>>>> Summary
⌄	Runtime: 0.00 sec
⌄	** Process Chain: BPC: Import TX Data from Flat File - Overwrite / S (/CPMB/IMPORT_A_SEND_EMAIL)
⌄	>>>> Summary
⌄	Runtime: 0.00 sec
⌄	** Process Chain: BPC: Import Master Data Texts from Flat File (/CPMB/IMPORT_DESCRIPT)
⌄	>>>> Summary
⌄	Runtime: 0.00 sec
⌄	** Process Chain: BPC: Import GL Master-Attributes/Texts from BW Inf (/CPMB/IMPORT_IOBJ_GL_ATTR)
⌄	>>>> Summary
⌄	Runtime: 0.00 sec
⌄	** Process Chain: BPC: Import Master Data Hierarchies from BW InfoOb (/CPMB/IMPORT_IOBJ_GL_HIER)
⌄	>>>> Summary
⌄	Runtime: 0.00 sec
⌄	** Process Chain: BPC: Import Master Data Hierarchies from BW InfoOb (/CPMB/IMPORT_IOBJ_HIER)
⌄	>>>> Summary
⌄	Runtime: 0.00 sec

```
⌘ ** Process Chain: BPC: Import Master Data Attributes/Texts from BW I (/CPMB/IMPORT_IOBJ_MASTER)

⌘ >>>> Summary
  ⌘ Runtime: 0.09 sec

⌘ ** Process Chain: BPC: Import Master Data Attributes/Hier from Flat (/CPMB/IMPORT_MASTER)

⌘ >>>> Summary
  ⌘ Runtime: 0.00 sec

⌘ ** Process Chain: BPC: Import Transaction Data from FTP Flat File - (/CPMB/IMPORT_USING_FTP)

⌘ >>>> Summary
  ⌘ Runtime: 0.00 sec

⌘ ** Process Chain: BPC: Legal Consolidation (/CPMB/LEGAL_CONSOLIDATION)

⌘ >>>> Summary
  ⌘ Runtime: 0.00 sec

⌘ ** Process Chain: BPC: Lite Optimize (/CPMB/LIGHT_OPTIMIZE)

⌘ >>>> Summary
  ⌘ Runtime: 0.02 sec

⌘ ** Process Chain: BPC: Import Master Data from SAP Source System (Ge (/CPMB/LOAD_DATASRC_MD)

⌘ >>>> Summary
  ⌘ Runtime: 0.00 sec

⌘ ** Process Chain: BPC: Import Master Data Attributes from SAP Source (/CPMB/LOAD_DATASRC_MDATTR)

⌘ >>>> Summary
  ⌘ Runtime: 0.00 sec

⌘ ** Process Chain: BPC: Import Master Data Texts from SAP Source Syst (/CPMB/LOAD_DATASRC_MDESC)

⌘ >>>> Summary
  ⌘ Runtime: 0.00 sec

⌘ ** Process Chain: BPC: Import Transaction Data from BW InfoProvider (/CPMB/LOAD_DELTA_IP)

⌘ >>>> Summary
  ⌘ Runtime: 0.01 sec

⌘ ** Process Chain: BPC: Import Transaction Data from SAP Source Syste (/CPMB/LOAD_DS_TD_FULL)

⌘ >>>> Summary
  ⌘ Runtime: 0.00 sec

⌘ ** Process Chain: BPC: Import TX Data from BW InfoProvider - without (/CPMB/LOAD_INFOPROVIDER)

⌘ >>>> Summary
  ⌘ Runtime: 0.00 sec

⌘ ** Process Chain: BPC: Import TX Data from BW InfoProvider - with pr (/CPMB/LOAD_INFOPROV_UI)

⌘ >>>> Summary
  ⌘ Runtime: 0.00 sec

⌘ ** Process Chain: BPC: Manage Version of Time-dependent Hierarchy (/CPMB/MANAGE_TDH_VERSION)

⌘ >>>> Summary
  ⌘ Runtime: 0.00 sec

⌘ ** Process Chain: BPC: Move Transaction Data (/CPMB/MOVE)

⌘ >>>> Summary
  ⌘ Runtime: 0.00 sec

⌘ ** Process Chain: BPC: Move Transaction Data (/CPMB/MOVE_APPEND_CUSTOM)

⌘ >>>> Summary
  ⌘ Runtime: 0.00 sec

⌘ ** Process Chain: BPC: Opening Balance (/CPMB/OPENING_BALANCES)

⌘ >>>> Summary
  ⌘ Runtime: 0.00 sec

⌘ ** Process Chain: BPC: Calculate Ownership (/CPMB/OWNERSHIPCALC)

⌘ >>>> Summary
  ⌘ Runtime: 0.00 sec

⌘ ** Process Chain: BPC: Restore Journal Tables (/CPMB/RESTORE_JOURNALS)

⌘ >>>> Summary
  ⌘ Runtime: 0.00 sec

⌘ ** Process Chain: BPC: Calculate Account (/CPMB/RUNCALCACCOUNT)

⌘ >>>> Summary
  ⌘ Runtime: 0.00 sec
```

```

❏ ** Process Chain: BPC: Trigger BW Process Chain (/CPMB/TRIGGER_BW_CHAIN)

❏ >>>> Summary
❏ Runtime: 0.00 sec

❏ ** Process Chain: BPC: Validate Transformation File (/CPMB/VALIDATE_TRANSFORM)

❏ >>>> Summary
❏ Runtime: 0.00 sec

❏ ** Process Chain: BPC: Validation (/CPMB/VALIDATIONS)

❏ >>>> Summary
❏ Runtime: 0.00 sec

❏ ** Process Chain: Check Report Data Availability (0TCTHC_CHECK_REP_DATA)

❏ >>>> Process Variant: Check Report Data Availability - Variant (0TCTHC_CHECK_REP_DATA_V)
❏ Click on details to show code (See Program RSIM_CHECK_REP_DATA)
❏ Click on details to run Ext. Syntax Check (RSIM_CHECK_REP_DATA)
❏ Click on details to run Code Inspector (RSIM_CHECK_REP_DATA)
❏ * PROGRAM: Object not in customer namespace: RSIM_CHECK_REP_DATA

❏ >>>> Summary
❏ Runtime: 0.26 sec

❏ ** Process Chain: Process Chain for ATP Inventory DSO (ZPC_ATP_INV)

❏ >>>> Process Variant: IP_ZDS_SORGPLNT_FULL (ZPAK_0V3QTUJZNQ6LQOKHVCS1K67US)
❏ >>>> InfoPackage: IP_ZDS_SORGPLNT_FULL (ZPAK_0V3QTUJZNQ6LQOKHVCS1K67US)
❏ PSA load only

❏ >>>> Process Variant: ZDS_BI_ATPEXTRACT_CHASE / NEQ100 -> ZDSOINVD (DTP_0002THVXVZKUFD36JBV299OEO)
❏ >>>> Data Transfer Process: No description (DTP_0002THVXVZKUFD36JBV299OEO)

❏ >>>> Process Variant: ZDSOINVD -> ZIC_ATP (DTP_0002THVXVZKSWDZATCU3LE5LE)
❏ >>>> Data Transfer Process: No description (DTP_0002THVXVZKSWDZATCU3LE5LE)
❏ >>>> Target: Daily ATP Inventory Cube (ZIC_ATP)
❏ >>> Source: ATP Inventory DSO (ZDSOINVD)
❏ Click on details to edit Transformation (0ATV31AL8JA8J5JN16JAJHY5L0LPLM01)
❏ Click on details to show code (See Program GP0002THW8XCZ3PNCNONKKUB2LX)
❏ Click on details to run Ext. Syntax Check (GP0002THW8XCZ3PNCNONKKUB2LX)
❏ Click on details to run Code Inspector (GP0002THW8XCZ3PNCNONKKUB2LX)
❏ Global Declarations: --- (0002THW8XCZ3PNTTMBNA9EIHS)
❏ Global Implementations: --- (0002THW8XCZ3PNTTMBNA9EOTC)
❏ End Routine: --- (0002THW8XCZ3PNTTMBNA9EC68)
❏ * ----- Begin of Routine -----
❏ * -----
❏ CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-SALES_UNIT MATERIAL = <RESULT_FIELDS>-MATER
❏ * ----- Begin of Call Depth 2 -----
❏ No issues found
❏ * ----- End of Call Depth 2 -----
❏ * ----- Begin of Call Depth 2 -----
❏ * -----
❏ SELECT SINGLE * FROM /BIC/AUOM0MATE00 INTO WA_UNIT WHERE MATERIAL = MATERIAL AND UNIT = UOM
❏ * Database SELECT: Reading all columns (*) on small table
❏ * Database SELECT: Reading DataStore Object table /BIC/AUOM0MATE00
❏ * Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
❏ * -----
❏ SELECT SINGLE * FROM /BIC/AUOM0MATE00 INTO WA_UNIT WHERE MATERIAL = MATERIAL AND UNIT = 'EA'
❏ * Database SELECT: Reading all columns (*) on small table
❏ * Database SELECT: Reading DataStore Object table /BIC/AUOM0MATE00
❏ * Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
❏ * ----- End of Call Depth 2 -----
❏ * -----
❏ DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
❏ * ----- End of Routine -----

❏ >>>> Process Variant: ZDS_SORGPLNT / NEQ100 -> ZSORG_PLT (DTP_0002THVXVZKSO5US90XFEE2SS)
❏ >>>> Data Transfer Process: No description (DTP_0002THVXVZKSO5US90XFEE2SS)
❏ >>>> Target: Plants per Sales Organization (ZSORG_PLT)
❏ >>> Source: Sales Org Plant (ZDS_SORGPLNT NEQ100)
❏ Click on details to edit Transformation (0SVVX6ACRKCXISXVYTIVWOQHCJ66FMDE)
❏ Click on details to show code (See Program GP0002THW8XCZ1R8L6S4RCZ88IW)
❏ Click on details to run Ext. Syntax Check (GP0002THW8XCZ1R8L6S4RCZ88IW)
❏ Click on details to run Code Inspector (GP0002THW8XCZ1R8L6S4RCZ88IW)
❏ Global Declarations: --- (0002THW8XCZ1R8L6QUCOOMIP4)
❏ Global Implementations: --- (0002THW8XCZ1R8L6QUCOOMP00)
❏ Field Routine 0TXTLG: --- (0002THW8XCZ1R8L6QUCOOMVC8)
❏ * ----- Begin of Routine -----
❏ * -----
❏ SELECT SINGLE * FROM /BI0/TSALESORG INTO WA_SALESORGTXT WHERE SALESORG = SOURCE_FIELDS-VKORG AND LANGU = 'EN'
❏ * Database SELECT: Reading all columns (*) on small table
❏ * Database SELECT: Reading master data table or view /BI0/TSALESORG
❏ * Database SELECT: > Try to replace with standard functionality using rule type "Read master data"
❏ * Database SELECT: > or better, try using navigational attributes of the source object
❏ * Database SELECT: Database access inside field routine
❏ * Database SELECT: > Move statement to start routine
❏ * ----- End of Routine -----

❏ >>>> Process Variant: ZDS_SORGPLNT / NEQ100 -> ZSORG_PLT (DTP_0002THVXVZKSO5US2GWXOVG67)
❏ >>>> Data Transfer Process: No description (DTP_0002THVXVZKSO5US2GWXOVG67)
```

```
Process Variant: ZDS_BI_ATPEXTRACT / NEQ100 -> ZDSOINVD (DTP_0002TGZDW7QDBY8D7GKIZ8W3)
>>>> Data Transfer Process: No description (DTP_0002TGZDW7QDBY8D7GKIZ8W3)

>>>> Process Variant: Execute ATP Program - Even (ZPC_ATP_PROG_EVEN)
  Click on details to show code (See Program ZBI_LOOP_IP)
  Click on details to run Ext. Syntax Check (ZBI_LOOP_IP)
  Click on details to run Code Inspector (ZBI_LOOP_IP)
Program variant: ZIP_ATP_EVEN
* ----- Begin of Routine -----
*
SELECT * FROM /BIC/PZSORG_PLT INTO TABLE IT_BICPZSORG_PLT WHERE PLANT NE SPACE AND DISTR_CHAN = '10' AND OBJVERS EQ 'A'
* Database SELECT: Reading all columns (*) on small table
*
DELETE FROM RSLDPSEL WHERE LOGDPID = P_INPACK AND LNR NE 6
* Database DELETE: Object not in customer namespace: RSLDPSEL
*
MODIFY RSLDPSEL FROM TABLE IT_RSLDPSEL
* Database MODIFY: Object not in customer namespace: RSLDPSEL
*
CALL FUNCTION 'BAPI_IPAK_START' EXPORTING INFOPACKAGE = P_INPACK IMPORTING REQUESTID = REQUESTID TABLES RETURN = RETURN
* CALL FUNCTION: Object not in customer namespace: BAPI_IPAK_START
*
CALL FUNCTION 'BAPI_ISREQUEST_GETSTATUS' EXPORTING REQUESTID = REQUESTID IMPORTING TECHSTATUS = W_STATUS
* CALL FUNCTION: Object not in customer namespace: BAPI_ISREQUEST_GETSTATUS
No issues found
* ----- End of Routine -----

>>>> Process Variant: Execute ATP Program for Chase (ZPC_ATP_PROG_CHASE)
  Click on details to show code (See Program ZBI_LOOP_IP)
  Click on details to run Ext. Syntax Check (ZBI_LOOP_IP)
  Click on details to run Code Inspector (ZBI_LOOP_IP)
Program variant: ZIP_ATP_CHASE
* ----- Begin of Routine -----
*
SELECT * FROM /BIC/PZSORG_PLT INTO TABLE IT_BICPZSORG_PLT WHERE PLANT NE SPACE AND DISTR_CHAN = '10' AND OBJVERS EQ 'A'
* Database SELECT: Reading all columns (*) on small table
*
DELETE FROM RSLDPSEL WHERE LOGDPID = P_INPACK AND LNR NE 6
* Database DELETE: Object not in customer namespace: RSLDPSEL
*
MODIFY RSLDPSEL FROM TABLE IT_RSLDPSEL
* Database MODIFY: Object not in customer namespace: RSLDPSEL
*
CALL FUNCTION 'BAPI_IPAK_START' EXPORTING INFOPACKAGE = P_INPACK IMPORTING REQUESTID = REQUESTID TABLES RETURN = RETURN
* CALL FUNCTION: Object not in customer namespace: BAPI_IPAK_START
*
CALL FUNCTION 'BAPI_ISREQUEST_GETSTATUS' EXPORTING REQUESTID = REQUESTID IMPORTING TECHSTATUS = W_STATUS
* CALL FUNCTION: Object not in customer namespace: BAPI_ISREQUEST_GETSTATUS
No issues found
* ----- End of Routine -----

>>>> Process Variant: Execute ATP Program - Odd (ZPC_ATP_PROG)
  Click on details to show code (See Program ZBI_LOOP_IP)
  Click on details to run Ext. Syntax Check (ZBI_LOOP_IP)
  Click on details to run Code Inspector (ZBI_LOOP_IP)
Program variant: ZIP_ATP
* ----- Begin of Routine -----
*
SELECT * FROM /BIC/PZSORG_PLT INTO TABLE IT_BICPZSORG_PLT WHERE PLANT NE SPACE AND DISTR_CHAN = '10' AND OBJVERS EQ 'A'
* Database SELECT: Reading all columns (*) on small table
*
DELETE FROM RSLDPSEL WHERE LOGDPID = P_INPACK AND LNR NE 6
* Database DELETE: Object not in customer namespace: RSLDPSEL
*
MODIFY RSLDPSEL FROM TABLE IT_RSLDPSEL
* Database MODIFY: Object not in customer namespace: RSLDPSEL
*
CALL FUNCTION 'BAPI_IPAK_START' EXPORTING INFOPACKAGE = P_INPACK IMPORTING REQUESTID = REQUESTID TABLES RETURN = RETURN
* CALL FUNCTION: Object not in customer namespace: BAPI_IPAK_START
*
CALL FUNCTION 'BAPI_ISREQUEST_GETSTATUS' EXPORTING REQUESTID = REQUESTID IMPORTING TECHSTATUS = W_STATUS
* CALL FUNCTION: Object not in customer namespace: BAPI_ISREQUEST_GETSTATUS
No issues found
* ----- End of Routine -----

>>>> Summary
  Runtime: 8.43 sec

** Process Chain: Process Chain for Controlling (ZPC_CO)

>>>> Process Variant: IP_0REC_TYPE_TEXT_FULL (ZPAK_BJ8DMFXY88ZKTOK86YZF8ICSK)
  >>>> InfoPackage: IP_0REC_TYPE_TEXT_FULL (ZPAK_BJ8DMFXY88ZKTOK86YZF8ICSK)
PSA load only

>>>> Process Variant: IP_0COSTELMNT_0102_HIER_FULL (ZPAK_9O8WDR1N5LOFP9IRN0V9IMZWK)
  >>>> InfoPackage: IP_0COSTELMNT_0102_HIER_FULL (ZPAK_9O8WDR1N5LOFP9IRN0V9IMZWK)
PSA load only

>>>> Process Variant: 0CO_AREA_TEXT_ME_FULL_R3 (0PAK_CPXWEBQ04P9KAIWJ4ZBRNJXVO)
  >>>> InfoPackage: 0CO_AREA_TEXT_ME_FULL_R3 (0PAK_CPXWEBQ04P9KAIWJ4ZBRNJXVO)
PSA load only

>>>> Process Variant: 0CO_AREA_ATTR_ME_FULL_R3 (0PAK_CNT68ZRERBIW5CPYXBM8T8APW)
  >>>> InfoPackage: 0CO_AREA_ATTR_ME_FULL_R3 (0PAK_CNT68ZRERBIW5CPYXBM8T8APW)
```

PSA load only

>>>> Process Variant: 0COSTELMNT_TEXT_ME_FULL_R3 (0PAK_CLOG3NSTDXS806JEPNWPYWNK4)
>>>> InfoPackage: 0COSTELMNT_TEXT_ME_FULL_R3 (0PAK_CLOG3NSTDXS806JEPNWPYWNK4)

PSA load only

>>>> Process Variant: 0COSTELMNT_ATTR_ME_INIT_R3 (0PAK_CHEZSZVMN6AVPU6AAACHOA9D8K)
>>>> InfoPackage: 0COSTELMNT_ATTR_ME_INIT_R3 (0PAK_CHEZSZVMN6AVPU6AAACHOA9D8K)

PSA load only

>>>> Process Variant: 0COSTCENTER_TEXT_ME_INIT_R3 (0PAK_CFA9NNX19SK7KNZQ2OS5FXQ2S)
>>>> InfoPackage: 0COSTCENTER_TEXT_ME_INIT_R3 (0PAK_CFA9NNX19SK7KNZQ2OS5FXQ2S)

PSA load only

>>>> Process Variant: 0COSTCENTER_ATTR_ME_INIT_R3 (0PAK_C8W37O195NC755G1FPNKWYSLG)
>>>> InfoPackage: 0COSTCENTER_ATTR_ME_INIT_R3 (0PAK_C8W37O195NC755G1FPNKWYSLG)

PSA load only

>>>> Process Variant: 0VALUATION_TEXT_ME_FULL_R3 (0PAK_6MFDXJ4CN9NHB3UVRV4MO7BD0)
>>>> InfoPackage: 0VALUATION_TEXT_ME_FULL_R3 (0PAK_6MFDXJ4CN9NHB3UVRV4MO7BD0)

PSA load only

>>>> Process Variant: AXA Hierarchy (0PAK_2JC2JWBESER856DEWJWFG1D8K)
>>>> InfoPackage: AXA Hierarchy (0PAK_2JC2JWBESER856DEWJWFG1D8K)

PSA load only

>>>> Process Variant: 0VALUATION_TEXT / NEQ100 -> 0VALUATION (DTP_00O2TGZDW7QD8X9K9FGVPMNUN)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8X9K9FGVPMNUN)

>>>> Process Variant: 0COSTCENTER_TEXT / NEQ100 -> 0COSTCENTER (DTP_00O2TGZDW7QD8WZEXDFL8AI4C)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8WZEXDFL8AI4C)

>>>> Process Variant: 0COSTCENTER_ATTR / NEQ100 -> 0COSTCENTER (DTP_00O2TGZDW7QD8WZESA2HIGLDG)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8WZESA2HIGLDG)
>>>> Target: Cost Center (0COSTCENTER)

>>> Source: Cost center (0COSTCENTER_ATTR NEQ100)

Click on details to edit Transformation (0RRMGAVLRRU8KNYQE6PWYT18CH041DLM)

Click on details to show code (See Program GP00O2THW8XCZ3HIZDZ9HEFAL06)

Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HIZDZ9HEFAL06)

Click on details to run Code Inspector (GP00O2THW8XCZ3HIZDZ9HEFAL06)

Field Routine: Transfer Routine for InfoObject 0LOGSYS (DCW82EH56X6IE17QMCP9L361)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

>>>> Process Variant: 0REC_TYPE_TEXT / NEQ100 -> 0REC_TYPE (DTP_00O2TGZDW7QD8W6EXMOYLCM35)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8W6EXMOYLCM35)

>>>> Process Variant: 0COSTELMNT_TEXT / NEQ100 -> 0COSTELMNT (DTP_00O2TGZDW7QD8VW7RG7D2FCVO)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8VW7RG7D2FCVO)

>>>> Process Variant: 0COSTELMNT_ATTR / NEQ100 -> 0COSTELMNT (DTP_00O2TGZDW7QD8VW7N2835YM0B)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8VW7N2835YM0B)

>>>> Target: Cost Element (0COSTELMNT)

>>> Source: Cost element (0COSTELMNT_ATTR NEQ100)

Click on details to edit Transformation (0I67H2641WT2GX82WE6LHKFVHNSD2CXO)

Click on details to show code (See Program GP00O2THW8XCZ3HIZDZ2TRC1VX2)

Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HIZDZ2TRC1VX2)

Click on details to run Code Inspector (GP00O2THW8XCZ3HIZDZ2TRC1VX2)

Field Routine: Transfer Routine for InfoObject 0LOGSYS (DCW82EH56X6IE17QMCP9L361)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

>>>> Process Variant: 0CO_AREA_TEXT / NEQ100 -> 0CO_AREA (DTP_00O2TGZDW7QD8VUJR2K34I7CG)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8VUJR2K34I7CG)

>>>> Process Variant: 0CO_AREA_ATTR / NEQ100 -> 0CO_AREA (DTP_00O2TGZDW7QD8VUJNS991VVE6)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8VUJNS991VVE6)

>>>> Summary

Runtime: 2.62 sec

** Process Chain: Process Chain for OPA & Contracts Condition data (ZPC_COND)

>>>> Process Variant: 2LIS_11_VAKON / NEQ100 -> ZSD_O05 (DTP_00O2TGZDW7QEZ9FVA7QR8FEDH)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QEZ9FVA7QR8FEDH)

>>>> Target: Order: Condition Data (ZSD_O05)

>>> Source: Sales Document Condition (2LIS_11_VAKON NEQ100)

Click on details to edit Transformation (0F48RTXV7FL6ACSNYV8G9CQU401YWP1N)

Click on details to show code (See Program GP00O2THW8XCZ1R9JZ9651SYEHK)

Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R9JZ9651SYEHK)

Click on details to run Code Inspector (GP00O2THW8XCZ1R9JZ9651SYEHK)

Global Declarations: --- (00O2THW8XCZ3PMWGRUJBM6516)

Global Implementations: --- (00O2THW8XCZ3PMWGRUJBM6BCQ)

Field Routine ZTAX: --- (00O2THW8XCZ3PMWGRUJBM6HOA)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Field Routine ZSTCKVAL: --- (00O2THW8XCZ3PMWGRUJBM6NZU)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Field Routine ZDISCGR: --- (00O2THW8XCZ3PMWGRUJBM6UBE)

```
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZROYALTY: --- (00O2THW8XCZ3PMWGRUJBM70MY)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZCOMMIS: --- (00O2THW8XCZ3PMWGRUJBM76YI)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZMANADJ: --- (00O2THW8XCZ3PMWGRUJBM7DA2)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
```

```
>>>> Process Variant: ZSDC_OPN -> ZSD_C15 (DTP_00O2TGZDW7QEZXMN2MWSQKZ1)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QEZXMN2MWSQKZ1)
>>>> Target: Order: Condition Data (ZSD_C15)
>>>> Source: Open Orders InfoCube (ZSDC_OPN)
  Click on details to edit Transformation (0CZMDH8MFV0GHNHV8J2CEMZJG8XDJEB58)
  Click on details to show code (See Program GP00O2THW8XCZ3HK0KD6GHDJLIQ)
  Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HK0KD6GHDJLIQ)
  Click on details to run Code Inspector (GP00O2THW8XCZ3HK0KD6GHDJLIQ)
  Global Declarations: --- (00O2THW8XCZ3T3OC35TQD4OQB)
  Global Implementations: --- (00O2THW8XCZ3T3OC35TQD4UN6)
  End Routine: --- (00O2THW8XCZ3T3OC35TQD4I02)
  * ----- Begin of Routine -----
  SELECT SINGLE * FROM /BIC/AZSD_O0500 INTO ZWA_AZSD_O0500 WHERE DOC_NUMBER = <RESULT_FIELDS> -DOC_NUMBER AND MATERIAL = <
  * Database SELECT: Reading all columns (*) on big table
  * Database SELECT: > Specify only the columns you need
  * Database SELECT: Reading DataStore Object table /BIC/AZSD_O0500
  * Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
  * ----- End of Routine -----
```

```
>>>> Process Variant: ZSD_CONTR -> ZSD_C15 (DTP_00O2TGZDW7QEZXMP7TLCBDF3)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QEZXMP7TLCBDF3)
>>>> Target: Order: Condition Data (ZSD_C15)
>>>> Source: Contract Order Cube (ZSD_CONTR)
  Click on details to edit Transformation (0QF5N3ZQLVF1XIP3WNXSPLVSOZ6J8H9H)
  Click on details to show code (See Program GP00O2THW8XCZ3HK0KDULZ4JOVO)
  Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HK0KDULZ4JOVO)
  Click on details to run Code Inspector (GP00O2THW8XCZ3HK0KDULZ4JOVO)
  Global Declarations: --- (00O2THW8XCZ3T3OC3AUZQTFDU)
  Global Implementations: --- (00O2THW8XCZ3T3OC3AUZQTLPE)
  Start Routine: --- (00O2THW8XCZ3T3OC3AUZQT2QQ)
  * ----- Begin of Routine -----
  No issues found
  * ----- End of Routine -----
  End Routine: --- (00O2THW8XCZ3T3OC3AUZQT92A)
  * ----- Begin of Routine -----
  SELECT SINGLE * FROM /BIC/AZSD_O0500 INTO ZWA_AZSD_O0500 WHERE DOC_NUMBER = <RESULT_FIELDS> -ME_ORDER AND MATERIAL = <RE
  * Database SELECT: Reading all columns (*) on big table
  * Database SELECT: > Specify only the columns you need
  * Database SELECT: Reading DataStore Object table /BIC/AZSD_O0500
  * Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
  * ----- End of Routine -----
```

```
>>>> Process Variant: 2LIS_11_VAKON_DELTA_ERP (0PAK_7QX6QUDMIPIQ81DBJTDLKOCJES)
>>>> InfoPackage: 2LIS_11_VAKON_DELTA_ERP (0PAK_7QX6QUDMIPIQ81DBJTDLKOCJES)
PSA load only
```

```
>>>> Summary
  Runtime: 4.26 sec
```

```
** Process Chain: Process Chain for Open,Contracts & Cond - Emerging (ZPC_COND_EM)
```

```
>>>> Process Variant: Z_OPN -> Z_COND02 (DTP_00O2THVXVZKUIN7UAMKVPZYIM)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUIN7UAMKVPZYIM)
>>>> Target: Z_COND_I (Z_COND_I)
>>>> Source: Open Orders InfoCube (Z_OPN)
  Click on details to edit Transformation (01FLQA5H84F1VE4YU1O5RSFJR2KF151T)
  Click on details to show code (See Program GP00O2THW8XCZ3LMW8962D3IV5C)
  Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3LMW8962D3IV5C)
  Click on details to run Code Inspector (GP00O2THW8XCZ3LMW8962D3IV5C)
  Global Declarations: --- (00O2THW8XCZ3T3OBFEA16GXRJ)
  Global Implementations: --- (00O2THW8XCZ3T3OBFEA16H433)
  End Routine: --- (00O2THW8XCZ3T3OBFEA16GRFZ)
  * ----- Begin of Routine -----
  SELECT SINGLE * FROM /BIC/AZSD_O0500 INTO ZWA_AZSD_O0500 WHERE DOC_NUMBER = <RESULT_FIELDS> -DOC_NUMBER AND MATERIAL = <
  * Database SELECT: Reading all columns (*) on big table
  * Database SELECT: > Specify only the columns you need
  * Database SELECT: Reading DataStore Object table /BIC/AZSD_O0500
  * Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
  * ----- End of Routine -----
```

```
>>>> Process Variant: Z_CNTR -> Z_COND02 (DTP_00O2THVXVZKUIN7UU0G6H8ZX2)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUIN7UU0G6H8ZX2)
>>>> Target: Z_COND_I (Z_COND_I)
>>>> Source: Contract Order Cube (Z_CNTR)
  Click on details to edit Transformation (0TL2WRO0S7WAWZKCB5B2UYOWW9PLM934)
```

Click on details to show code (See Program GP00O2THW8XCZ3LMW899BUZQ4OG)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3LMW899BUZQ4OG)
Click on details to run Code Inspector (GP00O2THW8XCZ3LMW899BUZQ4OG)
Global Declarations: --- (00O2THW8XCZ3T3OBFZV1DKHYN)
Global Implementations: --- (00O2THW8XCZ3T3OBFZV1DKOA7)
Start Routine: --- (00O2THW8XCZ3T3OBFZV1DK5BJ)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
End Routine: --- (00O2THW8XCZ3T3OBFZV1DKBN3)
* ----- Begin of Routine -----
* -----

SELECT SINGLE * FROM /BIC/AZSD_O0500 INTO ZWA_AZSD_O0500 WHERE DOC_NUMBER = <RESULT_FIELDS> -ME_ORDER AND MATERIAL = <RE

* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZSD_O0500
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* ----- End of Routine -----

>>>> Process Variant: ZSDC_OPN -> Z_OPN02 (DTP_00O2THVXVZKUIN9LYG4APO7YI)
>>> Data Transfer Process: No description (DTP_00O2THVXVZKUIN9LYG4APO7YI)

>>>> Process Variant: ZSD_CONTR -> Z_CNTR02 (DTP_00O2THVXVZKUIN9ME6X8M8E3U)
>>> Data Transfer Process: No description (DTP_00O2THVXVZKUIN9ME6X8M8E3U)

>>>> Summary
Runtime: 3.49 sec

** Process Chain: Process Chain for OPA & Contracts Condition - EMEA (ZPC_COND_EMEA)

>>>> Process Variant: 2LIS_11_VAKON / NEQ100 -> ZSD_O05 (DTP_00O2TGZDW7QEZ9FVA7QR8FEDH)
>>> Data Transfer Process: No description (DTP_00O2TGZDW7QEZ9FVA7QR8FEDH)
>>> Target: Order: Condition Data (ZSD_O05)

>>> Source: Sales Document Condition (2LIS_11_VAKON NEQ100)
Click on details to edit Transformation (0F48RTXV7FL6ACSNYV8G9CQU401YWP1N)
Click on details to show code (See Program GP00O2THW8XCZ1R9JZ9651SYEHK)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R9JZ9651SYEHK)
Click on details to run Code Inspector (GP00O2THW8XCZ1R9JZ9651SYEHK)
Global Declarations: --- (00O2THW8XCZ3PMWGRUJBM6516)
Global Implementations: --- (00O2THW8XCZ3PMWGRUJBM6BCQ)
Field Routine ZTAX: --- (00O2THW8XCZ3PMWGRUJBM6HOA)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine ZSTCKVAL: --- (00O2THW8XCZ3PMWGRUJBM6NZU)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine ZDISCGR: --- (00O2THW8XCZ3PMWGRUJBM6UBE)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine ZROYALTY: --- (00O2THW8XCZ3PMWGRUJBM70MY)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine ZCOMMIS: --- (00O2THW8XCZ3PMWGRUJBM76YI)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine ZMANADJ: --- (00O2THW8XCZ3PMWGRUJBM7DA2)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

>>>> Process Variant: Z_OPN -> Z_COND03 (DTP_00O2THVXVZKUIN7UC23FQKYBJ)
>>> Data Transfer Process: No description (DTP_00O2THVXVZKUIN7UC23FQKYBJ)
>>> Target: Z_COND_I (Z_COND_I)

>>> Source: Open Orders InfoCube (Z_OPN)
Click on details to edit Transformation (01FLQA5H84F1VE4YU1O5RSFJR2KF151T)
Click on details to show code (See Program GP00O2THW8XCZ3LMW8962D3IV5C)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3LMW8962D3IV5C)
Click on details to run Code Inspector (GP00O2THW8XCZ3LMW8962D3IV5C)
Global Declarations: --- (00O2THW8XCZ3T3OBFEA16GXRJ)
Global Implementations: --- (00O2THW8XCZ3T3OBFEA16H433)
End Routine: --- (00O2THW8XCZ3T3OBFEA16GRFZ)
* ----- Begin of Routine -----
* -----

SELECT SINGLE * FROM /BIC/AZSD_O0500 INTO ZWA_AZSD_O0500 WHERE DOC_NUMBER = <RESULT_FIELDS> -DOC_NUMBER AND MATERIAL = <

* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZSD_O0500
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* ----- End of Routine -----

>>>> Process Variant: Z_CNTR -> Z_COND03 (DTP_00O2THVXVZKUIN7UV6RGD0GK8)

>>> Data Transfer Process: No description (DTP_00O2THVXVZKUIN7UV6RGD0GK8)
>>> Target: Z_COND_I (Z_COND_I)
>>> Source: Contract Order Cube (Z_CNTR)
Click on details to edit Transformation (0TL2WRO0S7AWZKCB5B2UYOWW9PLM934)
Click on details to show code (See Program GP00O2THW8XCZ3LMW899BUZQ4OG)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3LMW899BUZQ4OG)
Click on details to run Code Inspector (GP00O2THW8XCZ3LMW899BUZQ4OG)
Global Declarations: --- (00O2THW8XCZ3T3OBFZV1DKHYN)

```
Global Implementations: --- (00O2THW8XCZ3T3OBFZV1DKOA7)
Start Routine: --- (00O2THW8XCZ3T3OBFZV1DK5BJ)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
End Routine: --- (00O2THW8XCZ3T3OBFZV1DKBN3)
* ----- Begin of Routine -----
* ----- End of Routine -----
SELECT SINGLE * FROM /BIC/AZSD_O0500 INTO ZWA_AZSD_O0500 WHERE DOC_NUMBER = <RESULT_FIELDS> -ME_ORDER AND MATERIAL = <RE
* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZSD_O0500
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* ----- End of Routine -----
```

```
>>>>> Process Variant: 2LIS_11_VAKON_DELTA_ERP (0PAK_7QX6QUDMPIQ81DBJTDLKOCJES)
```

```
>>>>> InfoPackage: 2LIS_11_VAKON_DELTA_ERP (0PAK_7QX6QUDMPIQ81DBJTDLKOCJES)
```

```
PSA load only
```

```
>>>>> Summary
```

```
Runtime: 0.15 sec
```

```
** Process Chain: Process Chain for OPA & Contr Cond - Japan & Emerg (ZPC_COND_EM_JAPAC)
```

```
>>>>> Process Variant: 2LIS_11_VAKON / NEQ100 -> ZSD_O05 (DTP_00O2TGZDW7QEZFVA7QR8FEDH)
```

```
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QEZFVA7QR8FEDH)
```

```
>>>> Target: Order: Condition Data (ZSD_O05)
```

```
>>>> Source: Sales Document Condition (2LIS_11_VAKON NEQ100)
```

```
Click on details to edit Transformation (0F48RTXV7FL6ACSNYV8G9CQU401YWP1N)
```

```
Click on details to show code (See Program GP00O2THW8XCZ1R9JZ9651SYEHK)
```

```
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R9JZ9651SYEHK)
```

```
Click on details to run Code Inspector (GP00O2THW8XCZ1R9JZ9651SYEHK)
```

```
Global Declarations: --- (00O2THW8XCZ3PMWGRUJBM6516)
```

```
Global Implementations: --- (00O2THW8XCZ3PMWGRUJBM6BCQ)
```

```
Field Routine ZTAX: --- (00O2THW8XCZ3PMWGRUJBM6HOA)
```

```
* ----- Begin of Routine -----
```

```
No issues found
```

```
* ----- End of Routine -----
```

```
Field Routine ZSTCKVAL: --- (00O2THW8XCZ3PMWGRUJBM6NZU)
```

```
* ----- Begin of Routine -----
```

```
No issues found
```

```
* ----- End of Routine -----
```

```
Field Routine ZDISCGR: --- (00O2THW8XCZ3PMWGRUJBM6UBE)
```

```
* ----- Begin of Routine -----
```

```
No issues found
```

```
* ----- End of Routine -----
```

```
Field Routine ZROYALTY: --- (00O2THW8XCZ3PMWGRUJBM70MY)
```

```
* ----- Begin of Routine -----
```

```
No issues found
```

```
* ----- End of Routine -----
```

```
Field Routine ZCOMMIS: --- (00O2THW8XCZ3PMWGRUJBM76YI)
```

```
* ----- Begin of Routine -----
```

```
No issues found
```

```
* ----- End of Routine -----
```

```
Field Routine ZMANADJ: --- (00O2THW8XCZ3PMWGRUJBM7DA2)
```

```
* ----- Begin of Routine -----
```

```
No issues found
```

```
* ----- End of Routine -----
```

```
>>>>> Process Variant: Z_OPN -> Z_COND05 (DTP_00O2THVXVZKUIN7UB5EHFL8E7)
```

```
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUIN7UB5EHFL8E7)
```

```
>>>> Target: Z_COND_I (Z_COND_I)
```

```
>>>> Source: Open Orders InfoCube (Z_OPN)
```

```
Click on details to edit Transformation (01FLQA5H84F1VE4YU1O5RSFJR2KF151T)
```

```
Click on details to show code (See Program GP00O2THW8XCZ3LMW8962D3IV5C)
```

```
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3LMW8962D3IV5C)
```

```
Click on details to run Code Inspector (GP00O2THW8XCZ3LMW8962D3IV5C)
```

```
Global Declarations: --- (00O2THW8XCZ3T3OBFEA16GXRJ)
```

```
Global Implementations: --- (00O2THW8XCZ3T3OBFEA16H433)
```

```
End Routine: --- (00O2THW8XCZ3T3OBFEA16GRFZ)
```

```
* ----- Begin of Routine -----
```

```
*
```

```
SELECT SINGLE * FROM /BIC/AZSD_O0500 INTO ZWA_AZSD_O0500 WHERE DOC_NUMBER = <RESULT_FIELDS> -DOC_NUMBER AND MATERIAL = <
```

```
* Database SELECT: Reading all columns (*) on big table
```

```
* Database SELECT: > Specify only the columns you need
```

```
* Database SELECT: Reading DataStore Object table /BIC/AZSD_O0500
```

```
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
```

```
* ----- End of Routine -----
```

```
>>>>> Process Variant: Z_CNTR -> Z_COND05 (DTP_00O2THVXVZKUIN7UUEORMTXI0)
```

```
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUIN7UUEORMTXI0)
```

```
>>>> Target: Z_COND_I (Z_COND_I)
```

```
>>>> Source: Contract Order Cube (Z_CNTR)
```

```
Click on details to edit Transformation (0TL2WRO0S7WAWZKCB5B2UYOWW9PLM934)
```

```
Click on details to show code (See Program GP00O2THW8XCZ3LMW899BUZQ4OG)
```

```
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3LMW899BUZQ4OG)
```

```
Click on details to run Code Inspector (GP00O2THW8XCZ3LMW899BUZQ4OG)
```

```
Global Declarations: --- (00O2THW8XCZ3T3OBFZV1DKHYN)
```

```
Global Implementations: --- (00O2THW8XCZ3T3OBFZV1DKOA7)
```

```
Start Routine: --- (00O2THW8XCZ3T3OBFZV1DK5BJ)
```

```
* ----- Begin of Routine -----
```

```
No issues found
```

```
* ----- End of Routine -----
```

```
End Routine: --- (00O2THW8XCZ3T3OBFZV1DKBN3)
```

```
* ----- Begin of Routine -----
*
SELECT SINGLE * FROM /BIC/AZSD_O0500 INTO ZWA_AZSD_O0500 WHERE DOC_NUMBER = <RESULT_FIELDS> -ME_ORDER AND MATERIAL = <RE

* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZSD_O0500
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* ----- End of Routine -----

>>>>> Process Variant: 2LIS_11_VAKON_DELTA_ERP (0PAK_7QX6QUDMPIQ81DBJTDLKOCJES)
>>>> InfoPackage: 2LIS_11_VAKON_DELTA_ERP (0PAK_7QX6QUDMPIQ81DBJTDLKOCJES)
PSA load only

>>>>> Summary
Runtime: 0.17 sec

** Process Chain: Process Chain for OPA & Contracts Condition - Japa (ZPC_COND_JAPAN)

>>>>> Process Variant: Z_OPN -> Z_COND04 (DTP_0002THVXVZKUIN7UCGF23T9KV)
>>>> Data Transfer Process: No description (DTP_0002THVXVZKUIN7UCGF23T9KV)
>>>> Target: Z_COND_I (Z_COND_I)
>>> Source: Open Orders InfoCube (Z_OPN)
Click on details to edit Transformation (01FLQA5H84F1VE4YU1O5RSFJR2KF151T)
Click on details to show code (See Program GP0002THW8XCZ3LMW8962D3IV5C)
Click on details to run Ext. Syntax Check (GP0002THW8XCZ3LMW8962D3IV5C)
Click on details to run Code Inspector (GP0002THW8XCZ3LMW8962D3IV5C)
Global Declarations: --- (0002THW8XCZ3T3OBFEA16GXRJ)
Global Implementations: --- (0002THW8XCZ3T3OBFEA16H433)
End Routine: --- (0002THW8XCZ3T3OBFEA16GRFZ)
* ----- Begin of Routine -----
*
SELECT SINGLE * FROM /BIC/AZSD_O0500 INTO ZWA_AZSD_O0500 WHERE DOC_NUMBER = <RESULT_FIELDS> -DOC_NUMBER AND MATERIAL = <

* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZSD_O0500
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* ----- End of Routine -----

>>>>> Process Variant: Z_CNTR -> Z_COND04 (DTP_0002THVXVZKUIN7UVOT51GQU0)
>>>> Data Transfer Process: No description (DTP_0002THVXVZKUIN7UVOT51GQU0)
>>>> Target: Z_COND_I (Z_COND_I)
>>> Source: Contract Order Cube (Z_CNTR)
Click on details to edit Transformation (0TL2WRO0S7WAWZKCB5B2UYOWW9PLM934)
Click on details to show code (See Program GP0002THW8XCZ3LMW899BUZQ4OG)
Click on details to run Ext. Syntax Check (GP0002THW8XCZ3LMW899BUZQ4OG)
Click on details to run Code Inspector (GP0002THW8XCZ3LMW899BUZQ4OG)
Global Declarations: --- (0002THW8XCZ3T3OBFZV1DKHYN)
Global Implementations: --- (0002THW8XCZ3T3OBFZV1DKOA7)
Start Routine: --- (0002THW8XCZ3T3OBFZV1DK5BJ)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
End Routine: --- (0002THW8XCZ3T3OBFZV1DKBN3)
* ----- Begin of Routine -----
*
SELECT SINGLE * FROM /BIC/AZSD_O0500 INTO ZWA_AZSD_O0500 WHERE DOC_NUMBER = <RESULT_FIELDS> -ME_ORDER AND MATERIAL = <RE

* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZSD_O0500
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* ----- End of Routine -----

>>>>> Summary
Runtime: 0.10 sec

** Process Chain: Process Chain for OPA & Contracts Condition - Japa (ZPC_COND_JAPAN)

>>>>> Process Variant: Z_OPN -> Z_COND04 (DTP_0002THVXVZKUIN7UCGF23T9KV)
>>>> Data Transfer Process: No description (DTP_0002THVXVZKUIN7UCGF23T9KV)
>>>> Target: Z_COND_I (Z_COND_I)
>>> Source: Open Orders InfoCube (Z_OPN)
Click on details to edit Transformation (01FLQA5H84F1VE4YU1O5RSFJR2KF151T)
Click on details to show code (See Program GP0002THW8XCZ3LMW8962D3IV5C)
Click on details to run Ext. Syntax Check (GP0002THW8XCZ3LMW8962D3IV5C)
Click on details to run Code Inspector (GP0002THW8XCZ3LMW8962D3IV5C)
Global Declarations: --- (0002THW8XCZ3T3OBFEA16GXRJ)
Global Implementations: --- (0002THW8XCZ3T3OBFEA16H433)
End Routine: --- (0002THW8XCZ3T3OBFEA16GRFZ)
* ----- Begin of Routine -----
*
SELECT SINGLE * FROM /BIC/AZSD_O0500 INTO ZWA_AZSD_O0500 WHERE DOC_NUMBER = <RESULT_FIELDS> -DOC_NUMBER AND MATERIAL = <

* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZSD_O0500
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* ----- End of Routine -----

>>>>> Process Variant: Z_CNTR -> Z_COND04 (DTP_0002THVXVZKUIN7UVOT51GQU0)
>>>> Data Transfer Process: No description (DTP_0002THVXVZKUIN7UVOT51GQU0)
>>>> Target: Z_COND_I (Z_COND_I)
>>> Source: Contract Order Cube (Z_CNTR)
Click on details to edit Transformation (0TL2WRO0S7WAWZKCB5B2UYOWW9PLM934)
Click on details to show code (See Program GP0002THW8XCZ3LMW899BUZQ4OG)
Click on details to run Ext. Syntax Check (GP0002THW8XCZ3LMW899BUZQ4OG)
```

```
Click on details to run Code Inspector (GP0002THW8XCZ3LMW899BUZQ4OG)
Global Declarations: --- (0002THW8XCZ3T3OBFZV1DKHYN)
Global Implementations: --- (0002THW8XCZ3T3OBFZV1DKOA7)
Start Routine: --- (0002THW8XCZ3T3OBFZV1DK5BJ)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
End Routine: --- (0002THW8XCZ3T3OBFZV1DKBN3)
* ----- Begin of Routine -----
* -----
SELECT SINGLE * FROM /BIC/AZSD_O0500 INTO ZWA_AZSD_O0500 WHERE DOC_NUMBER = <RESULT_FIELDS> -ME_ORDER AND MATERIAL = <RE
* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZSD_O0500
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* ----- End of Routine -----
```

```
>>>> Summary
Runtime: 0.03 sec
```

```
** Process Chain: Process Chain for Open,Contracts & Condition - Nor (ZPC_COND_NA)
```

```
>>>> Process Variant: Z_OPN -> Z_COND01 (DTP_0002THVXVZKUIN7UBLHR0NTFJ)
>>>> Data Transfer Process: No description (DTP_0002THVXVZKUIN7UBLHR0NTFJ)
>>>> Target: Z_COND_I (Z_COND_I)
>>> Source: Open Orders InfoCube (Z_OPN)
Click on details to edit Transformation (01FLQA5H84F1VE4YU1O5RSFJR2KF151T)
Click on details to show code (See Program GP0002THW8XCZ3LMW8962D3IV5C)
Click on details to run Ext. Syntax Check (GP0002THW8XCZ3LMW8962D3IV5C)
Click on details to run Code Inspector (GP0002THW8XCZ3LMW8962D3IV5C)
Global Declarations: --- (0002THW8XCZ3T3OBFEA16GXRJ)
Global Implementations: --- (0002THW8XCZ3T3OBFEA16H433)
End Routine: --- (0002THW8XCZ3T3OBFEA16GRFZ)
* ----- Begin of Routine -----
* -----
SELECT SINGLE * FROM /BIC/AZSD_O0500 INTO ZWA_AZSD_O0500 WHERE DOC_NUMBER = <RESULT_FIELDS> -DOC_NUMBER AND MATERIAL = <
* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZSD_O0500
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* ----- End of Routine -----
```

```
>>>> Process Variant: Z_CNTR -> Z_COND01 (DTP_0002THVXVZKUIN7UUQMFTNHEG)
>>>> Data Transfer Process: No description (DTP_0002THVXVZKUIN7UUQMFTNHEG)
>>>> Target: Z_COND_I (Z_COND_I)
>>> Source: Contract Order Cube (Z_CNTR)
Click on details to edit Transformation (0TL2WRO0S7WAWZKCB5B2UYOWW9PLM934)
Click on details to show code (See Program GP0002THW8XCZ3LMW899BUZQ4OG)
Click on details to run Ext. Syntax Check (GP0002THW8XCZ3LMW899BUZQ4OG)
Click on details to run Code Inspector (GP0002THW8XCZ3LMW899BUZQ4OG)
Global Declarations: --- (0002THW8XCZ3T3OBFZV1DKHYN)
Global Implementations: --- (0002THW8XCZ3T3OBFZV1DKOA7)
Start Routine: --- (0002THW8XCZ3T3OBFZV1DK5BJ)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
End Routine: --- (0002THW8XCZ3T3OBFZV1DKBN3)
* ----- Begin of Routine -----
* -----
SELECT SINGLE * FROM /BIC/AZSD_O0500 INTO ZWA_AZSD_O0500 WHERE DOC_NUMBER = <RESULT_FIELDS> -ME_ORDER AND MATERIAL = <RE
* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZSD_O0500
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* ----- End of Routine -----
```

```
>>>> Process Variant: ZSDC_OPN -> Z_OPN01 (DTP_0002THVXVZKUIN9LY0L9WIBLW)
>>>> Data Transfer Process: No description (DTP_0002THVXVZKUIN9LY0L9WIBLW)
```

```
>>>> Process Variant: ZSD_CNTR -> Z_CNTR01 (DTP_0002THVXVZKUIN9MDQ3D3DH7O)
>>>> Data Transfer Process: No description (DTP_0002THVXVZKUIN9MDQ3D3DH7O)
```

```
>>>> Summary
Runtime: 0.15 sec
```

```
** Process Chain: Process Chain for Contract InfoCube (ZPC_CONTRACT)
```

```
>>>> Process Variant: ZAFSDDS1 -> ZSD_CNTR (DTP_0002TGZDW7QD8ZHRBKQEE1J8Z)
>>>> Data Transfer Process: No description (DTP_0002TGZDW7QD8ZHRBKQEE1J8Z)
>>>> Target: Contract Order Cube (ZSD_CNTR)
>>> Source: AFS Sales Orders (ZAFSDDS1)
Click on details to edit Transformation (0JSFXB20T9REHRL1ZIYAJX5CKLHBYKIS)
Click on details to show code (See Program GP0002THW8XCZ3HK0D16LCFT96S)
Click on details to run Ext. Syntax Check (GP0002THW8XCZ3HK0D16LCFT96S)
Click on details to run Code Inspector (GP0002THW8XCZ3HK0D16LCFT96S)
Global Declarations: --- (0002THW8XCZ3T3OC35TQD5DLU)
Global Implementations: --- (0002THW8XCZ3T3OC35TQD5JXE)
Start Routine: --- (0002THW8XCZ3T3OC35TQD50YQ)
* ----- Begin of Routine -----
* -----
SELECT SINGLE * FROM /BIC/AZSD_O0300 INTO ZW_AZSD_O0300 WHERE DOC_NUMBER = ZW_SOURCE_PACKAGE-D0C_NUMBER
* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZSD_O0300
```

* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

SELECT SINGLE * FROM /BIC/AZSD_O0300 INTO ZW_AZSD_O0301 WHERE DOC_NUMBER = ZW_SOURCE_PACKAGE-REFER_DOC

* Database SELECT: Reading all columns (*) on big table

* Database SELECT: > Specify only the columns you need

* Database SELECT: Reading DataStore Object table /BIC/AZSD_O0300

* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

SELECT SINGLE AF_RQDATE REQ_DATE AF_CADATE SHIP_TO PLANT FROM /BIC/AZAFSDDS100 INTO LW_CONTRACT WHERE REASON_REJ = " AN

* Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100

* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

SELECT SINGLE AF_RQDATE REQ_DATE AF_CADATE SHIP_TO PLANT FROM /BIC/AZAFSDDS100 INTO LW_CONTRACT WHERE REASON_REJ = " AN

* Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100

* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

SELECT SINGLE AF_RQDATE REQ_DATE AF_CADATE SHIP_TO PLANT FROM /BIC/AZAFSDDS100 INTO LW_CONTRACT WHERE REASON_REJ = " AN

* Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100

* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

SELECT SINGLE AF_RQDATE REQ_DATE AF_CADATE SHIP_TO PLANT FROM /BIC/AZAFSDDS100 INTO LW_CONTRACT WHERE DOC_NUMBER = <SOUR

* Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100

* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

* ----- End of Routine -----

Field Routine 0CO_AREA: --- (0002THW8XCZ3T3OC35TQD5Q8Y)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Field Routine 0ME_ORDER: --- (0002THW8XCZ3T3OC35TQD5WKI)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Field Routine ZREF_DOC: --- (0002THW8XCZ3T3OC35TQD62W2)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Field Routine 0SALES_UNIT: --- (0002THW8XCZ3T3OC35TQD697M)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Field Routine 0CURRENCY: --- (0002THW8XCZ3T3OC35TQD6FJ6)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Field Routine 0SALES_UNIT: --- (0002THW8XCZ3T3OC35TQD6LUQ)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Field Routine 0CURRENCY: --- (0002THW8XCZ3T3OC35TQD6S6A)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Field Routine ZCONCTEA: --- (0002THW8XCZ3T3OC35TQD6YHU)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Field Routine ZCALOFEA: --- (0002THW8XCZ3T3OC35TQD74TE)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

End Routine: --- (0002THW8XCZ3T3OC35TQD57AA)

* ----- Begin of Routine -----

CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-SALES_UNIT MATERIAL = <RESULT_FIELDS>-MATER

Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD

* ----- End of Routine -----

DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>

* ----- End of Routine -----

>>>> Summary

Runtime: 4.19 sec

** Process Chain: Process Chain for Contract InfoCube - EMEA (ZPC_CONTRACT_EMEA)

>>>> Process Variant: ZAFSDDS1 -> Z_CNTR03 (DTP_0002THVXVZKSOW2MDD1DMLO4Z)

>>>> Data Transfer Process: No description (DTP_0002THVXVZKSOW2MDD1DMLO4Z)

>>>> Target: Z_CNTR_1 (Z_CNTR_1)

>>>> Source: AFS Sales Orders (ZAFSDDS1)

Click on details to edit Transformation (0QFU9SWTNA185SK73LV4ZEWS9TXS3TN6)

Click on details to show code (See Program GP0002THW8XCZ3LMW6DMDQ06QNU)

Click on details to run Ext. Syntax Check (GP0002THW8XCZ3LMW6DMDQ06QNU)

Click on details to run Code Inspector (GP0002THW8XCZ3LMW6DMDQ06QNU)

Global Declarations: --- (0002THW8XCZ3T3OC3C3KJ5H5U)

Global Implementations: --- (0002THW8XCZ3T3OC3C3KJ5NHE)

Start Routine: --- (0002THW8XCZ3T3OC3C3KJ54IQ)

* ----- Begin of Routine -----

* ----- End of Routine -----

SELECT SINGLE * FROM /BIC/AZSD_O0300 INTO ZW_AZSD_O0301 WHERE DOC_NUMBER = ZW_SOURCE_PACKAGE-DOC_NUMBER

* Database SELECT: Reading all columns (*) on big table

* Database SELECT: > Specify only the columns you need

* Database SELECT: Reading DataStore Object table /BIC/AZSD_O0300

* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

SELECT SINGLE * FROM /BIC/AZSD_O0300 INTO ZW_AZSD_O0301 WHERE DOC_NUMBER = ZW_SOURCE_PACKAGE-REFER_DOC

```

* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZSD_O0300
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* -----
SELECT SINGLE AF_RQDATE REQ_DATE AF_CADATE SHIP_TO PLANT FROM /BIC/AZAFSDDS100 INTO LW_CONTRACT WHERE REASON_REJ = " AN
* Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* -----
SELECT SINGLE AF_RQDATE REQ_DATE AF_CADATE SHIP_TO PLANT FROM /BIC/AZAFSDDS100 INTO LW_CONTRACT WHERE REASON_REJ = " AN
* Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* -----
SELECT SINGLE AF_RQDATE REQ_DATE AF_CADATE SHIP_TO PLANT FROM /BIC/AZAFSDDS100 INTO LW_CONTRACT WHERE REASON_REJ = " AN
* Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* -----
SELECT SINGLE AF_RQDATE REQ_DATE AF_CADATE SHIP_TO PLANT FROM /BIC/AZAFSDDS100 INTO LW_CONTRACT WHERE DOC_NUMBER = <SOUR
* Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* -----
* ----- End of Routine -----
Field Routine 0CO_AREA: --- (00O2THW8XCZ3T3OC3C3KJ5TSY)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0ME_ORDER: --- (00O2THW8XCZ3T3OC3C3KJ604I)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZREF_DOC: --- (00O2THW8XCZ3T3OC3C3KJ66G2)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZCONCTQTY: --- (00O2THW8XCZ3T3OC3C3KJ6CRM)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZCONCTVAL: --- (00O2THW8XCZ3T3OC3C3KJ6J36)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZCALOFQTY: --- (00O2THW8XCZ3T3OC3C3KJ6PEQ)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZCALOFVAL: --- (00O2THW8XCZ3T3OC3C3KJ6VQA)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
End Routine: --- (00O2THW8XCZ3T3OC3C3KJ5AUA)
* ----- Begin of Routine -----
CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-SALES_UNIT MATERIAL = <RESULT_FIELDS>-MATER
Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD
* -----
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
* ----- End of Routine -----

```

```

>>>> Summary
Runtime: 1.84 sec

```

```

** Process Chain: Process Chain for Contract InfoCube - Japan & Emer (ZPC_CONTRACT_EM_JAPAC)

```

```

>>>> Process Variant: ZAFSDDS1 -> Z_CNTR05 (DTP_00O2THVXVZKUIN7SLHIAA29V8)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUIN7SLHIAA29V8)
>>>> Target: Z_CNTR_I (Z_CNTR_I)
>>> Source: AFS Sales Orders (ZAFSDDS1)
Click on details to edit Transformation (0QFU9SWTNA185SK73LV4ZEWS9TXS3TN6)
Click on details to show code (See Program GP00O2THW8XCZ3LMW6DMDQ06QNU)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3LMW6DMDQ06QNU)
Click on details to run Code Inspector (GP00O2THW8XCZ3LMW6DMDQ06QNU)
Global Declarations: --- (00O2THW8XCZ3T3OC3C3KJ5H5U)
Global Implementations: --- (00O2THW8XCZ3T3OC3C3KJ5NHE)
Start Routine: --- (00O2THW8XCZ3T3OC3C3KJ54IQ)
* ----- Begin of Routine -----
* -----
SELECT SINGLE * FROM /BIC/AZSD_O0300 INTO ZW_AZSD_O0300 WHERE DOC_NUMBER = ZW_SOURCE_PACKAGE-DOC_NUMBER
* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZSD_O0300
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* -----
SELECT SINGLE * FROM /BIC/AZSD_O0300 INTO ZW_AZSD_O0301 WHERE DOC_NUMBER = ZW_SOURCE_PACKAGE-REFER_DOC
* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZSD_O0300
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* -----
SELECT SINGLE AF_RQDATE REQ_DATE AF_CADATE SHIP_TO PLANT FROM /BIC/AZAFSDDS100 INTO LW_CONTRACT WHERE REASON_REJ = " AN
* Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* -----
SELECT SINGLE AF_RQDATE REQ_DATE AF_CADATE SHIP_TO PLANT FROM /BIC/AZAFSDDS100 INTO LW_CONTRACT WHERE REASON_REJ = " AN
* Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100

```

* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

SELECT SINGLE AF_RQDATE REQ_DATE AF_CADATE SHIP_TO PLANT FROM /BIC/AZAFSDDS100 INTO LW_CONTRACT WHERE REASON_REJ = " AN

* Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100

* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

SELECT SINGLE AF_RQDATE REQ_DATE AF_CADATE SHIP_TO PLANT FROM /BIC/AZAFSDDS100 INTO LW_CONTRACT WHERE DOC_NUMBER = <SOUR

* Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100

* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

* ----- End of Routine -----
Field Routine 0CO_AREA: --- (0002THW8XCZ3T3OC3C3KJ5TSY)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine 0ME_ORDER: --- (0002THW8XCZ3T3OC3C3KJ604I)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine ZREF_DOC: --- (0002THW8XCZ3T3OC3C3KJ66G2)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine ZCONCTQTY: --- (0002THW8XCZ3T3OC3C3KJ6CRM)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine ZCONCTVAL: --- (0002THW8XCZ3T3OC3C3KJ6J36)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine ZCALOFQTY: --- (0002THW8XCZ3T3OC3C3KJ6PEQ)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine ZCALOFVAL: --- (0002THW8XCZ3T3OC3C3KJ6VQA)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
End Routine: --- (0002THW8XCZ3T3OC3C3KJ5AUA)
* ----- Begin of Routine -----
* -----

CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-SALES_UNIT MATERIAL = <RESULT_FIELDS>-MATER

Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD

* -----
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
* ----- End of Routine -----

>>>> Summary

Runtime: 0.12 sec

** Process Chain: Process Chain for Contract InfoCube - Japan (ZPC_CONTRACT_JAPAN)

>>>> Process Variant: ZAFSDDS1 -> Z_CNTR04 (DTP_0002THVXVZKSOW2MDRGR1ZSDV)

>>>> Data Transfer Process: No description (DTP_0002THVXVZKSOW2MDRGR1ZSDV)

>>>> Target: Z_CNTR_I (Z_CNTR_I)

>>> Source: AFS Sales Orders (ZAFSDDS1)

Click on details to edit Transformation (0QFU9SWTNA185SK73LV4ZEWS9TXS3TN6)
Click on details to show code (See Program GP0002THW8XCZ3LMW6DMDQ06QNU)
Click on details to run Ext. Syntax Check (GP0002THW8XCZ3LMW6DMDQ06QNU)
Click on details to run Code Inspector (GP0002THW8XCZ3LMW6DMDQ06QNU)
Global Declarations: --- (0002THW8XCZ3T3OC3C3KJ5H5U)
Global Implementations: --- (0002THW8XCZ3T3OC3C3KJ5NHE)
Start Routine: --- (0002THW8XCZ3T3OC3C3KJ54IQ)
* ----- Begin of Routine -----
* -----

SELECT SINGLE * FROM /BIC/AZSD_00300 INTO ZW_AZSD_00300 WHERE DOC_NUMBER = ZW_SOURCE_PACKAGE-DOC_NUMBER

* Database SELECT: Reading all columns (*) on big table

* Database SELECT: > Specify only the columns you need

* Database SELECT: Reading DataStore Object table /BIC/AZSD_00300

* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

SELECT SINGLE * FROM /BIC/AZSD_00301 INTO ZW_AZSD_00301 WHERE DOC_NUMBER = ZW_SOURCE_PACKAGE-REFER_DOC

* Database SELECT: Reading all columns (*) on big table

* Database SELECT: > Specify only the columns you need

* Database SELECT: Reading DataStore Object table /BIC/AZSD_00300

* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

SELECT SINGLE AF_RQDATE REQ_DATE AF_CADATE SHIP_TO PLANT FROM /BIC/AZAFSDDS100 INTO LW_CONTRACT WHERE REASON_REJ = " AN

* Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100

* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

SELECT SINGLE AF_RQDATE REQ_DATE AF_CADATE SHIP_TO PLANT FROM /BIC/AZAFSDDS100 INTO LW_CONTRACT WHERE REASON_REJ = " AN

* Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100

* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

SELECT SINGLE AF_RQDATE REQ_DATE AF_CADATE SHIP_TO PLANT FROM /BIC/AZAFSDDS100 INTO LW_CONTRACT WHERE REASON_REJ = " AN

* Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100

* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

SELECT SINGLE AF_RQDATE REQ_DATE AF_CADATE SHIP_TO PLANT FROM /BIC/AZAFSDDS100 INTO LW_CONTRACT WHERE DOC_NUMBER = <SOUR

* Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100

* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

* ----- End of Routine -----
Field Routine 0CO_AREA: --- (0002THW8XCZ3T3OC3C3KJ5TSY)

	*----- Begin of Routine -----
	No issues found
	*----- End of Routine -----
	Field Routine 0ME_ORDER: --- (00O2THW8XCZ3T3OC3C3KJ604I)
	*----- Begin of Routine -----
	No issues found
	*----- End of Routine -----
	Field Routine ZREF_DOC: --- (00O2THW8XCZ3T3OC3C3KJ66G2)
	*----- Begin of Routine -----
	No issues found
	*----- End of Routine -----
	Field Routine ZCONCTQTY: --- (00O2THW8XCZ3T3OC3C3KJ6CRM)
	*----- Begin of Routine -----
	No issues found
	*----- End of Routine -----
	Field Routine ZCONCTVAL: --- (00O2THW8XCZ3T3OC3C3KJ6J36)
	*----- Begin of Routine -----
	No issues found
	*----- End of Routine -----
	Field Routine ZCALOFQTY: --- (00O2THW8XCZ3T3OC3C3KJ6PEQ)
	*----- Begin of Routine -----
	No issues found
	*----- End of Routine -----
	Field Routine ZCALOFVAL: --- (00O2THW8XCZ3T3OC3C3KJ6VQA)
	*----- Begin of Routine -----
	No issues found
	*----- End of Routine -----
	End Routine: --- (00O2THW8XCZ3T3OC3C3KJ5AUA)
	*----- Begin of Routine -----
	*-----
	CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-SALES_UNIT MATERIAL = <RESULT_FIELDS>-MATER
	Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD
	*-----
	DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
	*----- End of Routine -----
	>>>> Summary
	Runtime: 0.13 sec
	** Process Chain: Process Chain for Contract InfoCube - Japan (ZPC_CONTRACT_JAPAN)
	>>>> Process Variant: ZAFSDDS1 -> Z_CNTR04 (DTP_00O2THVXVZKSOW2MDRGR1ZSDV)
	>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSOW2MDRGR1ZSDV)
	>>>> Target: Z_CNTR_1 (Z_CNTR_I)
	>>> Source: AFS Sales Orders (ZAFSDDS1)
	Click on details to edit Transformation (0QFU9SWTNA185SK73LV4ZEWS9TXS3TN6)
	Click on details to show code (See Program GP00O2THW8XCZ3LMW6DMDQ06QNU)
	Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3LMW6DMDQ06QNU)
	Click on details to run Code Inspector (GP00O2THW8XCZ3LMW6DMDQ06QNU)
	Global Declarations: --- (00O2THW8XCZ3T3OC3C3KJ5H5U)
	Global Implementations: --- (00O2THW8XCZ3T3OC3C3KJ5NHE)
	Start Routine: --- (00O2THW8XCZ3T3OC3C3KJ54IQ)
	*----- Begin of Routine -----
	*-----
	SELECT SINGLE * FROM /BIC/AZSD_O0300 INTO ZW_AZSD_O0300 WHERE DOC_NUMBER = ZW_SOURCE_PACKAGE-DOC_NUMBER
	* Database SELECT: Reading all columns (*) on big table
	* Database SELECT: > Specify only the columns you need
	* Database SELECT: Reading DataStore Object table /BIC/AZSD_O0300
	* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
	*-----
	SELECT SINGLE * FROM /BIC/AZSD_O0300 INTO ZW_AZSD_O0301 WHERE DOC_NUMBER = ZW_SOURCE_PACKAGE-REFER_DOC
	* Database SELECT: Reading all columns (*) on big table
	* Database SELECT: > Specify only the columns you need
	* Database SELECT: Reading DataStore Object table /BIC/AZSD_O0300
	* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
	*-----
	SELECT SINGLE AF_RQDATE REQ_DATE AF_CADATE SHIP_TO PLANT FROM /BIC/AZAFSDDS100 INTO LW_CONTRACT WHERE REASON_REJ = " AN
	* Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100
	* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
	*-----
	SELECT SINGLE AF_RQDATE REQ_DATE AF_CADATE SHIP_TO PLANT FROM /BIC/AZAFSDDS100 INTO LW_CONTRACT WHERE REASON_REJ = " AN
	* Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100
	* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
	*-----
	SELECT SINGLE AF_RQDATE REQ_DATE AF_CADATE SHIP_TO PLANT FROM /BIC/AZAFSDDS100 INTO LW_CONTRACT WHERE REASON_REJ = " AN
	* Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100
	* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
	*-----
	SELECT SINGLE AF_RQDATE REQ_DATE AF_CADATE SHIP_TO PLANT FROM /BIC/AZAFSDDS100 INTO LW_CONTRACT WHERE DOC_NUMBER = <SOUR
	* Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100
	* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
	*----- End of Routine -----
	Field Routine 0CO_AREA: --- (00O2THW8XCZ3T3OC3C3KJ5TSY)
	*----- Begin of Routine -----
	No issues found
	*----- End of Routine -----
	Field Routine 0ME_ORDER: --- (00O2THW8XCZ3T3OC3C3KJ604I)
	*----- Begin of Routine -----
	No issues found
	*----- End of Routine -----
	Field Routine ZREF_DOC: --- (00O2THW8XCZ3T3OC3C3KJ66G2)
	*----- Begin of Routine -----
	No issues found
	*----- End of Routine -----

```

Field Routine ZCONCTQTY: --- (00O2THW8XCZ3T3OC3C3KJ6CRM)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZCONCTVAL: --- (00O2THW8XCZ3T3OC3C3KJ6J36)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZCALOFQTY: --- (00O2THW8XCZ3T3OC3C3KJ6PEQ)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZCALOFVAL: --- (00O2THW8XCZ3T3OC3C3KJ6VQA)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
End Routine: --- (00O2THW8XCZ3T3OC3C3KJ5AUA)
* ----- Begin of Routine -----
* -----
CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-SALES_UNIT MATERIAL = <RESULT_FIELDS>-MATER
Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVND
* -----
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
* ----- End of Routine -----

>>>>> Summary
Runtime: 0.08 sec

** Process Chain: Process Chain for COPA (ZPC_COPA)

>>>>> Process Variant: 1_CO_PA_NECUS / NEQ100 -> ZIC_COPA (DTP_00O2TGZDW7QEZ9G374F8UYXH6)
>>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QEZ9G374F8UYXH6)
>>>>> Target: NEC COPA (ZIC_COPA)
>>>> Source: NEC COPA (1_CO_PA_NECUS NEQ100)
Click on details to edit Transformation (0OB7PX5MSV6U20BYNG9CP0FB0XP99S33)
Click on details to show code (See Program GP00O2THW8XCZ1R9S2P623001OP)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R9S2P623001OP)
Click on details to run Code Inspector (GP00O2THW8XCZ1R9S2P623001OP)
Global Declarations: --- (00O2THW8XCZ1V84119P6ZBF55)
Global Implementations: --- (00O2THW8XCZ1V84119P6ZBLGP)
Field Routine 0CURRENCY: --- (00O2THW8XCZ1V84119P6ZBRS9)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0CURRENCY: --- (00O2THW8XCZ1V84119P6ZBY3T)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0CURRENCY: --- (00O2THW8XCZ1V84119P6ZC4FD)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
End Routine: --- (00O2THW8XCZ1V84119P6ZB8TL)
* ----- Begin of Routine -----
* -----
SELECT SINGLE DOCTYPE REFER_DOC DOC_DATE FROM /BIC/AZSD_00300 INTO (WA_/BIC/AZSD_00300-DOCTYPE, WA_/BIC/AZSD_00300-REFER
* Database SELECT: Reading DataStore Object table /BIC/AZSD_00300
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* -----
SELECT SINGLE DOCTYPE DOC_DATE DOC_CATEG FROM /BIC/AZSD_00300 INTO (WA_/BIC/AZSD_00300_1-DOCTYPE, WA_/BIC/AZSD_00300_1-D
* Database SELECT: Reading DataStore Object table /BIC/AZSD_00300
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* ----- End of Routine -----

>>>>> Process Variant: ZIC_COPA -> ZDSOCOPA (DTP_00O2THVXVZKSO8370YE32C3OM)
>>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSO8370YE32C3OM)
>>>>> Target: COPA InterCompany DSO (ZDSOCOPA)
>>>> Source: NEC COPA (ZIC_COPA)
Click on details to edit Transformation (04O5SXDSVGFPPUGI79DZB3MCO40FR062)
Click on details to show code (See Program GP00O2THW8XCZ1R9S72RX1GUAP5)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R9S72RX1GUAP5)
Click on details to run Code Inspector (GP00O2THW8XCZ1R9S72RX1GUAP5)
Global Declarations: --- (00O2THW8XCZ3M7K9Y504PU4UJ)
Global Implementations: --- (00O2THW8XCZ3M7K9Y504PUB63)
Start Routine: --- (00O2THW8XCZ3M7K9Y504PTS7F)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine Z_MANADJ: --- (00O2THW8XCZ3M7K9Y504PUHHN)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZATONCE: --- (00O2THW8XCZ3M7K9Y504PUNT7)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
End Routine: --- (00O2THW8XCZ3M7K9Y504PTYIZ)
* ----- Begin of Routine -----
* -----
SELECT DOC_NUMBER MATERIAL SOLD_TO SHIP_TO S_ORD_ITEM SALESORG SALES_DIST SALES_GRP SALES_OFF COMP_CODE PROFIT_CTR DOC_T
* Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* ----- End of Routine -----

```

```
>>>>> Process Variant: ZDSCOPA -> ZCOPA_C03 (DTP_0002THVXVZKS08ENITEF7D41M)
>>>>> Data Transfer Process: ZDSCOPA -> ZCOPA_C03 (DTP_0002THVXVZKS08ENITEF7D41M)
>>>>> Target: COPA NEC layer1 (ZCOPA_C03)
>>>>> Source: COPA InterCompany DSO (ZDSOCOPA)
  Click on details to edit Transformation (0P4TV7AE9U2NPSOF11UXIR1BY6TROHEY)
  Click on details to show code (See Program GP0002THW8XCZ3HK11P9353Y2MA)
  Click on details to run Ext. Syntax Check (GP0002THW8XCZ3HK11P9353Y2MA)
  Click on details to run Code Inspector (GP0002THW8XCZ3HK11P9353Y2MA)
  Global Declarations: --- (0002THW8XCZ3PCX93ZWAUBBLY)
  Global Implementations: --- (0002THW8XCZ3PCX93ZWAUBHXI)
  Start Routine: --- (0002THW8XCZ3PCX93ZWAUAYYU)
  * ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
Field Routine 0CURRENCY: --- (0002THW8XCZ3PCX93ZWAUBO92)
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
End Routine: --- (0002THW8XCZ3PCX93ZWAUB5AE)
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
```

```
>>>>> Process Variant: ZIC_COPA -> ZCOPA_C03 (DTP_0002THVXVZKS08EPOQEIMM310)
>>>>> Data Transfer Process: No description (DTP_0002THVXVZKS08EPOQEIMM310)
>>>>> Target: COPA NEC layer1 (ZCOPA_C03)
>>>>> Source: NEC COPA (ZIC_COPA)
  Click on details to edit Transformation (0E8P83COIVAA33X0CAIIOSZT9BU8G55T)
  Click on details to show code (See Program GP0002THW8XCZ3HK11OAY224QF4)
  Click on details to run Ext. Syntax Check (GP0002THW8XCZ3HK11OAY224QF4)
  Click on details to run Code Inspector (GP0002THW8XCZ3HK11OAY224QF4)
  Global Declarations: --- (0002THW8XCZ1ZAANF8GON09KG)
  Global Implementations: --- (0002THW8XCZ1ZAANF8GON0FW0)
  Field Routine ZATONCE: --- (0002THW8XCZ1ZAANFACHEEV74)
  * ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
End Routine: --- (0002THW8XCZ1ZAANF8GON038W)
* ----- Begin of Routine -----
```

```
SELECT DOC_NUMBER SHIP_TO FROM /BIC/AZAFSDDS100 INTO TABLE LT_ME FOR ALL ENTRIES IN LT_RESULT_PACKAGE WHERE DOC_NUMBER =
```

* Database SELECT: Reading with "FOR ALL ENTRIES"

* Database SELECT: > Specify database hint for SAP HANA

* Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100

* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

```
* ----- End of Routine -----
CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-BASE_UOM MATERIAL = <RESULT_FIELDS>-MATERIA
```

Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD

```
* ----- End of Routine -----
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
* ----- End of Routine -----
```

```
>>>>> Process Variant: 2LIS_13_VDITM / NEQ100 -> ZSD_O06 (DTP_0002THVXVZKUMALJRFQ7F2TNK)
>>>>> Data Transfer Process: No description (DTP_0002THVXVZKUMALJRFQ7F2TNK)
>>>>> Target: Billing Document Item Data (ZSD_O06)
>>>>> Source: Billing Document Item Data (2LIS_13_VDITM NEQ100)
  Click on details to edit Transformation (0EKSCT0KUVELGRD82ZKCN1PEC02X9XIJ)
  Click on details to show code (See Program GP0002THW8XCZ1YZ6HQBGP2X1CM)
  Click on details to run Ext. Syntax Check (GP0002THW8XCZ1YZ6HQBGP2X1CM)
  Click on details to run Code Inspector (GP0002THW8XCZ1YZ6HQBGP2X1CM)
  Global Declarations: --- (0002THW8XCZ1Z0SFAG3IJ6MK9)
  Global Implementations: --- (0002THW8XCZ1Z0SFAG3IJ6SVT)
  Start Routine: --- (0002THW8XCZ1Z0SFAG3IJ6G8P)
  * ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
Field Routine: Transfer Routine for Info Object0DOC_CATEG (CXEDHAYMVRBS5MMSDZD6MBIBR)
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
```

```
>>>>> Process Variant: ZIC_COPA -> OIC_C03 (DTP_0002THVXVZKUMQFRSASW2NPAT)
>>>>> Data Transfer Process: No description (DTP_0002THVXVZKUMQFRSASW2NPAT)
>>>>> Target: Material Stocks/Movements (as of 3.0B) (OIC_C03)
>>>>> Source: NEC COPA (ZIC_COPA)
  Click on details to edit Transformation (0C8VW46ZK01D8C1HHQYP5JI5RT0EIXL8)
  Click on details to show code (See Program GP0002THW8XCZ1ZF6HPMI8PYLDW)
  Click on details to run Ext. Syntax Check (GP0002THW8XCZ1ZF6HPMI8PYLDW)
  Click on details to run Code Inspector (GP0002THW8XCZ1ZF6HPMI8PYLDW)
  Global Declarations: --- (0002THW8XCZ1ZF6HOQ6ESXQRL)
  Global Implementations: --- (0002THW8XCZ1ZF6HOQ6ESXX35)
  Field Routine 0AF_GRDVAL: --- (0002THW8XCZ1ZF6HOQ6ESY3EP)
  * ----- Begin of Routine -----
```

```
* ----- End of Routine -----
SELECT SINGLE BILL_NUM MATERIAL AF_GRDVAL BILL_ITEM FROM /BIC/AZSD_O0600 INTO (WA_ZSD_O06-BILL_NUM, WA_ZSD_O06-MATERIAL,
```

* Database SELECT: Reading DataStore Object table /BIC/AZSD_O0600

* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

* Database SELECT: Database access inside field routine

* Database SELECT: > Move statement to start routine

```
* ----- End of Routine -----
```

```
>>>>> Process Variant: 1_CO_PA_NECUS-DELTA (ZPAK_9VHEB39LX5ZUR5WBBPFV2CRPG)
>>>>> InfoPackage: 1_CO_PA_NECUS-DELTA (ZPAK_9VHEB39LX5ZUR5WBBPFV2CRPG)
```

PSA load only

```
>>>> Summary
  Runtime: 5.77 sec

** Process Chain: Process Chain for COPA - EMEA (ZPC_COPA_EMEA)

>>>> Process Variant: 1_CO_PA_NECUS / NEQ100 -> ZIC_COPA (DTP_00O2TGZDW7QEZ9G374F8UYXH6)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QEZ9G374F8UYXH6)
>>>> Target: NEC COPA (ZIC_COPA)
  >>> Source: NEC COPA (1_CO_PA_NECUS NEQ100)
    Click on details to edit Transformation (00B7PX5MSV6U20BYNG9CP0FB0XP99S33)
    Click on details to show code (See Program GP00O2THW8XCZ1R9S2P623001OP)
    Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R9S2P623001OP)
    Click on details to run Code Inspector (GP00O2THW8XCZ1R9S2P623001OP)
    Global Declarations: --- (00O2THW8XCZ1V84119P6ZBF55)
    Global Implementations: --- (00O2THW8XCZ1V84119P6ZBLGP)
    Field Routine 0CURRENCY: --- (00O2THW8XCZ1V84119P6ZBRS9)
    * ----- Begin of Routine -----
  No issues found
    * ----- End of Routine -----
    Field Routine 0CURRENCY: --- (00O2THW8XCZ1V84119P6ZBY3T)
    * ----- Begin of Routine -----
  No issues found
    * ----- End of Routine -----
    Field Routine 0CURRENCY: --- (00O2THW8XCZ1V84119P6ZC4FD)
    * ----- Begin of Routine -----
  No issues found
    * ----- End of Routine -----
    End Routine: --- (00O2THW8XCZ1V84119P6ZB8TL)
    * ----- Begin of Routine -----
    * -----
    SELECT SINGLE DOCTYPE REFER_DOC DOC_DATE FROM /BIC/AZSD_00300 INTO (WA_/BIC/AZSD_00300-DOCTYPE, WA_/BIC/AZSD_00300-REFER
  * Database SELECT: Reading DataStore Object table /BIC/AZSD_00300
  * Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
    * -----
    SELECT SINGLE DOCTYPE DOC_DATE DOC_CATEG FROM /BIC/AZSD_00300 INTO (WA_/BIC/AZSD_00300_1-DOCTYPE, WA_/BIC/AZSD_00300_1-D
  * Database SELECT: Reading DataStore Object table /BIC/AZSD_00300
  * Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
    * ----- End of Routine -----

>>>> Process Variant: ZIC_COPA -> ZDSOCOPA (DTP_00O2THVXVZKSO8370YE32C3OM)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSO8370YE32C3OM)
>>>> Target: COPA InterCompany DSO (ZDSOCOPA)
  >>> Source: NEC COPA (ZIC_COPA)
    Click on details to edit Transformation (04O5SXDSVGFPPUGI79DZB3MCO40FR062)
    Click on details to show code (See Program GP00O2THW8XCZ1R9S72RX1GUAP5)
    Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R9S72RX1GUAP5)
    Click on details to run Code Inspector (GP00O2THW8XCZ1R9S72RX1GUAP5)
    Global Declarations: --- (00O2THW8XCZ3M7K9Y504PU4UJ)
    Global Implementations: --- (00O2THW8XCZ3M7K9Y504PUB63)
    Start Routine: --- (00O2THW8XCZ3M7K9Y504PTS7F)
    * ----- Begin of Routine -----
  No issues found
    * ----- End of Routine -----
    Field Routine Z_MANADJ: --- (00O2THW8XCZ3M7K9Y504PUHHN)
    * ----- Begin of Routine -----
  No issues found
    * ----- End of Routine -----
    Field Routine ZATONCE: --- (00O2THW8XCZ3M7K9Y504PUNT7)
    * ----- Begin of Routine -----
  No issues found
    * ----- End of Routine -----
    End Routine: --- (00O2THW8XCZ3M7K9Y504PTYIZ)
    * ----- Begin of Routine -----
    * -----
    SELECT DOC_NUMBER MATERIAL SOLD_TO SHIP_TO S_ORD_ITEM SALESORG SALES_DIST SALES_GRP SALES_OFF COMP_CODE PROFIT_CTR DOC_T
  * Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100
  * Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
    * ----- End of Routine -----

>>>> Process Variant: ZIC_COPA -> Z_COPA03 (DTP_00O2THVXVZKUF6ERZDHAD7SZ0)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUF6ERZDHAD7SZ0)
>>>> Target: Z_COPA_I (Z_COPA_I)
  >>> Source: NEC COPA (ZIC_COPA)
    Click on details to edit Transformation (02GJ6H359R4XMA867WCSTA066N3H4EWY)
    Click on details to show code (See Program GP00O2THW8XCZ3LMW7ANAYZ5RDC)
    Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3LMW7ANAYZ5RDC)
    Click on details to run Code Inspector (GP00O2THW8XCZ3LMW7ANAYZ5RDC)
    Global Declarations: --- (00O2THW8XCZ1ZAANF8GOMZKA8)
    Global Implementations: --- (00O2THW8XCZ1ZAANF8GOMZQLS)
    Field Routine ZATONCE: --- (00O2THW8XCZ1ZAANF8GOMZWXC)
    * ----- Begin of Routine -----
  No issues found
    * ----- End of Routine -----
    End Routine: --- (00O2THW8XCZ1ZAANF8GOMZDYO)
    * ----- Begin of Routine -----
    * -----
    SELECT DOC_NUMBER SHIP_TO FROM /BIC/AZAFSDDS100 INTO TABLE LT_ME FOR ALL ENTRIES IN LT_RESULT_PACKAGE WHERE DOC_NUMBER =
  * Database SELECT: Reading with "FOR ALL ENTRIES"
  * Database SELECT: > Specify database hint for SAP HANA
  * Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100
  * Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
    * -----
    CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-BASE_UOM MATERIAL = <RESULT_FIELDS>-MATERIA
```

Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD

```
*-----
DEDELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
*----- End of Routine -----
```

```
>>>> Process Variant: ZDSOCOPA -> Z_COPA03 (DTP_0002THVXVZKUF6ETV1MLMM6E3)
>>>> Data Transfer Process: No description (DTP_0002THVXVZKUF6ETV1MLMM6E3)
>>>> Target: Z_COPA_I (Z_COPA_I)
>>> Source: COPA InterCompany DSO (ZDSOCOPA)
  Click on details to edit Transformation (0B8PKW7J6Q28U1EZRVQTM6OYS6C8DTY)
  Click on details to show code (See Program GP0002THW8XCZ3LMW7ARARDC6HC)
  Click on details to run Ext. Syntax Check (GP0002THW8XCZ3LMW7ARARDC6HC)
  Click on details to run Code Inspector (GP0002THW8XCZ3LMW7ARARDC6HC)
  Global Declarations: --- (0002THW8XCZ3PIISFETYFA613)
  Global Implementations: --- (0002THW8XCZ3PIISFETYFACCN)
  Start Routine: --- (0002THW8XCZ3PIISFETYF9TDZ)
  *----- Begin of Routine -----
```

No issues found

```
*----- End of Routine -----
Field Routine Z_STCKVAL: --- (0002THW8XCZ3PIISFETYFAI07)
*----- Begin of Routine -----
```

No issues found

```
*----- End of Routine -----
End Routine: --- (0002THW8XCZ3PIISFETYF9ZPJ)
*----- Begin of Routine -----
```

No issues found

```
*----- End of Routine -----
```

```
>>>> Process Variant: 2LIS_13_VDITM / NEQ100 -> ZSD_O06 (DTP_0002THVXVZKUMALJRFQ7F2TNK)
>>>> Data Transfer Process: No description (DTP_0002THVXVZKUMALJRFQ7F2TNK)
>>>> Target: Billing Document Item Data (ZSD_O06)
>>> Source: Billing Document Item Data (2LIS_13_VDITM NEQ100)
  Click on details to edit Transformation (0EKSCT0KUVELGRD82ZKCN1PEC02X9XIJ)
  Click on details to show code (See Program GP0002THW8XCZ1YZ6HQB2X1CM)
  Click on details to run Ext. Syntax Check (GP0002THW8XCZ1YZ6HQB2X1CM)
  Click on details to run Code Inspector (GP0002THW8XCZ1YZ6HQB2X1CM)
  Global Declarations: --- (0002THW8XCZ1Z0SFAG3IJ6MK9)
  Global Implementations: --- (0002THW8XCZ1Z0SFAG3IJ6SVT)
  Start Routine: --- (0002THW8XCZ1Z0SFAG3IJ6G8P)
  *----- Begin of Routine -----
```

No issues found

```
*----- End of Routine -----
Field Routine: Transfer Routine for Info Object0DOC_CATEG (CXEDHAYMVR5B5MMSDZD6MBIBR)
*----- Begin of Routine -----
```

No issues found

```
*----- End of Routine -----
```

```
>>>> Process Variant: ZIC_COPA -> 0IC_C03 (DTP_0002THVXVZKUMQFRSASW2NPAT)
>>>> Data Transfer Process: No description (DTP_0002THVXVZKUMQFRSASW2NPAT)
>>>> Target: Material Stocks/Movements (as of 3.0B) (0IC_C03)
>>> Source: NEC COPA (ZIC_COPA)
  Click on details to edit Transformation (0C8VW46ZK01D8C1HHQYP5JI5RT0EIXL8)
  Click on details to show code (See Program GP0002THW8XCZ1ZF6HPMI8PYLDW)
  Click on details to run Ext. Syntax Check (GP0002THW8XCZ1ZF6HPMI8PYLDW)
  Click on details to run Code Inspector (GP0002THW8XCZ1ZF6HPMI8PYLDW)
  Global Declarations: --- (0002THW8XCZ1ZF6HOQ6ESXQRL)
  Global Implementations: --- (0002THW8XCZ1ZF6HOQ6ESXX35)
  Field Routine 0AF_GRDVAL: --- (0002THW8XCZ1ZF6HOQ6ESY3EP)
  *----- Begin of Routine -----
```

```
*-----
```

```
SELECT SINGLE BILL_NUM MATERIAL AF_GRDVAL BILL_ITEM FROM /BIC/AZSD_O0600 INTO (WA_ZSD_O06-BILL_NUM, WA_ZSD_O06-MATERIAL,
```

* Database SELECT: Reading DataStore Object table /BIC/AZSD_O0600

* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

* Database SELECT: Database access inside field routine

* Database SELECT: > Move statement to start routine

```
*----- End of Routine -----
```

```
>>>> Process Variant: 1_CO_PA_NECUS-DELTA (ZPAK_9VHEB39LX5ZUR5WBBPFV2CRPG)
>>>> InfoPackage: 1_CO_PA_NECUS-DELTA (ZPAK_9VHEB39LX5ZUR5WBBPFV2CRPG)
```

PSA load only

```
>>>> Summary
Runtime: 2.14 sec
```

```
** Process Chain: Process Chain for COPA - Japan & Emerging JAPAC (ZPC_COPA_EM_JAPAC)
```

```
>>>> Process Variant: 1_CO_PA_NECUS / NEQ100 -> ZIC_COPA (DTP_0002TGZDW7QE9G374F8UYXH6)
>>>> Data Transfer Process: No description (DTP_0002TGZDW7QE9G374F8UYXH6)
>>>> Target: NEC COPA (ZIC_COPA)
>>> Source: NEC COPA (1_CO_PA_NECUS NEQ100)
  Click on details to edit Transformation (00B7PX5MSV6U20BYNG9CP0FB0XP99S33)
  Click on details to show code (See Program GP0002THW8XCZ1R9S2P623001OP)
  Click on details to run Ext. Syntax Check (GP0002THW8XCZ1R9S2P623001OP)
  Click on details to run Code Inspector (GP0002THW8XCZ1R9S2P623001OP)
  Global Declarations: --- (0002THW8XCZ1V84119P6ZBF55)
  Global Implementations: --- (0002THW8XCZ1V84119P6ZBLGP)
  Field Routine 0CURRENCY: --- (0002THW8XCZ1V84119P6ZBRS9)
  *----- Begin of Routine -----
```

No issues found

```
*----- End of Routine -----
Field Routine 0CURRENCY: --- (0002THW8XCZ1V84119P6ZBY3T)
*----- Begin of Routine -----
```

No issues found

```
*----- End of Routine -----
```

```

Field Routine OCURRENCY: --- (00O2THW8XCZ1V84119P6ZC4FD)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
End Routine: --- (00O2THW8XCZ1V84119P6ZB8TL)
* ----- Begin of Routine -----
* ----- End of Routine -----
SELECT SINGLE DOCTYPE REFER_DOC DOC_DATE FROM /BIC/AZSD_O0300 INTO (WA_/BIC/AZSD_O0300-DOCTYPE, WA_/BIC/AZSD_O0300-REFER
* Database SELECT: Reading DataStore Object table /BIC/AZSD_O0300
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* ----- End of Routine -----
SELECT SINGLE DOCTYPE DOC_DATE DOC_CATEG FROM /BIC/AZSD_O0300 INTO (WA_/BIC/AZSD_O0300_1-DOCTYPE, WA_/BIC/AZSD_O0300_1-D
* Database SELECT: Reading DataStore Object table /BIC/AZSD_O0300
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* ----- End of Routine -----

>>>>> Process Variant: ZIC_COPA -> ZDSOCOPA (DTP_00O2THVXVZKS08370YE32C3OM)
>>>>> Data Transfer Process: No description (DTP_00O2THVXVZKS08370YE32C3OM)
>>>>> Target: COPA InterCompany DSO (ZDSOCOPA)
>>>>> Source: NEC COPA (ZIC_COPA)
Click on details to edit Transformation (04O5SXDSVGFPPUGI79DZB3MCO40FR062)
Click on details to show code (See Program GP00O2THW8XCZ1R9S72RX1GUAP5)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R9S72RX1GUAP5)
Click on details to run Code Inspector (GP00O2THW8XCZ1R9S72RX1GUAP5)
Global Declarations: --- (00O2THW8XCZ3M7K9Y504PU4UJ)
Global Implementations: --- (00O2THW8XCZ3M7K9Y504PUB63)
Start Routine: --- (00O2THW8XCZ3M7K9Y504PTS7F)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine Z_MANADJ: --- (00O2THW8XCZ3M7K9Y504PUHHN)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZATONCE: --- (00O2THW8XCZ3M7K9Y504PUNT7)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
End Routine: --- (00O2THW8XCZ3M7K9Y504PTYIZ)
* ----- Begin of Routine -----
SELECT DOC_NUMBER MATERIAL SOLD_TO SHIP_TO S_ORD_ITEM SALESORG SALES_DIST SALES_GRP SALES_OFF COMP_CODE PROFIT_CTR DOC_T
* Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* ----- End of Routine -----

>>>>> Process Variant: ZIC_COPA -> Z_COPA05 (DTP_00O2THVXVZKUIN7TJALNS3K4E)
>>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUIN7TJALNS3K4E)
>>>>> Target: Z_COPA_I (Z_COPA_I)
>>>>> Source: NEC COPA (ZIC_COPA)
Click on details to edit Transformation (02GJ6H359R4XMA867WCSTA066N3H4EWY)
Click on details to show code (See Program GP00O2THW8XCZ3LMW7ANAYZ5RDC)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3LMW7ANAYZ5RDC)
Click on details to run Code Inspector (GP00O2THW8XCZ3LMW7ANAYZ5RDC)
Global Declarations: --- (00O2THW8XCZ1ZAANF8GOMZKA8)
Global Implementations: --- (00O2THW8XCZ1ZAANF8GOMZQLS)
Field Routine ZATONCE: --- (00O2THW8XCZ1ZAANF8GOMZWXC)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
End Routine: --- (00O2THW8XCZ1ZAANF8GOMZDYO)
* ----- Begin of Routine -----
* ----- End of Routine -----
SELECT DOC_NUMBER SHIP_TO FROM /BIC/AZAFSDDS100 INTO TABLE LT_ME FOR ALL ENTRIES IN LT_RESULT_PACKAGE WHERE DOC_NUMBER =
* Database SELECT: Reading with "FOR ALL ENTRIES"
* Database SELECT: > Specify database hint for SAP HANA
* Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* ----- End of Routine -----
CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-BASE_UOM MATERIAL = <RESULT_FIELDS>-MATERIA
Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD
* ----- End of Routine -----
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
* ----- End of Routine -----

>>>>> Process Variant: ZDSOCOPA -> Z_COPA05 (DTP_00O2THVXVZKUIN7TJSUWAINBY)
>>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUIN7TJSUWAINBY)
>>>>> Target: Z_COPA_I (Z_COPA_I)
>>>>> Source: COPA InterCompany DSO (ZDSOCOPA)
Click on details to edit Transformation (0B8PKW7J6Q28U1EZRVQTM6OYS6C8DTY)
Click on details to show code (See Program GP00O2THW8XCZ3LMW7ARARDC6HC)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3LMW7ARARDC6HC)
Click on details to run Code Inspector (GP00O2THW8XCZ3LMW7ARARDC6HC)
Global Declarations: --- (00O2THW8XCZ3PIISFETYFA613)
Global Implementations: --- (00O2THW8XCZ3PIISFETYFACCN)
Start Routine: --- (00O2THW8XCZ3PIISFETYF9TDZ)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine Z_STCKVAL: --- (00O2THW8XCZ3PIISFETYFAIO7)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
End Routine: --- (00O2THW8XCZ3PIISFETYF9ZPJ)

```

```
*----- Begin of Routine -----
| No issues found
| *----- End of Routine -----
```

```
>>>> Process Variant: 2LIS_13_VDITM / NEQ100 -> ZSD_O06 (DTP_00O2THVXVZKUMALJRFQ7F2TNK)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUMALJRFQ7F2TNK)
>>>> Target: Billing Document Item Data (ZSD_O06)
>>> Source: Billing Document Item Data (2LIS_13_VDITM NEQ100)
  Click on details to edit Transformation (0EK SCT0KUVELGRD82ZKCN1PEC02X9XIJ)
  Click on details to show code (See Program GP00O2THW8XCZ1YZ6HQBCP2X1CM)
  Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1YZ6HQBCP2X1CM)
  Click on details to run Code Inspector (GP00O2THW8XCZ1YZ6HQBCP2X1CM)
  Global Declarations: --- (00O2THW8XCZ1Z0SFAG3IJ6MK9)
  Global Implementations: --- (00O2THW8XCZ1Z0SFAG3IJ6SVT)
  Start Routine: --- (00O2THW8XCZ1Z0SFAG3IJ6G8P)
  *----- Begin of Routine -----
```

```
| No issues found
| *----- End of Routine -----
| Field Routine: Transfer Routine for Info Object0DOC_CATEG (CKEDHAYMVRB5MMSDZD6MBIBR)
| *----- Begin of Routine -----
```

```
| No issues found
| *----- End of Routine -----
```

```
>>>> Process Variant: ZIC_COPA -> 0IC_C03 (DTP_00O2THVXVZKUMQFRSASW2NPAT)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUMQFRSASW2NPAT)
>>>> Target: Material Stocks/Movements (as of 3.0B) (0IC_C03)
>>> Source: NEC COPA (ZIC_COPA)
  Click on details to edit Transformation (0C8VW46ZK01D8C1HHQYP5JI5RT0EIXL8)
  Click on details to show code (See Program GP00O2THW8XCZ1ZF6HPMI8PYLDW)
  Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1ZF6HPMI8PYLDW)
  Click on details to run Code Inspector (GP00O2THW8XCZ1ZF6HPMI8PYLDW)
  Global Declarations: --- (00O2THW8XCZ1ZF6HOQ6ESXQRL)
  Global Implementations: --- (00O2THW8XCZ1ZF6HOQ6ESXX35)
  Field Routine 0AF_GRDVAL: --- (00O2THW8XCZ1ZF6HOQ6ESY3EP)
  *----- Begin of Routine -----
  *-----
  SELECT SINGLE BILL_NUM MATERIAL AF_GRDVAL BILL_ITEM FROM /BIC/AZSD_O0600 INTO (WA_ZSD_O06-BILL_NUM, WA_ZSD_O06-MATERIAL,
  * Database SELECT: Reading DataStore Object table /BIC/AZSD_O0600
  * Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
  * Database SELECT: Database access inside field routine
  * Database SELECT: > Move statement to start routine
  *----- End of Routine -----
```

```
>>>> Process Variant: 1_CO_PA_NECUS-DELTA (ZPAK_9VHEB39LX5ZUR5WBBPFV2CRPG)
>>>> InfoPackage: 1_CO_PA_NECUS-DELTA (ZPAK_9VHEB39LX5ZUR5WBBPFV2CRPG)
```

```
| PSA load only
```

```
>>>> Summary
  Runtime: 0.27 sec
```

```
** Process Chain: Process Chain for COPA - Japan (ZPC_COPA_JAPAN)
```

```
>>>> Process Variant: ZIC_COPA -> Z_COPA04 (DTP_00O2THVXVZKUF6ERZUHRR0OKS)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUF6ERZUHRR0OKS)
>>>> Target: Z_COPA_I (Z_COPA_I)
>>> Source: NEC COPA (ZIC_COPA)
  Click on details to edit Transformation (02GJ6H359R4XMA867WCSTA066N3H4EWY)
  Click on details to show code (See Program GP00O2THW8XCZ3LMW7ANAYZ5RDC)
  Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3LMW7ANAYZ5RDC)
  Click on details to run Code Inspector (GP00O2THW8XCZ3LMW7ANAYZ5RDC)
  Global Declarations: --- (00O2THW8XCZ1ZAANF8GOMZKA8)
  Global Implementations: --- (00O2THW8XCZ1ZAANF8GOMZQLS)
  Field Routine ZATONCE: --- (00O2THW8XCZ1ZAANF8GOMZWXC)
  *----- Begin of Routine -----
  | No issues found
  | *----- End of Routine -----
  | End Routine: --- (00O2THW8XCZ1ZAANF8GOMZDYO)
  | *----- Begin of Routine -----
  | *-----
  | SELECT DOC_NUMBER SHIP_TO FROM /BIC/AZAFSDDS100 INTO TABLE LT_ME FOR ALL ENTRIES IN LT_RESULT_PACKAGE WHERE DOC_NUMBER =
  | * Database SELECT: Reading with "FOR ALL ENTRIES"
  | * Database SELECT: > Specify database hint for SAP HANA
  | * Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100
  | * Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
  | *-----
  | CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-BASE_UOM MATERIAL = <RESULT_FIELDS>-MATERIA
  | Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD
  | *-----
  | DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
  | *----- End of Routine -----
```

```
>>>> Process Variant: ZDSOCOPA -> Z_COPA04 (DTP_00O2THVXVZKUF6ETVI7W1XJVF)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUF6ETVI7W1XJVF)
>>>> Target: Z_COPA_I (Z_COPA_I)
>>> Source: COPA InterCompany DSO (ZDSOCOPA)
  Click on details to edit Transformation (0B8PKW7J6Q28U1EZRVTQMC6OYS6C8DTY)
  Click on details to show code (See Program GP00O2THW8XCZ3LMW7ARARDC6HC)
  Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3LMW7ARARDC6HC)
  Click on details to run Code Inspector (GP00O2THW8XCZ3LMW7ARARDC6HC)
  Global Declarations: --- (00O2THW8XCZ3PIISFETYFA613)
  Global Implementations: --- (00O2THW8XCZ3PIISFETYFACCN)
  Start Routine: --- (00O2THW8XCZ3PIISFETYF9TDZ)
  *----- Begin of Routine -----
  | No issues found
```

```
*----- End of Routine -----
Field Routine Z_STCKVAL: --- (00O2THW8XCZ3PIISFETYFAIO7)
*----- Begin of Routine -----

No issues found

*----- End of Routine -----
End Routine: --- (00O2THW8XCZ3PIISFETYF9ZPJ)
*----- Begin of Routine -----

No issues found

*----- End of Routine -----
```

```
>>>> Summary
Runtime: 0.10 sec
```

```
** Process Chain: Process Chain for COPA - Japan (ZPC_COPA_JAPAN)
```

```
>>>> Process Variant: ZIC_COPA -> Z_COPA04 (DTP_00O2THVXVZKUF6ERZUHRROOKS)
```

```
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUF6ERZUHRROOKS)
```

```
>>>> Target: Z_COPA_I (Z_COPA_I)
```

```
>>> Source: NEC COPA (ZIC_COPA)
```

```
Click on details to edit Transformation (02GJ6H359R4XMA867WCSTA066N3H4EWY)
Click on details to show code (See Program GP00O2THW8XCZ3LMW7ANAYZ5RDC)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3LMW7ANAYZ5RDC)
Click on details to run Code Inspector (GP00O2THW8XCZ3LMW7ANAYZ5RDC)
Global Declarations: --- (00O2THW8XCZ1ZAANF8GOMZKA8)
Global Implementations: --- (00O2THW8XCZ1ZAANF8GOMZQLS)
Field Routine ZATONCE: --- (00O2THW8XCZ1ZAANF8GOMZWXC)
*----- Begin of Routine -----
```

```
No issues found
```

```
*----- End of Routine -----
End Routine: --- (00O2THW8XCZ1ZAANF8GOMZDYO)
*----- Begin of Routine -----
*-----
```

```
SELECT DOC_NUMBER SHIP_TO FROM /BIC/AZAFSDDS100 INTO TABLE LT_ME FOR ALL ENTRIES IN LT_RESULT_PACKAGE WHERE DOC_NUMBER =
```

```
* Database SELECT: Reading with "FOR ALL ENTRIES"
* Database SELECT: > Specify database hint for SAP HANA
* Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
```

```
CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-BASE_UOM MATERIAL = <RESULT_FIELDS>-MATERIA
```

```
Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD
```

```
*-----
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
*----- End of Routine -----
```

```
>>>> Process Variant: ZDSOCOPA -> Z_COPA04 (DTP_00O2THVXVZKUF6ETV17W1XJVF)
```

```
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUF6ETV17W1XJVF)
```

```
>>>> Target: Z_COPA_I (Z_COPA_I)
```

```
>>> Source: COPA InterCompany DSO (ZDSOCOPA)
```

```
Click on details to edit Transformation (0B8PKW7J6Q28U1EZRVQTM6OYS6C8DTY)
Click on details to show code (See Program GP00O2THW8XCZ3LMW7ARARDC6HC)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3LMW7ARARDC6HC)
Click on details to run Code Inspector (GP00O2THW8XCZ3LMW7ARARDC6HC)
Global Declarations: --- (00O2THW8XCZ3PIISFETYFA613)
Global Implementations: --- (00O2THW8XCZ3PIISFETYFACCN)
Start Routine: --- (00O2THW8XCZ3PIISFETYF9TDZ)
*----- Begin of Routine -----
```

```
No issues found
```

```
*----- End of Routine -----
Field Routine Z_STCKVAL: --- (00O2THW8XCZ3PIISFETYFAIO7)
*----- Begin of Routine -----
```

```
No issues found
```

```
*----- End of Routine -----
End Routine: --- (00O2THW8XCZ3PIISFETYF9ZPJ)
*----- Begin of Routine -----
```

```
No issues found
```

```
*----- End of Routine -----
```

```
>>>> Summary
Runtime: 0.05 sec
```

```
** Process Chain: Process Chain for COPA - Emerging Americas (ZPC_COPA_NA_EM)
```

```
>>>> Process Variant: ZIC_COPA -> Z_COPA02 (DTP_00O2THVXVZKUIN9MZ0BPW6WT0)
```

```
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUIN9MZ0BPW6WT0)
```

```
>>>> Target: Z_COPA_I (Z_COPA_I)
```

```
>>> Source: NEC COPA (ZIC_COPA)
```

```
Click on details to edit Transformation (02GJ6H359R4XMA867WCSTA066N3H4EWY)
Click on details to show code (See Program GP00O2THW8XCZ3LMW7ANAYZ5RDC)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3LMW7ANAYZ5RDC)
Click on details to run Code Inspector (GP00O2THW8XCZ3LMW7ANAYZ5RDC)
Global Declarations: --- (00O2THW8XCZ1ZAANF8GOMZKA8)
Global Implementations: --- (00O2THW8XCZ1ZAANF8GOMZQLS)
Field Routine ZATONCE: --- (00O2THW8XCZ1ZAANF8GOMZWXC)
*----- Begin of Routine -----
```

```
No issues found
```

```
*----- End of Routine -----
End Routine: --- (00O2THW8XCZ1ZAANF8GOMZDYO)
*----- Begin of Routine -----
*-----
```

```
SELECT DOC_NUMBER SHIP_TO FROM /BIC/AZAFSDDS100 INTO TABLE LT_ME FOR ALL ENTRIES IN LT_RESULT_PACKAGE WHERE DOC_NUMBER =
```

```
* Database SELECT: Reading with "FOR ALL ENTRIES"
* Database SELECT: > Specify database hint for SAP HANA
* Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
```

```
*
CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-BASE_UOM MATERIAL = <RESULT_FIELDS>-MATERIA
Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD
*
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
*----- End of Routine -----

>>>> Process Variant: ZDSOCOPA -> Z_COPA02 (DTP_00O2THVXVZKUIN9MZJGTFPM6S)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUIN9MZJGTFPM6S)
>>>> Target: Z_COPA_I (Z_COPA_I)
>>> Source: COPA InterCompany DSO (ZDSOCOPA)
  Click on details to edit Transformation (0B8PKW7J6Q28U1EZRVQTM6OYS6C8DTY)
  Click on details to show code (See Program GP00O2THW8XCZ3LMW7ARARDC6HC)
  Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3LMW7ARARDC6HC)
  Click on details to run Code Inspector (GP00O2THW8XCZ3LMW7ARARDC6HC)
  Global Declarations: --- (00O2THW8XCZ3PIISFETYFA613)
  Global Implementations: --- (00O2THW8XCZ3PIISFETYFACCN)
  Start Routine: --- (00O2THW8XCZ3PIISFETYF9TDZ)
  *----- Begin of Routine -----
No issues found
  *----- End of Routine -----
  Field Routine Z_STCKVAL: --- (00O2THW8XCZ3PIISFETYFAIO7)
  *----- Begin of Routine -----
No issues found
  *----- End of Routine -----
  End Routine: --- (00O2THW8XCZ3PIISFETYF9ZPJ)
  *----- Begin of Routine -----
No issues found
  *----- End of Routine -----

>>>> Summary
  Runtime: 0.12 sec

** Process Chain: Process Chain for Customer (ZPC_CUST)

>>>> Process Variant: ZCUST_GRP10_TEXT / NEQ100 -> ZCUST_G10 (DTP_00O2TGZDW7QEZ743P3PL4T68J)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QEZ743P3PL4T68J)

>>>> Process Variant: 0CUST_GROUP_TEXT_ME_FULL_R3 (0PAK_CWC2UBLS8UHKQ1G7RYGC6IVD0)
>>>> InfoPackage: 0CUST_GROUP_TEXT_ME_FULL_R3 (0PAK_CWC2UBLS8UHKQ1G7RYGC6IVD0)
PSA load only

>>>> Process Variant: IP_0CUST_SALES_TID_LKDH_HIER_FULL (ZPAK_18DE9RZNY2OW79E62XYT4B4UC)
>>>> InfoPackage: IP_0CUST_SALES_TID_LKDH_HIER_FULL (ZPAK_18DE9RZNY2OW79E62XYT4B4UC)
PSA load only

>>>> Process Variant: IP_0AF_CGR6_TEXT_FULL (ZPAK_4F35A80ZDM60N13WWIV5G0Z0K)
>>>> InfoPackage: IP_0AF_CGR6_TEXT_FULL (ZPAK_4F35A80ZDM60N13WWIV5G0Z0K)
PSA load only

>>>> Process Variant: IP_0CUST_GRP2_TEXT_FULL (ZPAK_5FR2BCVNNK0A9ATBRRAA7WLS4)
>>>> InfoPackage: IP_0CUST_GRP2_TEXT_FULL (ZPAK_5FR2BCVNNK0A9ATBRRAA7WLS4)
PSA load only

>>>> Process Variant: IP_0AF_CGR7_TEXT_FULL (ZPAK_5WDLRYFBH1DS1LE4RPF0A2P1G)
>>>> InfoPackage: IP_0AF_CGR7_TEXT_FULL (ZPAK_5WDLRYFBH1DS1LE4RPF0A2P1G)
PSA load only

>>>> Process Variant: IP_0AF_CGR10_TEXT_FULL (ZPAK_6HPRMK5QLHVGX4EAJFZK171OK)
>>>> InfoPackage: IP_0AF_CGR10_TEXT_FULL (ZPAK_6HPRMK5QLHVGX4EAJFZK171OK)
PSA load only

>>>> Process Variant: IP_ZCUST_GRP7_TEXT_FULL (ZPAK_6J67TAQPJQ2MU80R6VZ50R1OK)
>>>> InfoPackage: IP_ZCUST_GRP7_TEXT_FULL (ZPAK_6J67TAQPJQ2MU80R6VZ50R1OK)
PSA load only

>>>> Process Variant: IP_ZDS_ZTERM_TEXT_FULL (ZPAK_7E5GD320QCGA2A9F6M75O31AC)
>>>> InfoPackage: IP_ZDS_ZTERM_TEXT_FULL (ZPAK_7E5GD320QCGA2A9F6M75O31AC)
PSA load only

>>>> Process Variant: IP_0AF_CGR8_TEXT_FULL (ZPAK_7PMG6Z4I5IZ7VO1CRIJMRGCAS)
>>>> InfoPackage: IP_0AF_CGR8_TEXT_FULL (ZPAK_7PMG6Z4I5IZ7VO1CRIJMRGCAS)
PSA load only

>>>> Process Variant: IP_0AF_CGR9_TEXT_FULL (ZPAK_84K50QSB647HIKQ1Y9YLVQSEC)
>>>> InfoPackage: IP_0AF_CGR9_TEXT_FULL (ZPAK_84K50QSB647HIKQ1Y9YLVQSEC)
PSA load only

>>>> Process Variant: IP_0CUSTOMER_TEXT_FULL (ZPAK_85NZKUSI8ZKTKFBZQ5TN63YV8)
>>>> InfoPackage: IP_0CUSTOMER_TEXT_FULL (ZPAK_85NZKUSI8ZKTKFBZQ5TN63YV8)
PSA load only

>>>> Process Variant: IP_0CUST_CLASS_TEXT_FULL (ZPAK_8KSVLZ43BRSCSQMWIY9ZXHG)
>>>> InfoPackage: IP_0CUST_CLASS_TEXT_FULL (ZPAK_8KSVLZ43BRSCSQMWIY9ZXHG)
PSA load only

>>>> Process Variant: IP_ZCUST_GRP10_TEXT_FULL (ZPAK_93R0MF2XEECYBJYGI2UAFV5MS)
>>>> InfoPackage: IP_ZCUST_GRP10_TEXT_FULL (ZPAK_93R0MF2XEECYBJYGI2UAFV5MS)
PSA load only

>>>> Process Variant: IP_0CUST_SALES_ATTR_FULL (ZPAK_9QFF9N97C9L2Q22F4ZJF0QH50)
>>>> InfoPackage: IP_0CUST_SALES_ATTR_FULL (ZPAK_9QFF9N97C9L2Q22F4ZJF0QH50)
PSA load only
```

```

>>>>> Process Variant: IP_ZCUST_GRP9_TEXT_FULL (ZPAK_AYP04K7IKUV29QZ4ZEMQUB8EC)
>>>>> InfoPackage: IP_ZCUST_GRP9_TEXT_FULL (ZPAK_AYP04K7IKUV29QZ4ZEMQUB8EC)
PSA load only

>>>>> Process Variant: IP_ZCUST_GRP8_TEXT_FULL (ZPAK_BQPU23XGGFKNO2BZD4JFD90SK)
>>>>> InfoPackage: IP_ZCUST_GRP8_TEXT_FULL (ZPAK_BQPU23XGGFKNO2BZD4JFD90SK)
PSA load only

>>>>> Process Variant: IP_ZCUST_GRP6_TEXT_FULL (ZPAK_C7RY16ZP8D70MPINM41DVST38)
>>>>> InfoPackage: IP_ZCUST_GRP6_TEXT_FULL (ZPAK_C7RY16ZP8D70MPINM41DVST38)
PSA load only

>>>>> Process Variant: IP_OCUST_GRP1_TEXT_FULL (ZPAK_CNR2T1D3ED045PLGMO4LFFTC4)
>>>>> InfoPackage: IP_OCUST_GRP1_TEXT_FULL (ZPAK_CNR2T1D3ED045PLGMO4LFFTC4)
PSA load only

>>>>> Process Variant: IP_OCUSTOMER_ATTR_FULL (ZPAK_DS2A8YENXEEE89V520ZIUJEBO)
>>>>> InfoPackage: IP_OCUSTOMER_ATTR_FULL (ZPAK_DS2A8YENXEEE89V520ZIUJEBO)
PSA load only

>>>>> Process Variant: OCUST_GRP1_TEXT / NEQ100 -> OCUST_GRP1 (DTP_00O2TGZDW7QD8VUIOKSLPG41J)
>>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8VUIOKSLPG41J)

>>>>> Process Variant: OCUST_GRP2_TEXT / NEQ100 -> OCUST_GRP2 (DTP_00O2TGZDW7QD8VUJ6P3NJQ0T0)
>>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8VUJ6P3NJQ0T0)

>>>>> Process Variant: OCUST_SALES_ATTR / NEQ100 -> OCUST_SALES (DTP_00O2TGZDW7QD8W68IT2175OIB)
>>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8W68IT2175OIB)
>>>>> Target: Customer number (sales view) (OCUST_SALES)
>>>>> Source: Customer number (OCUST_SALES_ATTR NEQ100)
  Click on details to edit Transformation (03O03TPG4G4M32KSZ98LQFV8NDUE44BD)
  Click on details to show code (See Program GP00O2THW8XCZ3HIZE6J6Q4OV6U)
  Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HIZE6J6Q4OV6U)
  Click on details to run Code Inspector (GP00O2THW8XCZ3HIZE6J6Q4OV6U)
  Global Declarations: --- (00O2THW8XCZ3HVM2C8G7LL4GB)
  Global Implementations: --- (00O2THW8XCZ3HVM2C8G7LLARV)
  Field Routine 0BA_1SEGID: --- (00O2THW8XCZ3HVM2C8G7LLH3F)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  Field Routine: Transfer Routine for Info Object 0INCOTERMS2 (DSCPSWGINF3M75U9A5RJWIMQ2)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  End Routine: --- (00O2THW8XCZ3HVM2C8G7LKY4R)
  * ----- Begin of Routine -----
  * -----
  SELECT SINGLE /BIC/ZCONSID FROM /BIC/PZSAPID INTO WA_RESULT_FIELDS-/BIC/ZBPCCUS WHERE /BIC/ZINDID = 'CUS' AND /BIC/ZSAPI
  * Database SELECT: Reading master data table or view /BIC/PZSAPID
  * Database SELECT: > Try to replace with standard functionality using rule type "Read master data"
  * Database SELECT: > or better, try using navigational attributes of the source object
  * -----
  CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT' EXPORTING INPUT = WA_RESULT_FIELDS-/BIC/ZBPCCUS IMPORTING OUTPUT = WA_RESULT
  * CALL FUNCTION: Object not in customer namespace: CONVERSION_EXIT_ALPHA_INPUT
  * -----
  MODIFY RESULT_PACKAGE FROM WA_RESULT_FIELDS
  * ----- End of Routine -----

>>>>> Process Variant: OCUSTOMER_ATTR / NEQ100 -> OCUSTOMER (DTP_00O2TGZDW7QD8WBV4QZT48Y6W)
>>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8WBV4QZT48Y6W)
>>>>> Target: Customer number (OCUSTOMER)
>>>>> Source: Customer (Attributes) (OCUSTOMER_ATTR)
  Click on details to edit Transformation (0DDHA79TZUGX18CPLLUTQZUKLU4I4CDR)
  Click on details to show code (See Program GP00O2THW8XCZ3HIZE6FX77BHEU)
  Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HIZE6FX77BHEU)
  Click on details to run Code Inspector (GP00O2THW8XCZ3HIZE6FX77BHEU)
  Global Declarations: --- (00O2THW8XCZ1ZQK87R12FGMBN)
  Global Implementations: --- (00O2THW8XCZ1ZQK87R12FGSN7)
  Field Routine 0AF_CUSTID: --- (00O2THW8XCZ1ZQK87R12FGYYR)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
>>>>> Target: Customer (Attributes) (OCUSTOMER_ATTR)
>>>>> Source: Customer Number (OCUSTOMER_ATTR NEQ100)
  Click on details to edit Transformation (0JJ3VDZENP9OM843SLJA2O1XCQCRGJZN)
  Click on details to show code (See Program GP00O2THW8XCZ3HIZE6TDFNY1NQ)
  Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HIZE6TDFNY1NQ)
  Click on details to run Code Inspector (GP00O2THW8XCZ3HIZE6TDFNY1NQ)
  Global Declarations: --- (00O2THW8XCZ1ZQK87T5DU4PHF)
  Global Implementations: --- (00O2THW8XCZ1ZQK87T5DU4VSZ)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  Field Routine 0GN_PAR_SSY: Fill 0GN_PAR_SSY (00O2THW8XCZ1ZQK87T5DU524J)
  * ----- Begin of Routine -----
  * -----
  CALL FUNCTION 'RSDG_ID_GET_FROM_LOGSYS' EXPORTING I_SOURCE_SYSTEM = LV_LOGSYS IMPORTING E_SOURSYSID = RESULT EXCEPTIONS
  * CALL FUNCTION: Object not in customer namespace: RSDG_ID_GET_FROM_LOGSYS
No issues found
  * ----- End of Routine -----
  Field Routine 0POSTCD_GIS: Fill 0POSTCD_GIS (00O2THW8XCZ1ZQK87T5DU58G3)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
```

```
Field Routine 0BA_1SEGID: --- (0002THW8XCZ1ZQK87T5DU5ERN)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine: Transfer routine for InfoObject0SOURSYSTEM (18JW39V6T2LLS5VKJ2WKV3T1Q)
* ----- Begin of Routine -----
* ----- End of Routine -----
CALL FUNCTION 'RSDG_ID_GET_FROM_LOGSYS' EXPORTING I_SOURCE_SYSTEM = SOURCE_SYSTEM IMPORTING E_SOURSYSID = RESULT EXCEPTI
* CALL FUNCTION: Object not in customer namespace: RSDG_ID_GET_FROM_LOGSYS
No issues found
* ----- End of Routine -----
Field Routine: Transfer Routine for InfoObject 0LOGSYS (DCW82EH56X6IE17QMCP9L361)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
End Routine: --- (0002THW8XCZ1ZQK87T5DU4J5V)
* ----- Begin of Routine -----
* ----- End of Routine -----
SELECT SINGLE /BIC/ZCONSID FROM /BIC/PZSAPID INTO WA_RESULT_FIELDS-/BIC/ZBPCCUS WHERE /BIC/ZSAPID = WA_RESULT_FIELDS-CUS
* Database SELECT: Reading master data table or view /BIC/PZSAPID
* Database SELECT: > Try to replace with standard functionality using rule type "Read master data"
* Database SELECT: > or better, try using navigational attributes of the source object
* ----- End of Routine -----
```

```
>>>> Process Variant: 0CUSTOMER_TEXT / NEQ100 -> 0CUSTOMER (DTP_0002TGZDW7QD8WBVFMXGUFJRJD)
>>>> Data Transfer Process: No description (DTP_0002TGZDW7QD8WBVFMXGUFJRJD)
>>>> Target: Customer (Texts) (0CUSTOMER_TEXT)
>>>> Source: Customer number (0CUSTOMER_TEXT NEQ100)
Click on details to edit Transformation (0CSRK7FKDI9IKO8IRE8PWZV5YXLJ454C)
Click on details to show code (See Program GP0002THW8XCZ3HIZE6Q838JDNQ)
Click on details to run Ext. Syntax Check (GP0002THW8XCZ3HIZE6Q838JDNQ)
Click on details to run Code Inspector (GP0002THW8XCZ3HIZE6Q838JDNQ)
Global Declarations: --- (0002THW8XCZ3HJ38ZCE8W2T59)
Global Implementations: --- (0002THW8XCZ3HJ38ZCE8W2ZGT)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0GN_PAR_SSY: Fill 0GN_PAR_SSY (0002THW8XCZ3HJ38ZCE8W35SD)
* ----- Begin of Routine -----
* ----- End of Routine -----
CALL FUNCTION 'RSDG_ID_GET_FROM_LOGSYS' EXPORTING I_SOURCE_SYSTEM = LV_LOGSYS IMPORTING E_SOURSYSID = RESULT EXCEPTIONS
* CALL FUNCTION: Object not in customer namespace: RSDG_ID_GET_FROM_LOGSYS
No issues found
* ----- End of Routine -----
Field Routine: Transfer routine for InfoObject0SOURSYSTEM (18JW39V6T2LLS5VKJ2WKV3T1Q)
* ----- Begin of Routine -----
* ----- End of Routine -----
CALL FUNCTION 'RSDG_ID_GET_FROM_LOGSYS' EXPORTING I_SOURCE_SYSTEM = SOURCE_SYSTEM IMPORTING E_SOURSYSID = RESULT EXCEPTI
* CALL FUNCTION: Object not in customer namespace: RSDG_ID_GET_FROM_LOGSYS
No issues found
* ----- End of Routine -----
```

```
>>>> Process Variant: 0AF_CGR6_TEXT / NEQ100 -> 0AF_CGR6 (DTP_0002TGZDW7QD8WTP49P6M4HHB)
>>>> Data Transfer Process: No description (DTP_0002TGZDW7QD8WTP49P6M4HHB)
```

```
>>>> Process Variant: 0AF_CGR7_TEXT / NEQ100 -> 0AF_CGR7 (DTP_0002TGZDW7QD8WTP9NMAL9RB9)
>>>> Data Transfer Process: No description (DTP_0002TGZDW7QD8WTP9NMAL9RB9)
```

```
>>>> Process Variant: 0AF_CGR8_TEXT / NEQ100 -> 0AF_CGR8 (DTP_0002TGZDW7QD8WTPDX84Q7EKT)
>>>> Data Transfer Process: No description (DTP_0002TGZDW7QD8WTPDX84Q7EKT)
```

```
>>>> Process Variant: 0AF_CGR9_TEXT / NEQ100 -> 0AF_CGR9 (DTP_0002TGZDW7QD8WTPU4GVTKUCI)
>>>> Data Transfer Process: No description (DTP_0002TGZDW7QD8WTPU4GVTKUCI)
```

```
>>>> Process Variant: 0AF_CGR10_TEXT / NEQ100 -> 0AF_CGR10 (DTP_0002TGZDW7QD8WTPXUXOQ07FQ)
>>>> Data Transfer Process: No description (DTP_0002TGZDW7QD8WTPXUXOQ07FQ)
```

```
>>>> Process Variant: 0CUST_CLASS_TEXT / NEQ100 -> 0CUST_CLASS (DTP_0002TGZDW7QD8WZHLIPE82KZO)
>>>> Data Transfer Process: No description (DTP_0002TGZDW7QD8WZHLIPE82KZO)
```

```
>>>> Process Variant: 0CUST_GROUP_TEXT / NEQ100 -> 0CUST_GROUP (DTP_0002TGZDW7QD8XD09H9M392C8)
>>>> Data Transfer Process: No description (DTP_0002TGZDW7QD8XD09H9M392C8)
```

```
>>>> Process Variant: ZDS_ZTERM_TEXT / NEQ100 -> 0PMNTTRMS (DTP_0002TGZDW7QD8XD3DOPIQMW7)
>>>> Data Transfer Process: No description (DTP_0002TGZDW7QD8XD3DOPIQMW7)
```

```
>>>> Process Variant: ZCUST_GRP9_TEXT / NEQ100 -> ZCUST_GRP9 (DTP_0002TGZDW7QE7437LUR270L5)
>>>> Data Transfer Process: No description (DTP_0002TGZDW7QE7437LUR270L5)
```

```
>>>> Process Variant: ZCUST_GRP8_TEXT / NEQ100 -> ZCUST_GRP8 (DTP_0002TGZDW7QE743BAZPQSYPT)
>>>> Data Transfer Process: No description (DTP_0002TGZDW7QE743BAZPQSYPT)
```

```
>>>> Process Variant: ZCUST_GRP7_TEXT / NEQ100 -> ZCUST_GRP7 (DTP_0002TGZDW7QE743FWXLN32YU)
>>>> Data Transfer Process: No description (DTP_0002TGZDW7QE743FWXLN32YU)
```

```
>>>> Process Variant: ZCUST_GRP6_TEXT / NEQ100 -> ZCUST_GRP6 (DTP_0002TGZDW7QE743KOMLT4PU5)
>>>> Data Transfer Process: No description (DTP_0002TGZDW7QE743KOMLT4PU5)
```

```
>>>> Summary
>>>> Runtime: 4.38 sec
```

```
** Process Chain: Process Chain for Finance (ZPC_FI)
```

```
>>>> Process Variant: 0ACCOUNT_0109_HIER (ZPAK_E381LDYSQX9J3MAQGXVPR5WZO)
```

```
>>>> InfoPackage: 0ACCOUNT_0109_HIER (ZPAK_E381LDYSQX9J3MAQGXPVPR5WZO)
PSA load only

>>>> Process Variant: IP_0ACCOUNT_ATTR_FULL (ZPAK_E1Q4FESPGXIGQTQ9VBDJH2RLW)
>>>> InfoPackage: IP_0ACCOUNT_ATTR_FULL (ZPAK_E1Q4FESPGXIGQTQ9VBDJH2RLW)
PSA load only

>>>> Process Variant: IP_ZDSBI_KNKK_FULL (ZPAK_CBYPIN1OTVBDF9E1370H0RQYS)
>>>> InfoPackage: IP_ZDSBI_KNKK_FULL (ZPAK_CBYPIN1OTVBDF9E1370H0RQYS)
PSA load only

>>>> Process Variant: IP_0GL_ACCOUNT_T011_HIER_FULL (ZPAK_8ZKNHYCXXEWWWMSCTN2D6R5ZD0)
>>>> InfoPackage: IP_0GL_ACCOUNT_T011_HIER_FULL (ZPAK_8ZKNHYCXXEWWWMSCTN2D6R5ZD0)
PSA load only

>>>> Process Variant: IP_0GL_ACCOUNT_T011_HIER_FULL (ZPAK_8GH15YPLKZ8VC8PRQ4ZH696X0)
>>>> InfoPackage: IP_0GL_ACCOUNT_T011_HIER_FULL (ZPAK_8GH15YPLKZ8VC8PRQ4ZH696X0)
PSA load only

>>>> Process Variant: IP_0GL_ACCOUNT_T011_HIER_FULL (ZPAK_87Y4KMW83GA6RJZIVI5DSYM9W)
>>>> InfoPackage: IP_0GL_ACCOUNT_T011_HIER_FULL (ZPAK_87Y4KMW83GA6RJZIVI5DSYM9W)
PSA load only

>>>> Process Variant: IP_0PROFIT_CTR_0106_HIER_FULL (ZPAK_7D5H5529F1HA21Z3DX4PZI2PW)
>>>> InfoPackage: IP_0PROFIT_CTR_0106_HIER_FULL (ZPAK_7D5H5529F1HA21Z3DX4PZI2PW)
PSA load only

>>>> Process Variant: IP_0PROFIT_CTR_TEXT_FULL (ZPAK_3XWJGQD25AHVCU0C26ZEJNL1G)
>>>> InfoPackage: IP_0PROFIT_CTR_TEXT_FULL (ZPAK_3XWJGQD25AHVCU0C26ZEJNL1G)
PSA load only

>>>> Process Variant: IP_0ACCOUNT_TEXT_FULL (ZPAK_3HX8TZT8TH5J9JUIEZTMO6IX0)
>>>> InfoPackage: IP_0ACCOUNT_TEXT_FULL (ZPAK_3HX8TZT8TH5J9JUIEZTMO6IX0)
PSA load only

>>>> Process Variant: IP_0PROFIT_CTR_ATTR_FULL (ZPAK_3GUQA2OB68K17GJUCXB7T2FR8)
>>>> InfoPackage: IP_0PROFIT_CTR_ATTR_FULL (ZPAK_3GUQA2OB68K17GJUCXB7T2FR8)
PSA load only

>>>> Process Variant: 0AC_DOC_TYP_TEXT (ZPAK_12C8O5NHRC3QETY10FH2K58AS)
>>>> InfoPackage: 0AC_DOC_TYP_TEXT (ZPAK_12C8O5NHRC3QETY10FH2K58AS)
PSA load only

>>>> Process Variant: 0GL_ACCOUNT_ATTR_ME_FULL_R3 (0PAK_EM48ROCIM9W1G7JYAWJ7A0LZ8)
>>>> InfoPackage: 0GL_ACCOUNT_ATTR_ME_FULL_R3 (0PAK_EM48ROCIM9W1G7JYAWJ7A0LZ8)
PSA load only

>>>> Process Variant: 0COMP_CODE_TEXT_ME_FULL_R3 (0PAK_C2HWRO5H1I46PMWCSQJ0DZV44)
>>>> InfoPackage: 0COMP_CODE_TEXT_ME_FULL_R3 (0PAK_C2HWRO5H1I46PMWCSQJ0DZV44)
PSA load only

>>>> Process Variant: 0COMP_CODE_ATTR_ME_FULL_R3 (0PAK_BY8GH08AAQMUFAJ8DF3YPCKSK)
>>>> InfoPackage: 0COMP_CODE_ATTR_ME_FULL_R3 (0PAK_BY8GH08AAQMUFAJ8DF3YPCKSK)
PSA load only

>>>> Process Variant: 0CHRT_ACCTS_TEXT_ME_FULL_R3 (0PAK_BTZ06CB3JZ5I4Y63Y3OX0PAH0)
>>>> InfoPackage: 0CHRT_ACCTS_TEXT_ME_FULL_R3 (0PAK_BTZ06CB3JZ5I4Y63Y3OX0PAH0)
PSA load only

>>>> Process Variant: 0CHRT_ACCTS_ATTR_ME_FULL_R3 (0PAK_BRUA10CI6LETZRZJQFZE6DNB8)
>>>> InfoPackage: 0CHRT_ACCTS_ATTR_ME_FULL_R3 (0PAK_BRUA10CI6LETZRZJQFZE6DNB8)
PSA load only

>>>> Process Variant: 0GL_ACCOUNT_TEXT_ME_FULL_R3 (0PAK_16CKAYPQG5HS3B3879WH6G4LG)
>>>> InfoPackage: 0GL_ACCOUNT_TEXT_ME_FULL_R3 (0PAK_16CKAYPQG5HS3B3879WH6G4LG)
PSA load only

>>>> Process Variant: 0ACCOUNT_TEXT / NEQ100 -> 0ACCOUNT (DTP_00O2THVXVZKSOBABLNW1ZC7QW)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSOBABLNW1ZC7QW)

>>>> Process Variant: 0ACCOUNT_ATTR / NEQ100 -> 0ACCOUNT (DTP_00O2THVXVZKSOBABJDNBUCT9Y)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSOBABJDNBUCT9Y)

>>>> Process Variant: 0AC_DOC_TYP_TEXT / NEQ100 -> 0AC_DOC_TYP (DTP_00O2THVXVZKSO92763ICM9RL6)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSO92763ICM9RL6)

>>>> Process Variant: ZDSBI_KNKK / NEQ100 -> ZCUSTCRDT (DTP_00O2TGZDW7QD8X9MOZM3LBT32)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8X9MOZM3LBT32)

>>>> Process Variant: 0GL_ACCOUNT_TEXT / NEQ100 -> 0GL_ACCOUNT (DTP_00O2TGZDW7QD8WZGPKOWU49EB)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8WZGPKOWU49EB)

>>>> Process Variant: 0GL_ACCOUNT_ATTR / NEQ100 -> 0GL_ACCOUNT (DTP_00O2TGZDW7QD8WZGL2QPB5QXA)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8WZGL2QPB5QXA)
>>>> Target: G/L Account: Attributes (Flexible Update) (0GL_ACCOUNT_ATTR)
>>>> Source: Account Number (0GL_ACCOUNT_ATTR NEQ100)
>>>> Click on details to edit Transformation (0E6ZKJ5H5UT9TL0PF0Y9JA6NKOXRE2BO)
>>>> Click on details to show code (See Program GP00O2THW8XCZ1R8L67ATMTY7LT)
>>>> Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R8L67ATMTY7LT)
>>>> Click on details to run Code Inspector (GP00O2THW8XCZ1R8L67ATMTY7LT)
>>>> Field Routine: Transfer routine for InfoObjectSOURSYSTEM (18JW39V6T2LLS5VKJ2WKV3T1Q)
>>>> * ----- Begin of Routine -----
>>>> * -----
>>>> CALL FUNCTION 'RSDG_ID_GET_FROM_LOGSYS' EXPORTING I_SOURCE_SYSTEM = SOURCE_SYSTEM IMPORTING E_SOURSYSID = RESULT EXCEPTI
```

```
* CALL FUNCTION: Object not in customer namespace: RSDG_ID_GET_FROM_LOGSYS
No issues found
* ----- End of Routine -----
Field Routine: Transfer Routine for InfoObject 0LOGSYS (DCW82EH56X6IE17QMCP9L361)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----

>>>> Process Variant: 0PROFIT_CTR_TEXT / NEQ100 -> 0PROFIT_CTR (DTP_00O2TGZDW7QD8WE0FGMQ9UFF2)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8WE0FGMQ9UFF2)

>>>> Process Variant: 0PROFIT_CTR_ATTR / NEQ100 -> 0PROFIT_CTR (DTP_00O2TGZDW7QD8WE0FDNJP3W5P)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8WE0FDNJP3W5P)
>>>> Target: Profit Center (0PROFIT_CTR)
>>> Source: Profit center (0PROFIT_CTR_ATTR NEQ100)
Click on details to edit Transformation (0SIHVIT5PTCMTS5LPZQ8KIXO8WBECJIC)
Click on details to show code (See Program GP00O2THW8XCZ1R8L67ATMTYDXD)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R8L67ATMTYDXD)
Click on details to run Code Inspector (GP00O2THW8XCZ1R8L67ATMTYDXD)
Field Routine: Transfer routine for InfoObject0SOURSYSTEM (18JW39V6T2LLS5VKJ2WKV3T1Q)
* ----- Begin of Routine -----
* ----- End of Routine -----
CALL FUNCTION 'RSDG_ID_GET_FROM_LOGSYS' EXPORTING I_SOURCE_SYSTEM = SOURCE_SYSTEM IMPORTING E_SOURSYSID = RESULT EXCEPTI
* CALL FUNCTION: Object not in customer namespace: RSDG_ID_GET_FROM_LOGSYS
No issues found
* ----- End of Routine -----
Field Routine: Transfer Routine for InfoObject 0LOGSYS (DCW82EH56X6IE17QMCP9L361)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----

>>>> Process Variant: 0COMP_CODE_TEXT / NEQ100 -> 0COMP_CODE (DTP_00O2TGZDW7QD8VUP8L0JWYK9B)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8VUP8L0JWYK9B)
>>>> Target: Company Code: Attributes and Tests (Flexible Updat (0COMP_CODE_ATTR_TEXT)
>>> Source: Company Code (0COMP_CODE_TEXT NEQ100)
Click on details to edit Transformation (0G2FPRPEK8HZMY8T5ABVDBJGS0WQJ5QB)
Click on details to show code (See Program GP00O2THW8XCZ1R8L67OYB9LTZA)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R8L67OYB9LTZA)
Click on details to run Code Inspector (GP00O2THW8XCZ1R8L67OYB9LTZA)
Global Declarations: --- (00O2THW8XCZ1R8OLLZZFUCX4E)
Global Implementations: --- (00O2THW8XCZ1R8OLLZZFUD3FY)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0GN_PAR_SSY: Fill Source System of Partner (00O2THW8XCZ1R8OLLZZFUD9RI)
* ----- Begin of Routine -----
* ----- End of Routine -----
CALL FUNCTION 'RSDG_ID_GET_FROM_LOGSYS' EXPORTING I_SOURCE_SYSTEM = L_SRC SYST IMPORTING E_SOURSYSID = RESULT EXCEPTIONS
* CALL FUNCTION: Object not in customer namespace: RSDG_ID_GET_FROM_LOGSYS
No issues found
* ----- End of Routine -----
Field Routine: Transfer routine for InfoObject0SOURSYSTEM (18JW39V6T2LLS5VKJ2WKV3T1Q)
* ----- Begin of Routine -----
* ----- End of Routine -----
CALL FUNCTION 'RSDG_ID_GET_FROM_LOGSYS' EXPORTING I_SOURCE_SYSTEM = SOURCE_SYSTEM IMPORTING E_SOURSYSID = RESULT EXCEPTI
* CALL FUNCTION: Object not in customer namespace: RSDG_ID_GET_FROM_LOGSYS
No issues found
* ----- End of Routine -----
Field Routine: Transfer Routine for InfoObject 0LOGSYS (DCW82EH56X6IE17QMCP9L361)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----

>>>> Process Variant: 0COMP_CODE_ATTR / NEQ100 -> 0COMP_CODE (DTP_00O2TGZDW7QD8VUP4ANQ7B3T5)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8VUP4ANQ7B3T5)
>>>> Target: Company Code: Attributes and Tests (Flexible Updat (0COMP_CODE_ATTR_TEXT)
>>> Source: Company code (0COMP_CODE_ATTR NEQ100)
Click on details to edit Transformation (0Q1T2YSGH2ENIRCO1XEEWLBQMIHLHRF8)
Click on details to show code (See Program GP00O2THW8XCZ1R8L67LBA7QCCH)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R8L67LBA7QCCH)
Click on details to run Code Inspector (GP00O2THW8XCZ1R8L67LBA7QCCH)
Global Declarations: --- (00O2THW8XCZ1R8OLLZZFUCE5Q)
Global Implementations: --- (00O2THW8XCZ1R8OLLZZFUCKHA)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0GN_PAR_SSY: Fill Source System of Partner (00O2THW8XCZ1R8OLLZZFUCQSU)
* ----- Begin of Routine -----
* ----- End of Routine -----
CALL FUNCTION 'RSDG_ID_GET_FROM_LOGSYS' EXPORTING I_SOURCE_SYSTEM = L_SRC SYST IMPORTING E_SOURSYSID = RESULT EXCEPTIONS
* CALL FUNCTION: Object not in customer namespace: RSDG_ID_GET_FROM_LOGSYS
No issues found
* ----- End of Routine -----
Field Routine: Transfer routine for InfoObject0SOURSYSTEM (18JW39V6T2LLS5VKJ2WKV3T1Q)
* ----- Begin of Routine -----
* ----- End of Routine -----
CALL FUNCTION 'RSDG_ID_GET_FROM_LOGSYS' EXPORTING I_SOURCE_SYSTEM = SOURCE_SYSTEM IMPORTING E_SOURSYSID = RESULT EXCEPTI
* CALL FUNCTION: Object not in customer namespace: RSDG_ID_GET_FROM_LOGSYS
No issues found
* ----- End of Routine -----
Field Routine: Transfer Routine for InfoObject 0LOGSYS (DCW82EH56X6IE17QMCP9L361)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
```

<>>>> Process Variant: 0CHRT_ACCTS_TEXT / NEQ100 -> 0CHRT_ACCTS (DTP_0002TGZDW7QD8VUJG0RC4LS4J) <>>> Data Transfer Process: No description (DTP_0002TGZDW7QD8VUJG0RC4LS4J)	
<>>>> Process Variant: 0CHRT_ACCTS_ATTR / NEQ100 -> 0CHRT_ACCTS (DTP_0002TGZDW7QD8VUJA1FMCYV16) <>>> Data Transfer Process: No description (DTP_0002TGZDW7QD8VUJA1FMCYV16)	
<>>>> Summary <>>>> Runtime: 2.23 sec	
<>>>> ** Process Chain: Process Chain for FIAR Line Item DSO & Infocube De (ZPC_FIAR_DELTA)	
<>>>> Process Variant: 0FI_AR_4 / NEQ100 -> 0FIAR_O03 (DTP_0002THVXVZKUEG35CHO4U57Z2) <>>> Data Transfer Process: No description (DTP_0002THVXVZKUEG35CHO4U57Z2)	
<>>>> Process Variant: 0FIAR_O03 -> 0FIAR_C03 (DTP_0002THVXVZKUEG35ZBL4TCC7H) <>>> Data Transfer Process: No description (DTP_0002THVXVZKUEG35ZBL4TCC7H) <>>> Target: FIAR: Line Item (0FIAR_C03) <>>> Source: FIAR: Line Item (0FIAR_O03) <>>>> Click on details to edit Transformation (00WOJN8CHSCOPE7R32Z8TJKMEKT1XQ71) <>>>> Click on details to show code (See Program GP00O2THW8XCZ3HKM2MRRVYMDRS) <>>>> Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HKM2MRRVYMDRS) <>>>> Click on details to run Code Inspector (GP00O2THW8XCZ3HKM2MRRVYMDRS) <>>>> Global Declarations: --- (00O2THW8XCZ3Q4RR5CIL7TRUU) <>>>> Global Implementations: --- (00O2THW8XCZ3Q4RR5CIL7TY6E) <>>>> * ----- Begin of Routine -----	
No issues found	
<>>>> * ----- End of Routine ----- <>>>> Field Routine 0NETTAKEN: Net condition used (00O2THW8XCZ3Q4RR5EWK986RQ) <>>>> * ----- Begin of Routine -----	
No issues found	
<>>>> * ----- End of Routine ----- <>>>> Field Routine 0INT_CALC_1: Interest calculation numerator days 1 (agreed) (00O2THW8XCZ3Q4RR5EWK98D3A) <>>>> * ----- Begin of Routine -----	
No issues found	
<>>>> * ----- End of Routine ----- <>>>> Field Routine 0INT_CALC_2: Interest calculation numerator days 2 (agreed) (00O2THW8XCZ3Q4RR5EWK98JEU) <>>>> * ----- Begin of Routine -----	
No issues found	
<>>>> * ----- End of Routine ----- <>>>> Field Routine 0INT_CALC_N: Interest calculation numerator net (agreed) (00O2THW8XCZ3Q4RR5EWK98PQE) <>>>> * ----- Begin of Routine -----	
No issues found	
<>>>> * ----- End of Routine ----- <>>>> Field Routine 0INT_CALCT1: Interest calculation numerator days 1 (realized) (00O2THW8XCZ3Q4RR5EWK98W1Y) <>>>> * ----- Begin of Routine -----	
No issues found	
<>>>> * ----- End of Routine ----- <>>>> Field Routine 0INT_CALCT2: Interest calculation numerator days 2 (realized) (00O2THW8XCZ3Q4RR5EWK992DI) <>>>> * ----- Begin of Routine -----	
No issues found	
<>>>> * ----- End of Routine ----- <>>>> Field Routine 0INT_CALCTN: Interest calculation numerator net (realized) (00O2THW8XCZ3Q4RR5EWK998P2) <>>>> * ----- Begin of Routine -----	
No issues found	
<>>>> * ----- End of Routine -----	
<>>>> Process Variant: 0FIAR_O03 -> Z_FIAR02 (DTP_0002THVXVZKUIN7PI30IO20NV) <>>> Data Transfer Process: No description (DTP_0002THVXVZKUIN7PI30IO20NV)	
<>>>> Process Variant: IP_0FI_AR_4_DELTA (ZPAK_38YZ6QQBW571NJOEWSC2QB96S) <>>> InfoPackage: IP_0FI_AR_4_DELTA (ZPAK_38YZ6QQBW571NJOEWSC2QB96S)	
PSA load only	
<>>>> Summary <>>>> Runtime: 1.90 sec	
<>>>> ** Process Chain: Process Chain for FIAR Line - EMEA (ZPC_FIAR_DELTA_EMEA)	
<>>>> Process Variant: 0FI_AR_4 / NEQ100 -> 0FIAR_O03 (DTP_0002THVXVZKUEG35CHO4U57Z2) <>>> Data Transfer Process: No description (DTP_0002THVXVZKUEG35CHO4U57Z2)	
<>>>> Process Variant: 0FIAR_O03 -> Z_FIAR03 (DTP_0002THVXVZKUIN7PIE07KCGRF) <>>> Data Transfer Process: No description (DTP_0002THVXVZKUIN7PIE07KCGRF)	
<>>>> Process Variant: IP_0FI_AR_4_DELTA (ZPAK_38YZ6QQBW571NJOEWSC2QB96S) <>>> InfoPackage: IP_0FI_AR_4_DELTA (ZPAK_38YZ6QQBW571NJOEWSC2QB96S)	
PSA load only	
<>>>> Summary <>>>> Runtime: 0.07 sec	
<>>>> ** Process Chain: Process Chain for FIAR Line - Japan & Emerging JAP (ZPC_FIAR_DELTA_EM_JAPAC)	
<>>>> Process Variant: 0FI_AR_4 / NEQ100 -> 0FIAR_O03 (DTP_0002THVXVZKUEG35CHO4U57Z2) <>>> Data Transfer Process: No description (DTP_0002THVXVZKUEG35CHO4U57Z2)	
<>>>> Process Variant: 0FIAR_O03 -> Z_FIAR04 (DTP_0002THVXVZKUIN7PIPYM1C8NY) <>>> Data Transfer Process: No description (DTP_0002THVXVZKUIN7PIPYM1C8NY)	
<>>>> Process Variant: 0FIAR_O03 -> Z_FIAR05 (DTP_0002THVXVZKUIN7SHO8227ER4) <>>> Data Transfer Process: No description (DTP_0002THVXVZKUIN7SHO8227ER4)	
<>>>> Process Variant: IP_0FI_AR_4_DELTA (ZPAK_38YZ6QQBW571NJOEWSC2QB96S)	

```
>>>> InfoPackage: IP_OFI_AR_4_DELTA (ZPAK_38YZ6QQBW571NJOEWSC2QB96S)
PSA load only

>>>> Summary
Runtime: 0.07 sec

** Process Chain: Process Chain for FIAR Line Item DSO & InfoCube In (ZPC_FIAR_INIT)

>>>> Process Variant: Delete Initialization request from Source System (ZPC_FIAR_INIT_PROGRAM)
Click on details to show code (See Program RSSM_DELETE_INITSEL_OLTP)
Click on details to run Ext. Syntax Check (RSSM_DELETE_INITSEL_OLTP)
Click on details to run Code Inspector (RSSM_DELETE_INITSEL_OLTP)
* PROGRAM: Object not in customer namespace: RSSM_DELETE_INITSEL_OLTP

>>>> Process Variant: 0FIAR_O03 -> 0FIAR_C03 (DTP_00O2THVXVZKUEG35ZBL4TCC7H)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUEG35ZBL4TCC7H)
>>>> Target: FIAR: Line Item (0FIAR_C03)
>>> Source: FIAR: Line Item (0FIAR_O03)
Click on details to edit Transformation (00WOJN8CHSCOPE7R32Z8TJKMEKT1XQ71)
Click on details to show code (See Program GP00O2THW8XCZ3HKM2MRRVYMDRS)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HKM2MRRVYMDRS)
Click on details to run Code Inspector (GP00O2THW8XCZ3HKM2MRRVYMDRS)
Global Declarations: --- (00O2THW8XCZ3Q4RR5CIL7TRUU)
Global Implementations: --- (00O2THW8XCZ3Q4RR5CIL7TY6E)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0NETTAKEN: Net condition used (00O2THW8XCZ3Q4RR5EWK986RQ)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0INT_CALC_1: Interest calculation numerator days 1 (agreed) (00O2THW8XCZ3Q4RR5EWK98D3A)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0INT_CALC_2: Interest calculation numerator days 2 (agreed) (00O2THW8XCZ3Q4RR5EWK98JEU)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0INT_CALC_N: Interest calculation numerator net (agreed) (00O2THW8XCZ3Q4RR5EWK98PQE)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0INT_CALCT1: Interest calculation numerator days 1 (realized) (00O2THW8XCZ3Q4RR5EWK98W1Y)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0INT_CALCT2: Interest calculation numerator days 2 (realized) (00O2THW8XCZ3Q4RR5EWK992DI)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0INT_CALCTN: Interest calculation numerator net (realized) (00O2THW8XCZ3Q4RR5EWK998P2)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----

>>>> Process Variant: IP_OFI_AR_4_INIT (ZPAK_2KX3VE8KCBKNW4UA28FVRX6BO)
>>>> InfoPackage: IP_OFI_AR_4_INIT (ZPAK_2KX3VE8KCBKNW4UA28FVRX6BO)
PSA load only

>>>> Summary
Runtime: 0.18 sec

** Process Chain: Process Chain for FIGL InfoCube (ZPC_FIGL)

>>>> Process Variant: 0FI_GL_10 / NEQ100 -> 0FIGL_O10 (DTP_00O2THVXVZKSOHBGREOKZNEGV)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSOHBGREOKZNEGV)

>>>> Process Variant: 0FIGL_O10 -> 0FIGL_C10 (DTP_00O2THVXVZKUPELLBL4LLTODKO)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUPELLBL4LLTODKO)

>>>> Process Variant: IP_OFI_GL_10_DELTA (ZPAK_9E1ZPMREQX2EZ8SMOPI85F3NO)
>>>> InfoPackage: IP_OFI_GL_10_DELTA (ZPAK_9E1ZPMREQX2EZ8SMOPI85F3NO)
PSA load only

>>>> Summary
Runtime: 0.20 sec

** Process Chain: Process Chain for Loading the Global Aggregate Sal (ZPC_GLOBAL_AGG_CUBE)

>>>> Process Variant: ZSD_CONTR -> ZMM_STAT (DTP_00O2THVXVZKUN1XLYN3TD7UHF)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUN1XLYN3TD7UHF)

>>>> Process Variant: ZSD_C15 -> ZSD_C1501 (DTP_00O2THVXVZKUMYSHHUFH5M5JK)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUMYSHHUFH5M5JK)

>>>> Process Variant: ZSD_CONTR -> ZSD_CON1 (DTP_00O2THVXVZKUMYSH6L0NZR7NC)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUMYSH6L0NZR7NC)

>>>> Process Variant: ZSDC_OPN -> ZSD_OPN1 (DTP_00O2THVXVZKUMYSGUVLIDWSPW)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUMYSGUVLIDWSPW)

>>>> Process Variant: ZSDC_OPN -> ZMM_STAT (DTP_00O2THVXVZKSWR096YG6CMPO2)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSWR096YG6CMPO2)
```

>>>> Process Variant: ZMM_STAT -> ZSTAT_C01 (DTP_00O2THVXVZKSWQZW2VA0V43YS)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSWQZW2VA0V43YS)

>>>> Process Variant: ZCOPA_C03 -> ZMM_STAT (DTP_00O2THVXVZKSWQZV5RT55WHY5)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSWQZV5RT55WHY5)

>>>> Process Variant: ZCRTD_MAT -> ZMM_STAT (DTP_00O2THVXVZKSWQZTYNX2BW04B)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSWQZTYNX2BW04B)
>>>> Target: Materials Created Vs Ordered (ZMM_STAT)
>>>> Source: Materials Created by Season (ZCRTD_MAT)
Click on details to edit Transformation (0RR407B0AKLJYBKLAKPXG4S9A4CBMVO)
Click on details to show code (See Program GP00O2THW8XCZ3Q0L46VMRTOUWS)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3Q0L46VMRTOUWS)
Click on details to run Code Inspector (GP00O2THW8XCZ3Q0L46VMRTOUWS)
Global Declarations: --- (00O2THW8XCZ1ZSQQSHEI53GHB)
Global Implementations: --- (00O2THW8XCZ1ZSQQSHEI53MSV)
Start Routine: --- (00O2THW8XCZ1ZSQQSHEI53A5R)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----

>>>> Process Variant: ZCOPA_C03 -> ZCOPA_C04 (DTP_00O2THVXVZKSWNUCOD2Z8JJGB)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSWNUCOD2Z8JJGB)

>>>> Summary
Runtime: 2.42 sec

** Process Chain: Season and Collection Determination (ZPC_SEA_COLL_DETER)

>>>> Process Variant: 0AF_SEAN_ATTR / NEQ100 -> 0AFIO_DS1 (DTP_00O2THVXVZKSS57TZ8FKFDLLM)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSS57TZ8FKFDLLM)

>>>> Process Variant: ZAFS_DPRG_KOND / NEQ100 -> ZAFSCOND (DTP_00O2THVXVZKSS69FHHQ6Y37NL)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSS69FHHQ6Y37NL)

>>>> Process Variant: IP_ZAFS_DPRG_KOND_FULL (ZPAK_4804QDQA6POAO3G97DJ0VVJUS)
>>>> InfoPackage: IP_ZAFS_DPRG_KOND_FULL (ZPAK_4804QDQA6POAO3G97DJ0VVJUS)
PSA load only

>>>> Process Variant: IP_0AF_SEAN_ATTR_FULL (ZPAK_4GJ1BPKNO8MZ8S6I20D4964HW)
>>>> InfoPackage: IP_0AF_SEAN_ATTR_FULL (ZPAK_4GJ1BPKNO8MZ8S6I20D4964HW)
PSA load only

>>>> Summary
Runtime: 0.28 sec

** Process Chain: Process Chain for Global Settings Transfer (ZPC_GLOBAL_SETTINGS)

>>>> Process Variant: Program to Transfer Currency Exchange Rates (ZPC_GLOBAL_SETTINGS_PROG_CURR)
Click on details to show code (See Program RSIMPCURR)
Click on details to run Ext. Syntax Check (RSIMPCURR)
Click on details to run Code Inspector (RSIMPCURR)
* PROGRAM: Object not in customer namespace: RSIMPCURR

>>>> Process Variant: Program to Transfer Factory Calendar Settings (ZPC_GLOBAL_SETTINGS_PROG_FCAL)
Click on details to show code (See Program RSIMPCUST)
Click on details to run Ext. Syntax Check (RSIMPCUST)
Click on details to run Code Inspector (RSIMPCUST)
* PROGRAM: Object not in customer namespace: RSIMPCUST

>>>> Process Variant: Program to Transfer Unit of Measures (ZPC_GLOBAL_SETTINGS_PROG_UOM)
Click on details to show code (See Program RSIMPCUST)
Click on details to run Ext. Syntax Check (RSIMPCUST)
Click on details to run Code Inspector (RSIMPCUST)
* PROGRAM: Object not in customer namespace: RSIMPCUST

>>>> Summary
Runtime: 0.04 sec

** Process Chain: Process Chain for GLPCA InfoCube (ZPC_GLPCA_DELTA)

>>>> Process Variant: 0EC_PCA_3 / NEQ100 -> ZPCAGLPCA (DTP_00O2THVXVZKUUEG3TVIQ7860JF)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUUEG3TVIQ7860JF)
>>>> Target: PCA : Line Items (ZPCAGLPCA)
>>>> Source: Profit Center: Actual Line Items (0EC_PCA_3 NEQ100)
Click on details to edit Transformation (0QB0MRRPZU5A5MKYD014MS6PCCXVHXNE)
Click on details to show code (See Program GP00O2THW8XCZ1RA9T3N1GO8AP7)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1RA9T3N1GO8AP7)
Click on details to run Code Inspector (GP00O2THW8XCZ1RA9T3N1GO8AP7)
Global Declarations: --- (00O2THW8XCZ1RL2JJPGSF86M8)
Global Implementations: --- (00O2THW8XCZ1RL2JJPGSF8CXS)
Start Routine: --- (00O2THW8XCZ1RL2JJPGSF80AO)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0FI_DBCRIND: --- (00O2THW8XCZ1RL2JJPGSF8J9C)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0CURRENCY: --- (00O2THW8XCZ1RL2JJPGSF8PKW)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----

```
Field Routine 0CURRENCY: --- (00O2THW8XCZ1RL2JJPGSF8VWG)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0CURRENCY: --- (00O2THW8XCZ1RL2JJPGSF9280)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----

>>>> Process Variant: IP_0EC_PCA_3_DELTA (ZPAK_AJAWS0689GLF7M3H4KQFF9G78)
>>>> InfoPackage: IP_0EC_PCA_3_DELTA (ZPAK_AJAWS0689GLF7M3H4KQFF9G78)
PSA load only

>>>> Summary
Runtime: 0.87 sec

** Process Chain: Process Chain for GLPCP InfoCube (ZPC_GLPCP_FULL)

>>>> Process Variant: ZEC_PCA_PLAN / NEQ100 -> ZPCAGLPCP (DTP_00O2THVXVZKUEG3W5JEKF8BTF)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUEG3W5JEKF8BTF)
>>>> Target: PCA : Plan Line Items. (ZPCAGLPCP)
>>>> Source: PCA Plan (ZEC_PCA_PLAN NEQ100)
Click on details to edit Transformation (0PI5DHHYNCRUEGURLLRER8EARLWUNJ2L)
Click on details to show code (See Program GP00O2THW8XCZ1RA9TA3IXMZRPJ)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1RA9TA3IXMZRPJ)
Click on details to run Code Inspector (GP00O2THW8XCZ1RA9TA3IXMZRPJ)
Global Declarations: --- (00O2THW8XCZ1RL2JJN686GXA8)
Global Implementations: --- (00O2THW8XCZ1RL2JJN686H3LS)
Field Routine 0FISCPER: --- (00O2THW8XCZ1RL2JJN686H9XC)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----

>>>> Process Variant: IP_ZEC_PCA_PLAN_FULL (ZPAK_0EDBOXUDX88V3NO1ZIXKIC7YC)
>>>> InfoPackage: IP_ZEC_PCA_PLAN_FULL (ZPAK_0EDBOXUDX88V3NO1ZIXKIC7YC)
PSA load only

>>>> Summary
Runtime: 0.53 sec

** Process Chain: Process Chain for Inbound Deliveries (ZPC_INBOUND_DELIV)

>>>> Process Variant: ZDS_EKKN / NEQ100 -> ZSD_EKKN (DTP_00O2THVXVZKSSMNCVNXP1GU)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSSMNCVNXP1GU)

>>>> Process Variant: ZDS_LIKP_LIPS / NEQ100 -> ZSD_INBD (DTP_00O2THVXVZKSSMNEF5K7OARRS)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSSMNEF5K7OARRS)
>>>> Target: Inbound Delivery Item Data (ZSD_INBD)
>>>> Source: View on LIKP & LIPS (ZDS_LIKP_LIPS NEQ100)
Click on details to edit Transformation (0ES79D10SYY3LK2KDIUK7A7HKP31BQ4U)
Click on details to show code (See Program GP00O2THW8XCZ3LW2NLVMPCVSDL)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3LW2NLVMPCVSDL)
Click on details to run Code Inspector (GP00O2THW8XCZ3LW2NLVMPCVSDL)
Global Declarations: --- (00O2THW8XCZ1VQ6EMFX7K1E74)
Global Implementations: --- (00O2THW8XCZ1VQ6EMFX7K1KIO)
Start Routine: --- (00O2THW8XCZ1VQ6EMFX7K11K0)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0SCHED_LINE: --- (00O2THW8XCZ1VQ6EMFX7K1QU8)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
End Routine: --- (00O2THW8XCZ1VQ6EMFX7K17VK)
* ----- Begin of Routine -----
* -----
SELECT SINGLE * FROM /BIC/AZSD_EKKN00 INTO WA_EKKN WHERE OI_EBELN = <RESULT_FIELDS>-DOC_NUMBER AND OI_EBELP = <RESULT_FI
* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZSD_EKKN00
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* ----- End of Routine -----

>>>> Process Variant: IP_ZDS_EKKN_FULL (ZPAK_8TOC3QMFEFMTT3NL1ZHU8LJD0)
>>>> InfoPackage: IP_ZDS_EKKN_FULL (ZPAK_8TOC3QMFEFMTT3NL1ZHU8LJD0)
PSA load only

>>>> Process Variant: IP_ZDS_LIKP_LIPS_FULL (ZPAK_9H4BQE6YHMS7DZNNRE8ALI5M4K)
>>>> InfoPackage: IP_ZDS_LIKP_LIPS_FULL (ZPAK_9H4BQE6YHMS7DZNNRE8ALI5M4K)
PSA load only

>>>> Summary
Runtime: 0.92 sec

** Process Chain: Process Chain for Weekly Inventory Extract (ZPC_INVEN_WEEKLY)

>>>> Process Variant: ABAP Program to Loop InfoPackage (ZPC_INVEN_WEEKLY_PROGRAM)
Click on details to show code (See Program ZBI_LOOP_PLANT)
Click on details to run Ext. Syntax Check (ZBI_LOOP_PLANT)
Click on details to run Code Inspector (ZBI_LOOP_PLANT)
Program variant: ZIP_NAME
* ----- Begin of Routine -----
* -----
SELECT * FROM /BI0/PPLANT INTO TABLE IT_BICPPLANT WHERE PLANT NE SPACE AND OBJVERS EQ 'A'
```

```

* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* -----
SELECT SINGLE * FROM RSLDPSEL INTO IT_RSLDPSEL WHERE LOGDPID = P_INPACK AND OBJVERS = 'A' AND LNR = '1'
* Database SELECT: Object not in customer namespace: RSLDPSEL
* -----
MODIFY RSLDPSEL FROM TABLE IT_RSLDPSEL
* Database MODIFY: Object not in customer namespace: RSLDPSEL
* -----
CALL FUNCTION 'BAPI_IPAK_START' EXPORTING INFOPACKAGE = P_INPACK IMPORTING REQUESTID = REQUESTID TABLES RETURN = RETURN
* CALL FUNCTION: Object not in customer namespace: BAPI_IPAK_START
* -----
CALL FUNCTION 'BAPI_ISREQUEST_GETSTATUS' EXPORTING REQUESTID = REQUESTID IMPORTING TECHSTATUS = W_STATUS
* CALL FUNCTION: Object not in customer namespace: BAPI_ISREQUEST_GETSTATUS
* ----- End of Routine -----

```

>>>> Process Variant: 0MAT_PLANT_ATTR / NEQ100 -> 0MAT_PLANT (DTP_0002TGZDW7QD8WZHEQZ83ZR22)

>>>> Data Transfer Process: No description (DTP_0002TGZDW7QD8WZHEQZ83ZR22)

>>>> Target: Plant Material (0MAT_PLANT)

>>>> Source: Material Number with Plant (0MAT_PLANT_ATTR NEQ100)

```

Click on details to edit Transformation (0FU1VGJ9KAR4WKM140RK7Z6X5FO4FT47)
Click on details to show code (See Program GP0002THW8XCZ1R8N1R4F3DRF3I)
Click on details to run Ext. Syntax Check (GP0002THW8XCZ1R8N1R4F3DRF3I)
Click on details to run Code Inspector (GP0002THW8XCZ1R8N1R4F3DRF3I)
Global Declarations: --- (0002THW8XCZ1ZB9DXEL9Y0FGF)
Global Implementations: --- (0002THW8XCZ1ZB9DXEL9Y0LRZ)
* ----- Begin of Routine -----
* -----

```

```

SELECT SINGLE * FROM /BI0/PMATERIAL WHERE MATERIAL = ARTICLE AND OBJVERS = 'A'

```

```

* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading master data table or view /BI0/PMATERIAL
* Database SELECT: > Try to replace with standard functionality using rule type "Read master data"
* Database SELECT: > or better, try using navigational attributes of the source object

```

```

SELECT SINGLE * FROM /BI0/PMATERIAL WHERE MATERIAL = ARTICLE AND OBJVERS = 'M'

```

```

* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading master data table or view /BI0/PMATERIAL
* Database SELECT: > Try to replace with standard functionality using rule type "Read master data"
* Database SELECT: > or better, try using navigational attributes of the source object

```

```

SELECT SINGLE * FROM /BI0/PRT_LOC_MGR WHERE MATL_GROUP = INT_DEP-MERCHGR AND RT_LOC_MGR = LOCATION AND OBJVERS = 'A'

```

```

* Database SELECT: Reading all columns (*) on small table
* Database SELECT: Reading master data table or view /BI0/PRT_LOC_MGR
* Database SELECT: > Try to replace with standard functionality using rule type "Read master data"
* Database SELECT: > or better, try using navigational attributes of the source object

```

```

SELECT SINGLE * FROM /BI0/PRT_LOC_MGR WHERE MATL_GROUP = INT_DEP-MERCHGR AND RT_LOC_MGR = LOCATION AND OBJVERS = 'M'

```

```

* Database SELECT: Reading all columns (*) on small table
* Database SELECT: Reading master data table or view /BI0/PRT_LOC_MGR
* Database SELECT: > Try to replace with standard functionality using rule type "Read master data"
* Database SELECT: > or better, try using navigational attributes of the source object

```

```

SELECT * FROM /BI0/PPLANT INTO CORRESPONDING FIELDS OF TABLE LT_PLANT

```

```

* Database SELECT: No WHERE clause on small table
* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading master data table or view /BI0/PPLANT
* Database SELECT: > Try to replace with standard functionality using rule type "Read master data"
* Database SELECT: > or better, try using navigational attributes of the source object

```

```

SELECT * FROM /BI0/PRT_PRCH_PO INTO CORRESPONDING FIELDS OF TABLE INT_PURCHAR

```

```

* Database SELECT: No WHERE clause on small table
* Database SELECT: Reading all columns (*) on small table
* Database SELECT: Reading master data table or view /BI0/PRT_PRCH_PO
* Database SELECT: > Try to replace with standard functionality using rule type "Read master data"
* Database SELECT: > or better, try using navigational attributes of the source object

```

```

* ----- End of Routine -----
Field Routine 0RT_DEPARTM: Sales Department (Retail) (0002THW8XCZ1ZB9DXGBRJ9LJ3)
* ----- Begin of Routine -----

```

No issues found

```

* ----- End of Routine -----
Field Routine 0RT_PURCHAR: Purchasing Area (Retail) (0002THW8XCZ1ZB9DXGBRJ9RUN)
* ----- Begin of Routine -----

```

No issues found

```

* ----- End of Routine -----

```

>>>> Process Variant: ZCOPA_C03 -> ZDSOINVM (DTP_0002THVXVZKSOB8E3XCFQD358)

>>>> Data Transfer Process: No description (DTP_0002THVXVZKSOB8E3XCFQD358)

>>>> Target: Weekly Inventory DSO (ZDSOINVM)

>>>> Source: COPA NEC layer1 (ZCOPA_C03)

```

Click on details to edit Transformation (0DXC7G0IA468QNGX8EWMGYHGEM1URXIZ)
Click on details to show code (See Program GP0002THW8XCZ1RA9I3YKW8VMSU)
Click on details to run Ext. Syntax Check (GP0002THW8XCZ1RA9I3YKW8VMSU)
Click on details to run Code Inspector (GP0002THW8XCZ1RA9I3YKW8VMSU)
Global Declarations: --- (0002THW8XCZ3PCX93PYU2MG7A)
Global Implementations: --- (0002THW8XCZ3PCX93PYU2MMIU)
Start Routine: --- (0002THW8XCZ3PCX93PYU2M9VQ)
* ----- Begin of Routine -----
* -----

```

```

CALL FUNCTION 'DATE_TO_PERIOD_CONVERT' EXPORTING I_DATE = SY-DATUM I_PERIV = 'NE' IMPORTING E_BUPER = WA_MOTH E_GJAHR =

```

```

* CALL FUNCTION: Object not in customer namespace: DATE_TO_PERIOD_CONVERT

```

```

* -----

```

SELECT SINGLE * FROM ZFYPERIOD INTO WA_ZYPERIOD1 WHERE FICYEVA = 'NE' AND PERIOD = FY_PER

* Database SELECT: Reading all columns (*) on small table

* Database SELECT: Database access to unbuffered table

* Database SELECT: > Check if table can be buffered (See Transaction SE11)

*

SELECT SINGLE * FROM ZFYPERIOD INTO WA_ZYPERIOD2 WHERE FICYEVA = 'NE' AND COUNTER = COUNTER

* Database SELECT: Reading all columns (*) on small table

* Database SELECT: Database access to unbuffered table

* Database SELECT: > Check if table can be buffered (See Transaction SE11)

*

SELECT SINGLE * FROM ZFYPERIOD INTO WA_ZYPERIOD3 WHERE FICYEVA = 'NE' AND COUNTER = COUNTER

* Database SELECT: Reading all columns (*) on small table

* Database SELECT: Database access to unbuffered table

* Database SELECT: > Check if table can be buffered (See Transaction SE11)

*

----- End of Routine -----

Field Routine ZQTYSLLM: --- (00O2THW8XCZ3PCX93RFN7E26E)

* ----- Begin of Routine -----

*

CALL FUNCTION 'DATE_TO_PERIOD_CONVERT' EXPORTING I_DATE = SY-DATUM I_PERIV = 'NE' IMPORTING E_BUPER = WA_MOTH E_GJAHR =

* CALL FUNCTION: Object not in customer namespace: DATE_TO_PERIOD_CONVERT

*

SELECT SINGLE COUNTER FROM ZFYPERIOD INTO (GV_COUNTER) WHERE FICYEVA = 'NE' AND PERIOD = FY_PER

* Database SELECT: Database access inside field routine

* Database SELECT: > Move statement to start routine (or check if table can be buffered)

*

SELECT SINGLE PERIOD FROM ZFYPERIOD INTO (GV_PERIOD) WHERE FICYEVA = 'NE' AND COUNTER = COUNTER

* Database SELECT: Database access inside field routine

* Database SELECT: > Move statement to start routine (or check if table can be buffered)

*

----- End of Routine -----

Field Routine ZTOTUQTY: --- (00O2THW8XCZ3PCX93RFN7E8HY)

* ----- Begin of Routine -----

*

No issues found

* ----- End of Routine -----

Field Routine ZQTYSLLM3M: --- (00O2THW8XCZ3PCX93RFN7EETI)

* ----- Begin of Routine -----

*

CALL FUNCTION 'DATE_TO_PERIOD_CONVERT' EXPORTING I_DATE = SY-DATUM I_PERIV = 'NE' IMPORTING E_BUPER = WA_MOTH E_GJAHR =

* CALL FUNCTION: Object not in customer namespace: DATE_TO_PERIOD_CONVERT

*

SELECT SINGLE COUNTER FROM ZFYPERIOD INTO COUNTER WHERE FICYEVA = 'NE' AND PERIOD = FY_PER

* Database SELECT: Database access inside field routine

* Database SELECT: > Move statement to start routine (or check if table can be buffered)

*

SELECT PERIOD FROM ZFYPERIOD INTO TABLE IT_ZYPERIOD2 WHERE FICYEVA = 'NE' AND COUNTER BETWEEN FROM_COUNTER AND TO_COUNT

* Database SELECT: Database access inside field routine

* Database SELECT: > Move statement to start routine (or check if table can be buffered)

*

----- End of Routine -----

>>>>> Process Variant: ZDSMM_BI_INVENTORY_EXTRACT / NEQ100 -> ZDSOINVM (DTP_00O2THVXVZKSOB8E41K4WC8Q4)

>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSOB8E41K4WC8Q4)

>>>> Target: Weekly Inventory DSO (ZDSOINVM)

>>> Source: iINVENTORY EXTRACT FOR BI (ZDSMM_BI_INVENTORY_EXTRACT NEQ100)

Click on details to edit Transformation (07QLH259XR7INTKAAFN531U1OU816PRB)

Click on details to show code (See Program GP00O2THW8XCZ1RA9I4CT32DFE9)

Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1RA9I4CT32DFE9)

Click on details to run Code Inspector (GP00O2THW8XCZ1RA9I4CT32DFE9)

Global Declarations: --- (00O2THW8XCZ3P6W9XDLJ92ZGI)

Global Implementations: --- (00O2THW8XCZ3P6W9XDLJ935S2)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Start Routine: --- (00O2THW8XCZ3P6W9XDLJ92T4Y)

* ----- Begin of Routine -----

*

SELECT SINGLE PROFIT_CTR FROM /BI0/PMAT_PLANT INTO WA_PROFIT_CTR WHERE PLANT = WA_SOURCE_PACKAGE-PLANT AND MAT_PLANT = W

* Database SELECT: Reading master data table or view /BI0/PMAT_PLANT

* Database SELECT: > Try to replace with standard functionality using rule type "Read master data"

* Database SELECT: > or better, try using navigational attributes of the source object

*

MODIFY SOURCE_PACKAGE FROM WA_SOURCE_PACKAGE

*

CALL FUNCTION 'DATE_TO_PERIOD_CONVERT' EXPORTING I_DATE = SY-DATUM I_PERIV = 'NE' IMPORTING E_BUPER = LV_PERIOD E_GJAHR =

* CALL FUNCTION: Object not in customer namespace: DATE_TO_PERIOD_CONVERT

*

CALL FUNCTION 'LAST_DAY_IN_PERIOD_GET' EXPORTING I_GJAHR = FY_PERI_1+3(4) I_PERIV = 'NE' I_POPER = FY_PERI_1+0(3) IMPORT

* CALL FUNCTION: Object not in customer namespace: LAST_DAY_IN_PERIOD_GET

*

CALL FUNCTION 'DATE_TO_PERIOD_CONVERT' EXPORTING I_DATE = DATE_N I_PERIV = 'NE' IMPORTING E_BUPER = LV_PERIOD2 E_GJAHR =

* CALL FUNCTION: Object not in customer namespace: DATE_TO_PERIOD_CONVERT

*

CALL FUNCTION 'LAST_DAY_IN_PERIOD_GET' EXPORTING I_GJAHR = FY_PERI_2+3(4) I_PERIV = 'NE' I_POPER = FY_PERI_2+0(3) IMPORT

* CALL FUNCTION: Object not in customer namespace: LAST_DAY_IN_PERIOD_GET

*

CALL FUNCTION 'DATE_TO_PERIOD_CONVERT' EXPORTING I_DATE = DATE_NN I_PERIV = 'NE' IMPORTING E_BUPER = LV_PERIOD3 E_GJAHR =

* CALL FUNCTION: Object not in customer namespace: DATE_TO_PERIOD_CONVERT

*

CALL FUNCTION 'FIRST_DAY_IN_PERIOD_GET' EXPORTING I_GJAHR = LV_YEAR I_MONMIT = 00 I_PERIV = 'NE' I_POPER = LV_PERIOD IMP

* CALL FUNCTION: Object not in customer namespace: FIRST_DAY_IN_PERIOD_GET

*

CALL FUNCTION 'DATE_TO_PERIOD_CONVERT' EXPORTING I_DATE = LASTDAY I_PERIV = 'NE' IMPORTING E_BUPER = LV_PERIOD E_GJAHR =

* CALL FUNCTION: Object not in customer namespace: DATE_TO_PERIOD_CONVERT

*

CALL FUNCTION 'FIRST_DAY_IN_PERIOD_GET' EXPORTING I_GJAHR = LV_YEAR I_MONMIT = 00 I_PERIV = 'NE' I_POPER = LV_PERIOD IMP

* CALL FUNCTION: Object not in customer namespace: FIRST_DAY_IN_PERIOD_GET

```
*
MODIFY TVARVC FROM TABLE IT_TVARVC
* Database MODIFY: Object not in customer namespace: TVARVC
* ----- End of Routine -----
Field Routine 0MATL_GROUP: --- (00O2THW8XCZ3P6W9XDLJ93C3M)
* ----- Begin of Routine -----
* -----
SELECT SINGLE MATL_GROUP FROM /BI0/PMATERIAL INTO WA_MATGRP WHERE MATERIAL = SOURCE_FIELDS-MATNR AND OBJVERS = 'A'
* Database SELECT: Reading master data table or view /BI0/PMATERIAL
* Database SELECT: > Try to replace with standard functionality using rule type "Read master data"
* Database SELECT: > or better, try using navigational attributes of the source object
* Database SELECT: Database access inside field routine
* Database SELECT: > Move statement to start routine
```

```
* ----- End of Routine -----
Field Routine 0CO_AREA: --- (00O2THW8XCZ3P6W9XDLJ93IF6)
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
Field Routine ZNODAYLM: --- (00O2THW8XCZ3P6W9XDLJ93OQQ)
* ----- Begin of Routine -----
* -----
```

```
SELECT SINGLE * FROM TVARVC INTO WA_TVARVC WHERE NAME = 'DAYSINLASTPERIOD' AND TYPE = 'P'
* Database SELECT: Object not in customer namespace: TVARVC
```

No issues found

```
* ----- End of Routine -----
```

```
>>>>> Process Variant: ZSDC_OPN -> ZDSOINVM (DTP_00O2THVXVZKS0B8ECCC9HG2T5)
>>>>> Data Transfer Process: No description (DTP_00O2THVXVZKS0B8ECCC9HG2T5)
>>>>> Target: Weekly Inventory DSO (ZDSOINVM)
>>>> Source: Open Orders InfoCube (ZSDC_OPN)
```

```
Click on details to edit Transformation (0KIAL5W0MHEFT8WFUYU9H617M4AU1YS)
Click on details to show code (See Program GP00O2THW8XCZ1RA9I49P3HTBN5)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1RA9I49P3HTBN5)
Click on details to run Code Inspector (GP00O2THW8XCZ1RA9I49P3HTBN5)
Global Declarations: --- (00O2THW8XCZ3T3OC3AUZQS0TE)
Global Implementations: --- (00O2THW8XCZ3T3OC3AUZQS74Y)
Field Routine ZQTYOPN2: --- (00O2THW8XCZ3T3OC3AUZQSDGI)
* ----- Begin of Routine -----
* -----
```

```
SELECT SINGLE * FROM TVARVC INTO ZTVARVC WHERE NAME = 'CURRENT_PERIOD_N'
* Database SELECT: Object not in customer namespace: TVARVC
```

No issues found

```
* ----- End of Routine -----
Field Routine ZQTYOPN1: --- (00O2THW8XCZ3T3OC3AUZQSJS2)
* ----- Begin of Routine -----
* -----
```

```
SELECT SINGLE * FROM TVARVC INTO ZTVARVC WHERE NAME = 'CURRENT_PERIOD'
* Database SELECT: Object not in customer namespace: TVARVC
```

No issues found

```
* ----- End of Routine -----
Field Routine ZQTYOPN3: --- (00O2THW8XCZ3T3OC3AUZQSQ3M)
* ----- Begin of Routine -----
* -----
```

```
SELECT SINGLE * FROM TVARVC INTO ZTVARVC WHERE NAME = 'CURRENT_PERIOD_NN'
* Database SELECT: Object not in customer namespace: TVARVC
```

No issues found

```
* ----- End of Routine -----
Field Routine ZTASCHK: --- (00O2THW8XCZ3T3OC3AUZQSWF6)
* ----- Begin of Routine -----
* -----
```

```
SELECT SINGLE * FROM TVARVC INTO ZTVARVC WHERE NAME = 'CURRENT_PERIOD'
* Database SELECT: Object not in customer namespace: TVARVC
* -----
```

```
SELECT SINGLE * FROM TVARVC INTO ZTVARVC WHERE NAME = 'CURRENT_PERIOD_N'
* Database SELECT: Object not in customer namespace: TVARVC
* -----
```

```
SELECT SINGLE * FROM TVARVC INTO ZTVARVC WHERE NAME = 'CURRENT_PERIOD_NN'
* Database SELECT: Object not in customer namespace: TVARVC
```

No issues found

```
* ----- End of Routine -----
```

```
>>>>> Process Variant: ZDSOINVM -> ZIC_INVW (DTP_00O2THVXVZKSOP2B92RK7GZJ4)
>>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSOP2B92RK7GZJ4)
>>>>> Target: InfoCube : Weekly Inventory (ZIC_INVW)
>>>> Source: Weekly Inventory DSO (ZDSOINVM)
```

```
Click on details to edit Transformation (0F8ZG82DMF8D31S9KKPXGN0UF0Y3ETJ1)
Click on details to show code (See Program GP00O2THW8XCZ1ROBU4GEA0GL5B)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1ROBU4GEA0GL5B)
Click on details to run Code Inspector (GP00O2THW8XCZ1ROBU4GEA0GL5B)
Global Declarations: --- (00O2THW8XCZ3PBAGMAVOPQHVC)
Global Implementations: --- (00O2THW8XCZ3PBAGMAVOPQO6W)
Start Routine: --- (00O2THW8XCZ3PBAGMAVOPQ588)
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
End Routine: --- (00O2THW8XCZ3PBAGMAVOPQBJ5)
* ----- Begin of Routine -----
* -----
```

```
SELECT SINGLE PERIOD START_FROM END_TO FROM ZFYPERIOD INTO WA_ZFYPERIOD WHERE START_FROM LE SY-DATUM AND END_TO GE SY-DA
```

```
* Database SELECT: Database access to unbuffered table
* Database SELECT: > Check if table can be buffered (See Transaction SE11)
```

```
* ----- End of Routine -----
```

```
>>>>> Process Variant: IP_0MAT_PLANT_ATTR_FULL (ZPAK_18GPVUUO1AK1MK7GBIBE6RCCK)
```

```
>>>> InfoPackage: IP_OMAT_PLANT_ATTR_FULL (ZPAK_18GPVUUO1AK1MK7GBIBE6RCCK)
PSA load only

>>>> Summary
Runtime: 5.09 sec

** Process Chain: Process Chain for Daily Delta Inventory Extract (ZPC_INV_DELTA)

>>>> Process Variant: DELTA - 2LIS_03_UM (ZPAK_AEZPW6N0YTIIIEKLYM4CTI82MC)
>>>> InfoPackage: DELTA - 2LIS_03_UM (ZPAK_AEZPW6N0YTIIIEKLYM4CTI82MC)
PSA load only

>>>> Process Variant: FULL - ZDS_J_3ABSSI_PO (ZPAK_53I2GE3DWVI48LR4DSQXTZO04)
>>>> InfoPackage: FULL - ZDS_J_3ABSSI_PO (ZPAK_53I2GE3DWVI48LR4DSQXTZO04)
PSA load only

>>>> Process Variant: FULL - ZDS_AFPO_J_3ABSSI (ZPAK_4Z8M5Q67640RY9DZYHBW5CDOK)
>>>> InfoPackage: FULL - ZDS_AFPO_J_3ABSSI (ZPAK_4Z8M5Q67640RY9DZYHBW5CDOK)
PSA load only

>>>> Process Variant: DELTA - 2LIS_03_BF (ZPAK_1NK7Z0F5YBV955MV4NFCUCUV8)
>>>> InfoPackage: DELTA - 2LIS_03_BF (ZPAK_1NK7Z0F5YBV955MV4NFCUCUV8)
PSA load only

>>>> Process Variant: ZPO_C01 -> Z_POC02 (DTP_00O2THVXVZKUMTEPP6NJZCYK8)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUMTEPP6NJZCYK8)
>>>> Target: Emerging Americas - Open POs (Z_POC02)
>>>> Source: Staging for Open Production and Purchase Orders (ZPO_C01)
Click on details to edit Transformation (068EFQ2BUCSS9OPPGBLXYXBE10QRMG03)
Click on details to show code (See Program GP00O2THW8XCZ3PSO1JGDTP6OJ7)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3PSO1JGDTP6OJ7)
Click on details to run Code Inspector (GP00O2THW8XCZ3PSO1JGDTP6OJ7)
Global Declarations: --- (00O2THW8XCZ3PSO1IUATG7CFI)
Global Implementations: --- (00O2THW8XCZ3PSO1IUATG7IR2)
End Routine: --- (00O2THW8XCZ3PSO1IUATG763Y)
* ----- Begin of Routine -----
CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-PS_OPUNT MATERIAL = <RESULT_FIELDS>-MATERIA
Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD
* ----- End of Routine -----
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
* ----- End of Routine -----

>>>> Process Variant: DELTA - OIC_C03 -> Z_IC302 (DTP_00O2THVXVZKUMTEPP80AGRFR)
>>>> Data Transfer Process: DELTA - OIC_C03 -> Z_IC302 (DTP_00O2THVXVZKUMTEPP80AGRFR)
>>>> Target: Emerging Americas - Material Stocks/Movements (Z_IC302)
>>>> Source: Material Stocks/Movements (as of 3.0B) (OIC_C03)
Click on details to edit Transformation (00C7J7VOBVOLQVF2LZK9WRCBEDK117IU)
Click on details to show code (See Program GP00O2THW8XCZ3PSO1IYK65Y8XA)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3PSO1IYK65Y8XA)
Click on details to run Code Inspector (GP00O2THW8XCZ3PSO1IYK65Y8XA)
Global Declarations: --- (00O2THW8XCZ3PSO1IR1D8I0FI)
Global Implementations: --- (00O2THW8XCZ3PSO1IR1D8I6R2)
Start Routine: --- (00O2THW8XCZ3PSO1IR1D8HNSE)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
End Routine: --- (00O2THW8XCZ3PSO1IR1D8HU3Y)
* ----- Begin of Routine -----
CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-BASE_UOM MATERIAL = <RESULT_FIELDS>-MATERIA
Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD
* ----- End of Routine -----
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
* ----- End of Routine -----

>>>> Process Variant: ZPO_C01 -> ZPO_C02 (DTP_00O2THVXVZKUMT58TT8HJPCY9)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUMT58TT8HJPCY9)
>>>> Target: Open Production and Purchase Orders (ZPO_C02)
>>>> Source: Staging for Open Production and Purchase Orders (ZPO_C01)
Click on details to edit Transformation (0S10DC9QIE61OCPPHVNU3U6BGJYVIP5R)
Click on details to show code (See Program GP00O2THW8XCZ1ZHVWGQK7URETE)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1ZHVWGQK7URETE)
Click on details to run Code Inspector (GP00O2THW8XCZ1ZHVWGQK7URETE)
Global Declarations: --- (00O2THW8XCZ1ZHVV7YR2FDGY5)
Global Implementations: --- (00O2THW8XCZ1ZHVV7YR2FDN9P)
End Routine: --- (00O2THW8XCZ1ZHVV7YR2FDAML)
* ----- Begin of Routine -----
CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-PS_OPUNT MATERIAL = <RESULT_FIELDS>-MATERIA
Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD
* ----- End of Routine -----
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
* ----- End of Routine -----

>>>> Process Variant: DELTA - OIC_C03 -> ZIC_C03 (DTP_00O2THVXVZKUMM5251I2CXD62)
>>>> Data Transfer Process: DELTA - OIC_C03 -> ZIC_C03 (DTP_00O2THVXVZKUMM5251I2CXD62)
>>>> Target: Material Stocks/Movements (as of 3.0B) (ZIC_C03)
>>>> Source: Material Stocks/Movements (as of 3.0B) (OIC_C03)
Click on details to edit Transformation (0283CV3RASL6LFL57YST2BVL8B818CP8)
Click on details to show code (See Program GP00O2THW8XCZ1ZF6HP1G1LUK04)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1ZF6HP1G1LUK04)
Click on details to run Code Inspector (GP00O2THW8XCZ1ZF6HP1G1LUK04)
Global Declarations: --- (00O2THW8XCZ1ZHVV7V0GVTUDP)
```

```
Global Implementations: --- (00O2THW8XCZ1ZHVV7V0GVU0P9)
Start Routine: --- (00O2THW8XCZ1ZHVV7V0GVTHQL)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
End Routine: --- (00O2THW8XCZ1ZHVV7V0GVTO25)
* ----- Begin of Routine -----
* -----
CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-BASE_UOM MATERIAL = <RESULT_FIELDS>-MATERIA
Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD
* -----
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
* ----- End of Routine -----
```

```
>>>> Process Variant: 2LIS_03_BF / NEQ100 -> 0IC_C03 (DTP_00O2THVXVZKUF5H3B7R7RGXSE)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUF5H3B7R7RGXSE)
>>>> Target: 2LIS_03_BF_TR (2LIS_03_BF_TR)
```

```
>>> Source: Goods Movements From Inventory Management (2LIS_03_BF NEQ100)
Click on details to edit Transformation (00FKU8GBF9YISCGE4UM2PSMRWGWKAWH6)
Click on details to show code (See Program GP00O2THW8XCZ1V0EAOS7V2VAEI)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1V0EAOS7V2VAEI)
Click on details to run Code Inspector (GP00O2THW8XCZ1V0EAOS7V2VAEI)
Global Declarations: --- (00O2THW8XCZ3PK5C1DB4SMS17)
* ----- Begin of Routine -----
* ----- Begin of Call Depth 2 -----
```

No issues found

```
* ----- End of Call Depth 2 -----
* ----- Begin of Call Depth 2 -----
* ----- Begin of Call Depth 3 -----
```

Too many recursive calls
> Manual analysis required

```
* ----- End of Call Depth 3 -----
* ----- Begin of Call Depth 3 -----
```

Too many recursive calls
> Manual analysis required
Too many recursive calls
> Manual analysis required

```
* ----- End of Call Depth 3 -----
* ----- Begin of Call Depth 3 -----
```

Too many recursive calls
> Manual analysis required
Too many recursive calls
> Manual analysis required

```
* ----- End of Call Depth 3 -----
* ----- Begin of Call Depth 3 -----
```

Too many recursive calls
> Manual analysis required
Too many recursive calls
> Manual analysis required
Too many recursive calls
> Manual analysis required
Too many recursive calls
> Manual analysis required

```
* ----- End of Call Depth 3 -----
* ----- End of Call Depth 2 -----
* ----- Begin of Call Depth 2 -----
```

No issues found

```
* ----- End of Call Depth 2 -----
* ----- Begin of Call Depth 2 -----
```

No issues found

```
* ----- End of Call Depth 2 -----
* ----- Begin of Call Depth 2 -----
* ----- Begin of Call Depth 3 -----
```

No issues found

```
* ----- End of Call Depth 3 -----
* ----- Begin of Call Depth 3 -----
```

Too many recursive calls
> Manual analysis required
Too many recursive calls
> Manual analysis required

```
* ----- End of Call Depth 3 -----
* ----- Begin of Call Depth 3 -----
```

Too many recursive calls
> Manual analysis required
Too many recursive calls
> Manual analysis required

```
* ----- End of Call Depth 3 -----
* ----- Begin of Call Depth 3 -----
```

No issues found

```
* ----- End of Call Depth 3 -----
* ----- Begin of Call Depth 3 -----
```

Too many recursive calls
> Manual analysis required
Too many recursive calls
> Manual analysis required
Too many recursive calls
> Manual analysis required
Too many recursive calls
> Manual analysis required

```
* ----- End of Call Depth 3 -----
* ----- End of Call Depth 2 -----
* ----- End of Routine -----
Global Implementations: --- (00O2THW8XCZ3PK5C1DB4SMYCR)
* ----- Begin of Routine -----
```

No issues found

* ----- End of Routine -----
Start Routine: --- (00O2THW8XCZ3PK5C1DB4SMLPN)
* ----- Begin of Routine -----

CALL FUNCTION 'RSBCT_RFASH_MATERIAL_EXPLO' EXPORTING IT_DATA = IT_DATA I_SPLIT = " IMPORTING E_T_DATA_NOR = ET_DATA
* CALL FUNCTION: Object not in customer namespace: RSBCT_RFASH_MATERIAL_EXPLO

No issues found

* ----- End of Routine -----
Field Routine: Transfer routine for InfoObject0SOURSYSTEM (18JW39V6T2LLS5VKJ2WKV3T1Q)
* ----- Begin of Routine -----

CALL FUNCTION 'RSDG_ID_GET_FROM_LOGSYS' EXPORTING I_SOURCE_SYSTEM = SOURCE_SYSTEM IMPORTING E_SOURSYSID = RESULT EXCEPTI
* CALL FUNCTION: Object not in customer namespace: RSDG_ID_GET_FROM_LOGSYS

No issues found

* ----- End of Routine -----
Field Routine: Transfer Routine for InfoObject 0LOGSYS (DCW82EH56X6IE17QMCP9L361)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

>>>> Target: Material Stocks/Movements (as of 3.0B) (0IC_C03)

>>>> Source: 2LIS_03_BF_TR (2LIS_03_BF_TR)

Click on details to edit Transformation (0H9HHPLD63WDC8CND5BM32QRZ6U22BJK)
Click on details to show code (See Program GP00O2THW8XCZ1V0EAOXE83GRXM)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1V0EAOXE83GRXM)
Click on details to run Code Inspector (GP00O2THW8XCZ1V0EAOXE83GRXM)
Global Declarations: --- (00O2THW8XCZ1ZF6HOQ6ESYG1T)
Global Implementations: --- (00O2THW8XCZ1ZF6HOQ6ESYMDD)

* ----- Begin of Routine -----

CALL FUNCTION 'RS_BCT_GN_GET_GLOBAL_KEY' EXPORTING I_SOURCE_SYSTEM = L_SOURCE_SYSTEM I_OBJECT_TYPE = L_OBJECT_TYPE I_LOC
* CALL FUNCTION: Object not in customer namespace: RS_BCT_GN_GET_GLOBAL_KEY

CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT' EXPORTING INPUT = L_HLP_CHAVL IMPORTING OUTPUT = P_LOCAL_ID
* CALL FUNCTION: Object not in customer namespace: CONVERSION_EXIT_ALPHA_INPUT

No issues found

* ----- End of Routine -----
Start Routine: --- (00O2THW8XCZ1ZF6HOQ6ESY9Q9)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine 0BASE_UOM: Issue Qty: Cons. Stock - Base Un from Matl Doc. on (00O2THW8XCZ1ZF6HORPZPU1TU)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine 0BASE_UOM: GR Qty: Cons. Stock - Base Un from Matl Doc. on Ps (00O2THW8XCZ1ZF6HORPZPU85E)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine 0GN_VENDOR: Key Composition for Consolidated Vendor (Consi) (00O2THW8XCZ1ZF6HORPZPUEGY)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine 0ISSVS_VAL: Issue Qty: Val. Stock- Purch.Val.from Matl Doc. on (00O2THW8XCZ1ZF6HORPZPUKSI)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine 0LOC_CURRCY: GR Qty: Val. Stock - Purch.Val. from Matl Doc. on (00O2THW8XCZ1ZF6HORPZPUR42)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine 0GN_VENDOR: Key Composite for Consolidated Vendor (00O2THW8XCZ1ZF6HORPZPUXFM)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine 0BASE_UOM: Issue Qty: Total Stock - Base Un from Matl Doc. on (00O2THW8XCZ1ZF6HORPZPV3R6)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine 0BASE_UOM: GR Qty: Total Stock - Base Un from Matl Doc. on Ps (00O2THW8XCZ1ZF6HORPZPVA2Q)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine 0BASE_UOM: Issue Qty: Val. Stock- Base Un from Matl Doc. on P (00O2THW8XCZ1ZF6HORPZPVGEA)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine 0BASE_UOM: GR Quantity: Val. Stock- Base Un from Matl Doc. on (00O2THW8XCZ1ZF6HORPZPVMPU)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine 0GN_VENDOR: Key Composite for Consolidated Vendor (00O2THW8XCZ1ZF6HORPZPVT1E)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine 0LOC_CURRCY: Consumption Values: Vendor Consignment Stock - Pur (00O2THW8XCZ1ZF6HORPZPVZCY)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine 0BASE_UOM: Issue Qty: Blkd Stock - Base Un from Matl Doc. on (00O2THW8XCZ1ZF6HORPZPW5OI)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine 0BASE_UOM: Issue Qty: QI Stock - Base Un from Matl Doc. on Ps (00O2THW8XCZ1ZF6HORPZPWC02)

	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0BASE_UOM: Issue Qty: Trsit Stock - Base Un from Matl Doc. on (00O2THW8XCZ1ZF6HORPZPWIBM)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0BASE_UOM: GR Qty: Blocked Stock - Base Un from Matl Doc. on (00O2THW8XCZ1ZF6HORPZPWON6)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0BASE_UOM: GR Qty: QI Stock - Base Un from Matl Doc. on Pstg (00O2THW8XCZ1ZF6HORPZPWUYQ)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0BASE_UOM: GR Qty: Transit Stock - Base Un from Matl Doc. on (00O2THW8XCZ1ZF6HORPZPX1AA)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0BASE_UOM: Issue Qty: Scrap - Base Un from Matl Doc. on Posti (00O2THW8XCZ1ZF6HORPZPX7LU)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0ISSVALSCR: Issue Qty: Scrap - Purch.Val. from Matl Doc. on Po (00O2THW8XCZ1ZF6HORPZPXDxE)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	>>>>> Process Variant: ZDS_J_3ABSSI_PO / NEQ100 -> ZPO_C01 (DTP_00O2THVXVZKSWIFDBJUKC3TUQ)
	>>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSWIFDBJUKC3TUQ)
	>>>>> Process Variant: ZDS_AFPO_J_3ABSSI / NEQ100 -> ZPO_C01 (DTP_00O2THVXVZKSWIFDB31OEL78I)
	>>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSWIFDB31OEL78I)
	>>>>> Target: Staging for Open Production and Purchase Orders (ZPO_C01)
	>>>>> Source: Production Order Extract (ZDS_AFPO_J_3ABSSI NEQ100)
	Click on details to edit Transformation (0CJZQRCXFFQID2L4OFYCXNOOS872771P)
	Click on details to show code (See Program GP00O2THW8XCZ1ZHVVY8O0CAPHCH)
	Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1ZHVVY8O0CAPHCH)
	Click on details to run Code Inspector (GP00O2THW8XCZ1ZHVVY8O0CAPHCH)
	Global Declarations: --- (00O2THW8XCZ1ZHVVY7W6D0H9FX)
	Global Implementations: --- (00O2THW8XCZ1ZHVVY7W6D0HFRH)
	Unit Routine 0PS_OPQNT: --- (00O2THW8XCZ1ZHVVY7W6D0HM31)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	>>>>> Process Variant: 2LIS_03_UM / NEQ100 -> 0IC_C03 (DTP_00O2THVXVZKSS1DFDKVLZ9I83)
	>>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSS1DFDKVLZ9I83)
	>>>>> Target: Revaluations (7.0) (2LIS_03_UM_TR)
	>>>>> Source: Revaluations (2LIS_03_UM NEQ100)
	Click on details to edit Transformation (00BYNG7FS0VOBO4UZTRU41VQXR426NIS)
	Click on details to show code (See Program GP00O2THW8XCZ1V0EAKNBKREY0)
	Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1V0EAKNBKREY0)
	Click on details to run Code Inspector (GP00O2THW8XCZ1V0EAKNBKREY0)
	Global Declarations: --- (00O2THW8XCZ3PK5C1BHDJB1IJ)
	Global Implementations: --- (00O2THW8XCZ3PK5C1BHDJB7U3)
	Field Routine 0FISCVARNT: Routine Fiscal Year Variant from BUDAT (00O2THW8XCZ3PK5C1BHDJBE5N)
	* ----- Begin of Routine -----
	CALL METHOD /RTF/CL_TIME=> GET_RETAIL_FPERS_FROM_DATE EXPORTING I_DATE = SOURCE_FIELDS-BUDAT IMPORTING E_FISCYV1 = RESUL
	* CALL METHOD: Object not in customer namespace: /RTF/CL_TIME
	No issues found
	* ----- End of Routine -----
	Field Routine 0RT_MTFYVRN: Routine MAP: Rough Fiscal Year Variant from BUDAT (00O2THW8XCZ3PK5C1BHDJBKH7)
	* ----- Begin of Routine -----
	CALL METHOD /RTF/CL_TIME=> GET_RETAIL_FPERS_FROM_DATE EXPORTING I_DATE = SOURCE_FIELDS-BUDAT IMPORTING E_FISCYV2 = RESUL
	* CALL METHOD: Object not in customer namespace: /RTF/CL_TIME
	No issues found
	* ----- End of Routine -----
	Field Routine 0RT_MTFPER: Routine MAP: Rough Posting Period from BUDAT (00O2THW8XCZ3PK5C1BHDJBQSR)
	* ----- Begin of Routine -----
	CALL METHOD /RTF/CL_TIME=> GET_RETAIL_FPERS_FROM_DATE EXPORTING I_DATE = SOURCE_FIELDS-BUDAT IMPORTING E_FPER2 = RESULT
	* CALL METHOD: Object not in customer namespace: /RTF/CL_TIME
	No issues found
	* ----- End of Routine -----
	Field Routine 0RT_QTFYVRN: Routine: Very Rough Fiscal Year Variant from BUDAT (00O2THW8XCZ3PK5C1BHDJBX4B)
	* ----- Begin of Routine -----
	CALL METHOD /RTF/CL_TIME=> GET_RETAIL_FPERS_FROM_DATE EXPORTING I_DATE = SOURCE_FIELDS-BUDAT IMPORTING E_FISCYV3 = RESUL
	* CALL METHOD: Object not in customer namespace: /RTF/CL_TIME
	No issues found
	* ----- End of Routine -----
	Field Routine 0RT_QTFPER: Routine Very Rough Fiscal Year Period from BUDAT (00O2THW8XCZ3PK5C1BHDJC3FV)
	* ----- Begin of Routine -----
	CALL METHOD /RTF/CL_TIME=> GET_RETAIL_FPERS_FROM_DATE EXPORTING I_DATE = SOURCE_FIELDS-BUDAT IMPORTING E_FPER3 = RESULT
	* CALL METHOD: Object not in customer namespace: /RTF/CL_TIME
	No issues found
	* ----- End of Routine -----
	Field Routine 0FISCPER: Routine Fiscal Year / Period from BUDAT (00O2THW8XCZ3PK5C1BHDJC9RF)
	* ----- Begin of Routine -----
	CALL METHOD /RTF/CL_TIME=> GET_RETAIL_FPERS_FROM_DATE EXPORTING I_DATE = SOURCE_FIELDS-BUDAT IMPORTING E_FPER1 = RESULT
	* CALL METHOD: Object not in customer namespace: /RTF/CL_TIME
	No issues found
	* ----- End of Routine -----
	Field Routine: Transfer Routine for InfoObject 0LOGSYS (DCW82EH56X6IE17QMCP9L361)
	* ----- Begin of Routine -----

```
No issues found
* ----- End of Routine -----
>>>> Target: Material Stocks/Movements (as of 3.0B) (0IC_C03)
>>> Source: Revaluations (7.0) (2LIS_03_UM_TR)
  Click on details to edit Transformation (07YBF7HILK6UGT0I5DP16QMS439XAF2D)
  Click on details to show code (See Program GP00O2THW8XCZ1V0EAOP7NLWL7U)
  Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1V0EAOP7NLWL7U)
  Click on details to run Code Inspector (GP00O2THW8XCZ1V0EAOP7NLWL7U)
  Global Declarations: --- (00O2THW8XCZ1ZF6HOQ6ESX1HD)
  Global Implementations: --- (00O2THW8XCZ1ZF6HOQ6ESX7SX)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Start Routine: --- (00O2THW8XCZ1ZF6HOQ6ESWV5T)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0LOC_CURRCY: Issue Quantity: Valuated Stock on Posting Date (00O2THW8XCZ1ZF6HOQ6ESXE4H)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0ISSVS_VAL: Issue Quantity: Valuated Stock on Posting Date (00O2THW8XCZ1ZF6HOQ6ESXKG1)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----

>>>> Summary
Runtime: 5.67 sec

** Process Chain: Process Chain for Daily Delta Inventory EMEA (ZPC_INV_DELTA_EMEA)

>>>> Process Variant: DELTA - 2LIS_03_UM (ZPAK_AEZPW6N0YTIIKLYM4CTI82MC)
>>>> InfoPackage: DELTA - 2LIS_03_UM (ZPAK_AEZPW6N0YTIIKLYM4CTI82MC)
PSA load only

>>>> Process Variant: FULL - ZDS_J_3ABSSI_PO (ZPAK_53I2GE3DWVI48LR4DSQXTZO04)
>>>> InfoPackage: FULL - ZDS_J_3ABSSI_PO (ZPAK_53I2GE3DWVI48LR4DSQXTZO04)
PSA load only

>>>> Process Variant: FULL - ZDS_AFPO_J_3ABSSI (ZPAK_4Z8M5Q67640RY9DZYHBW5CDOK)
>>>> InfoPackage: FULL - ZDS_AFPO_J_3ABSSI (ZPAK_4Z8M5Q67640RY9DZYHBW5CDOK)
PSA load only

>>>> Process Variant: DELTA - 2LIS_03_BF (ZPAK_1NK7Z0F5YBV955MV4NFCUCUV8)
>>>> InfoPackage: DELTA - 2LIS_03_BF (ZPAK_1NK7Z0F5YBV955MV4NFCUCUV8)
PSA load only

>>>> Process Variant: ZPO_C01 -> Z_POC03 (DTP_00O2THVXVZKUMTEQ1HN630YDN)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUMTEQ1HN630YDN)
>>>> Target: EMEA - Open POs (Z_POC03)
>>>> Source: Staging for Open Production and Purchase Orders (ZPO_C01)
  Click on details to edit Transformation (0LFG14XLXH3DOYFD3OA7FOJ96QOLSGX)
  Click on details to show code (See Program GP00O2THW8XCZ3PSO1JNF1LZL4J)
  Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3PSO1JNF1LZL4J)
  Click on details to run Code Inspector (GP00O2THW8XCZ3PSO1JNF1LZL4J)
  Global Declarations: --- (00O2THW8XCZ3PSO1IUTG9SXA)
  Global Implementations: --- (00O2THW8XCZ3PSO1IUTG9Z8U)
  End Routine: --- (00O2THW8XCZ3PSO1IUTG9MLQ)
* ----- Begin of Routine -----
CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-PS_OPUNT MATERIAL = <RESULT_FIELDS>-MATERIA
Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD
* ----- End of Routine -----
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
* ----- End of Routine -----

>>>> Process Variant: DELTA - 0IC_C03 -> Z_IC303 (DTP_00O2THVXVZKUMTEPW9J8P38XW)
>>>> Data Transfer Process: DELTA - 0IC_C03 -> Z_IC303 (DTP_00O2THVXVZKUMTEPW9J8P38XW)
>>>> Target: EMEA - Material Stocks/Movements (Z_IC303)
>>>> Source: Material Stocks/Movements (as of 3.0B) (0IC_C03)
  Click on details to edit Transformation (0HD3WDPANLSY7QZ233HSS7J7HJ70JQUS)
  Click on details to show code (See Program GP00O2THW8XCZ3PSO1JJZ52RCMR)
  Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3PSO1JJZ52RCMR)
  Click on details to run Code Inspector (GP00O2THW8XCZ3PSO1JJZ52RCMR)
  Global Declarations: --- (00O2THW8XCZ3PSO1IUTG8QZY)
  Global Implementations: --- (00O2THW8XCZ3PSO1IUTG8XBI)
  Start Routine: --- (00O2THW8XCZ3PSO1IUTG8ECU)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
End Routine: --- (00O2THW8XCZ3PSO1IUTG8KOE)
* ----- Begin of Routine -----
CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-BASE_UOM MATERIAL = <RESULT_FIELDS>-MATERIA
Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD
* ----- End of Routine -----
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
* ----- End of Routine -----

>>>> Process Variant: 2LIS_03_BF / NEQ100 -> 0IC_C03 (DTP_00O2THVXVZKUF5H3B7R7RGXSE)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUF5H3B7R7RGXSE)
>>>> Target: 2LIS_03_BF_TR (2LIS_03_BF_TR)
>>>> Source: Goods Movements From Inventory Management (2LIS_03_BF_NEQ100)
  Click on details to edit Transformation (00FKU8GBF9YISCGE4UM2PSMRWGWKAH6)
```

```
Click on details to show code (See Program GP00O2THW8XCZ1V0EAOS7V2VAEI)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1V0EAOS7V2VAEI)
Click on details to run Code Inspector (GP00O2THW8XCZ1V0EAOS7V2VAEI)
Global Declarations: --- (00O2THW8XCZ3PK5C1DB4SMS17)
* ----- Begin of Routine -----
* ----- Begin of Call Depth 2 -----
```

No issues found

```
* ----- End of Call Depth 2 -----
* ----- Begin of Call Depth 2 -----
* ----- Begin of Call Depth 3 -----
```

Too many recursive calls
> Manual analysis required

```
* ----- End of Call Depth 3 -----
* ----- Begin of Call Depth 3 -----
```

Too many recursive calls
> Manual analysis required
Too many recursive calls
> Manual analysis required

```
* ----- End of Call Depth 3 -----
* ----- Begin of Call Depth 3 -----
```

Too many recursive calls
> Manual analysis required
Too many recursive calls
> Manual analysis required

```
* ----- End of Call Depth 3 -----
* ----- Begin of Call Depth 3 -----
```

Too many recursive calls
> Manual analysis required
Too many recursive calls
> Manual analysis required
Too many recursive calls
> Manual analysis required
Too many recursive calls
> Manual analysis required

```
* ----- End of Call Depth 3 -----
* ----- End of Call Depth 2 -----
* ----- Begin of Call Depth 2 -----
```

No issues found

```
* ----- End of Call Depth 2 -----
* ----- Begin of Call Depth 2 -----
```

No issues found

```
* ----- End of Call Depth 2 -----
* ----- Begin of Call Depth 2 -----
* ----- Begin of Call Depth 3 -----
```

No issues found

```
* ----- End of Call Depth 3 -----
* ----- Begin of Call Depth 3 -----
```

Too many recursive calls
> Manual analysis required
Too many recursive calls
> Manual analysis required

```
* ----- End of Call Depth 3 -----
* ----- Begin of Call Depth 3 -----
```

Too many recursive calls
> Manual analysis required
Too many recursive calls
> Manual analysis required

```
* ----- End of Call Depth 3 -----
* ----- Begin of Call Depth 3 -----
```

No issues found

```
* ----- End of Call Depth 3 -----
* ----- Begin of Call Depth 3 -----
```

Too many recursive calls
> Manual analysis required
Too many recursive calls
> Manual analysis required
Too many recursive calls
> Manual analysis required
Too many recursive calls
> Manual analysis required

```
* ----- End of Call Depth 3 -----
* ----- End of Call Depth 2 -----
* ----- End of Routine -----
Global Implementations: --- (00O2THW8XCZ3PK5C1DB4SMYCR)
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
Field Routine: Transfer routine for InfoObject0SOURSYSTEM (18JW39V6T2LLS5VKJ2WKV3T1Q)
* ----- Begin of Routine -----
* -----
```

```
CALL FUNCTION 'RSBCT_RFASH_MATERIAL_EXPLO' EXPORTING IT_DATA = IT_DATA I_SPLIT = " IMPORTING E_T_DATA_NOR = ET_DATA
* CALL FUNCTION: Object not in customer namespace: RSBCT_RFASH_MATERIAL_EXPLO
```

No issues found

```
* ----- End of Routine -----
Field Routine: Transfer routine for InfoObject0SOURSYSTEM (18JW39V6T2LLS5VKJ2WKV3T1Q)
* ----- Begin of Routine -----
* -----
```

```
CALL FUNCTION 'RSDG_ID_GET_FROM_LOGSYS' EXPORTING I_SOURCE_SYSTEM = SOURCE_SYSTEM IMPORTING E_SOURSYSID = RESULT EXCEPTI
* CALL FUNCTION: Object not in customer namespace: RSDG_ID_GET_FROM_LOGSYS
```

No issues found

```
* ----- End of Routine -----
Field Routine: Transfer Routine for InfoObject 0LOGSYS (DCW82EH56X6IE17QMCP9L361)
* ----- Begin of Routine -----
```

No issues found

	* ----- End of Routine -----
>>>>	Target: Material Stocks/Movements (as of 3.0B) (0IC_C03)
>>>	Source: 2LIS_03_BF_TR (2LIS_03_BF_TR)
	Click on details to edit Transformation (0H9HHPLD63WDC8CND5BM32QRZ6U22BJK)
	Click on details to show code (See Program GP00O2THW8XCZ1V0EAOXE83GRXM)
	Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1V0EAOXE83GRXM)
	Click on details to run Code Inspector (GP00O2THW8XCZ1V0EAOXE83GRXM)
	Global Declarations: --- (00O2THW8XCZ1ZF6HOQ6ESYG1T)
	Global Implementations: --- (00O2THW8XCZ1ZF6HOQ6ESYMDDD)
	* ----- Begin of Routine -----
	* -----
	CALL FUNCTION 'RS_BCT_GN_GET_GLOBAL_KEY' EXPORTING I_SOURCE_SYSTEM = L_SOURCE_SYSTEM I_OBJECT_TYPE = L_OBJECT_TYPE I_LOC
	* CALL FUNCTION: Object not in customer namespace: RS_BCT_GN_GET_GLOBAL_KEY
	* -----
	CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT' EXPORTING INPUT = L_HLP_CHAVL IMPORTING OUTPUT = P_LOCAL_ID
	* CALL FUNCTION: Object not in customer namespace: CONVERSION_EXIT_ALPHA_INPUT
	No issues found
	* ----- End of Routine -----
	Start Routine: --- (00O2THW8XCZ1ZF6HOQ6ESY9Q9)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0BASE_UOM: Issue Qty: Cons. Stock - Base Un from Matl Doc. on (00O2THW8XCZ1ZF6HORPZPU1TU)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0BASE_UOM: GR Qty: Cons. Stock - Base Un from Matl Doc. on Ps (00O2THW8XCZ1ZF6HORPZPU85E)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0GN_VENDOR: Key Composition for Consolidated Vendor (Consi) (00O2THW8XCZ1ZF6HORPZPUEGY)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0ISSVS_VAL: Issue Qty: Val. Stock- Purch.Val.from Matl Doc. on (00O2THW8XCZ1ZF6HORPZPUKSI)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0LOC_CURRCY: GR Qty: Val. Stock - Purch.Val. from Matl Doc. on (00O2THW8XCZ1ZF6HORPZPUR42)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0GN_VENDOR: Key Composite for Consolidated Vendor (00O2THW8XCZ1ZF6HORPZPUXFM)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0BASE_UOM: Issue Qty: Total Stock - Base Un from Matl Doc. on (00O2THW8XCZ1ZF6HORPZPV3R6)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0BASE_UOM: GR Qty: Total Stock - Base Un from Matl Doc. on Ps (00O2THW8XCZ1ZF6HORPZPVA2Q)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0BASE_UOM: Issue Qty: Val. Stock- Base Un from Matl Doc. on P (00O2THW8XCZ1ZF6HORPZPVGEA)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0BASE_UOM: GR Quantity: Val. Stock- Base Un from Matl Doc. on (00O2THW8XCZ1ZF6HORPZPVMPU)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0GN_VENDOR: Key Composite for Consolidated Vendor (00O2THW8XCZ1ZF6HORPZPVT1E)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0LOC_CURRCY: Consumption Values: Vendor Consignment Stock - Pur (00O2THW8XCZ1ZF6HORPZPVZCY)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0BASE_UOM: Issue Qty: Blkd Stock - Base Un from Matl Doc. on (00O2THW8XCZ1ZF6HORPZPW5OI)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0BASE_UOM: Issue Qty: QI Stock - Base Un from Matl Doc. on Ps (00O2THW8XCZ1ZF6HORPZPWC02)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0BASE_UOM: Issue Qty: Trsit Stock - Base Un from Matl Doc. on (00O2THW8XCZ1ZF6HORPZPWIBM)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0BASE_UOM: GR Qty: Blocked Stock - Base Un from Matl Doc. on (00O2THW8XCZ1ZF6HORPZPWON6)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0BASE_UOM: GR Qty: QI Stock - Base Un from Matl Doc. on Pstg (00O2THW8XCZ1ZF6HORPZPWUYQ)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0BASE_UOM: GR Qty: Transit Stock - Base Un from Matl Doc. on (00O2THW8XCZ1ZF6HORPZPX1AA)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----

Field Routine 0BASE_UOM: Issue Qty: Scrap - Base Un from Matl Doc. on Posti (00O2THW8XCZ1ZF6HORPZPX7LU)	
* ----- Begin of Routine -----	
No issues found	
* ----- End of Routine -----	
Field Routine 0ISSVALSCRIP: Issue Qty: Scrap - Purch.Val. from Matl Doc. on Po (00O2THW8XCZ1ZF6HORPZPXDXE)	
* ----- Begin of Routine -----	
No issues found	
* ----- End of Routine -----	
>>>> Process Variant: ZDS_J_3ABSSI_PO / NEQ100 -> ZPO_C01 (DTP_00O2THVXVZKSWIFDBJUKC3TUQ)	
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSWIFDBJUKC3TUQ)	
>>>> Process Variant: ZDS_AFPO_J_3ABSSI / NEQ100 -> ZPO_C01 (DTP_00O2THVXVZKSWIFDB31OEL78I)	
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSWIFDB31OEL78I)	
>>>> Target: Staging for Open Production and Purchase Orders (ZPO_C01)	
>>>> Source: Production Order Extract (ZDS_AFPO_J_3ABSSI NEQ100)	
Click on details to edit Transformation (0CJZQRCXFFQID2L4OFYCXNOOS872771P)	
Click on details to show code (See Program GP00O2THW8XCZ1ZHVVY8O0CAPHCH)	
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1ZHVVY8O0CAPHCH)	
Click on details to run Code Inspector (GP00O2THW8XCZ1ZHVVY8O0CAPHCH)	
Global Declarations: --- (00O2THW8XCZ1ZHVVY7W6D0H9FX)	
Global Implementations: --- (00O2THW8XCZ1ZHVVY7W6D0HFRH)	
Unit Routine 0PS_OPQNT: --- (00O2THW8XCZ1ZHVVY7W6D0HM31)	
* ----- Begin of Routine -----	
No issues found	
* ----- End of Routine -----	
>>>> Process Variant: 2LIS_03_UM / NEQ100 -> 0IC_C03 (DTP_00O2THVXVZKSS1DFDKVLZ9I83)	
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSS1DFDKVLZ9I83)	
>>>> Target: Revaluations (7.0) (2LIS_03_UM_TR)	
>>>> Source: Revaluations (2LIS_03_UM NEQ100)	
Click on details to edit Transformation (00BYNG7FS0VOBO4UZZTRU41VQXR426NIS)	
Click on details to show code (See Program GP00O2THW8XCZ1V0EAKNBKREY0)	
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1V0EAKNBKREY0)	
Click on details to run Code Inspector (GP00O2THW8XCZ1V0EAKNBKREY0)	
Global Declarations: --- (00O2THW8XCZ3PK5C1BHDJB1J1)	
Global Implementations: --- (00O2THW8XCZ3PK5C1BHDJB7U3)	
Field Routine 0FISCVARNT: Routine Fiscal Year Variant from BUDAT (00O2THW8XCZ3PK5C1BHDJBE5N)	
* ----- Begin of Routine -----	
CALL METHOD /RTF/CL_TIME=> GET_RETAIL_FPERS_FROM_DATE EXPORTING I_DATE = SOURCE_FIELDS-BUDAT IMPORTING E_FISCYV1 = RESULT	
* CALL METHOD: Object not in customer namespace: /RTF/CL_TIME	
No issues found	
* ----- End of Routine -----	
Field Routine 0RT_MTFYVRN: Routine MAP: Rough Fiscal Year Variant from BUDAT (00O2THW8XCZ3PK5C1BHDJBKH7)	
* ----- Begin of Routine -----	
CALL METHOD /RTF/CL_TIME=> GET_RETAIL_FPERS_FROM_DATE EXPORTING I_DATE = SOURCE_FIELDS-BUDAT IMPORTING E_FISCYV2 = RESULT	
* CALL METHOD: Object not in customer namespace: /RTF/CL_TIME	
No issues found	
* ----- End of Routine -----	
Field Routine 0RT_MTFPER: Routine MAP: Rough Posting Period from BUDAT (00O2THW8XCZ3PK5C1BHDJBQSR)	
* ----- Begin of Routine -----	
CALL METHOD /RTF/CL_TIME=> GET_RETAIL_FPERS_FROM_DATE EXPORTING I_DATE = SOURCE_FIELDS-BUDAT IMPORTING E_FPER2 = RESULT	
* CALL METHOD: Object not in customer namespace: /RTF/CL_TIME	
No issues found	
* ----- End of Routine -----	
Field Routine 0RT_QTFYVRN: Routine: Very Rough Fiscal Year Variant from BUDAT (00O2THW8XCZ3PK5C1BHDJBX4B)	
* ----- Begin of Routine -----	
CALL METHOD /RTF/CL_TIME=> GET_RETAIL_FPERS_FROM_DATE EXPORTING I_DATE = SOURCE_FIELDS-BUDAT IMPORTING E_FISCYV3 = RESULT	
* CALL METHOD: Object not in customer namespace: /RTF/CL_TIME	
No issues found	
* ----- End of Routine -----	
Field Routine 0RT_QTFPER: Routine Very Rough Fiscal Year Period from BUDAT (00O2THW8XCZ3PK5C1BHDJC3FV)	
* ----- Begin of Routine -----	
CALL METHOD /RTF/CL_TIME=> GET_RETAIL_FPERS_FROM_DATE EXPORTING I_DATE = SOURCE_FIELDS-BUDAT IMPORTING E_FPER3 = RESULT	
* CALL METHOD: Object not in customer namespace: /RTF/CL_TIME	
No issues found	
* ----- End of Routine -----	
Field Routine 0FISCPER: Routine Fiscal Year / Period from BUDAT (00O2THW8XCZ3PK5C1BHDJC9RF)	
* ----- Begin of Routine -----	
CALL METHOD /RTF/CL_TIME=> GET_RETAIL_FPERS_FROM_DATE EXPORTING I_DATE = SOURCE_FIELDS-BUDAT IMPORTING E_FPER1 = RESULT	
* CALL METHOD: Object not in customer namespace: /RTF/CL_TIME	
No issues found	
* ----- End of Routine -----	
Field Routine: Transfer Routine for InfoObject 0LOGSYS (DCW82EH56X6IE17QMCP9L361)	
* ----- Begin of Routine -----	
No issues found	
* ----- End of Routine -----	
>>>> Target: Material Stocks/Movements (as of 3.0B) (0IC_C03)	
>>>> Source: Revaluations (7.0) (2LIS_03_UM_TR)	
Click on details to edit Transformation (07YBF7HILK6UGT0I5DPI6QMS439XAF2D)	
Click on details to show code (See Program GP00O2THW8XCZ1V0EAOP7NLWL7U)	
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1V0EAOP7NLWL7U)	
Click on details to run Code Inspector (GP00O2THW8XCZ1V0EAOP7NLWL7U)	
Global Declarations: --- (00O2THW8XCZ1ZF6HOQ6ESX1HD)	
Global Implementations: --- (00O2THW8XCZ1ZF6HOQ6ESX7SX)	
* ----- Begin of Routine -----	
No issues found	
* ----- End of Routine -----	
Start Routine: --- (00O2THW8XCZ1ZF6HOQ6ESWV5T)	
* ----- Begin of Routine -----	
No issues found	
* ----- End of Routine -----	
Field Routine 0LOC_CURRCY: Issue Quantity: Valuated Stock on Posting Date (00O2THW8XCZ1ZF6HOQ6ESXE4H)	
* ----- Begin of Routine -----	

No issues found

```
* ----- End of Routine -----  
Field Routine 0ISSVS_VAL: Issue Quantity: Valuated Stock on Posting Date (0002THW8XCZ1ZF6HOQ6ESXKG1)  
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
```

```
>>>> Summary  
Runtime: 1.75 sec
```

```
** Process Chain: Process Chain for Daily Delta Inventory Japan & EM (ZPC_INV_DELTA_EMER_JAPAC)
```

```
>>>> Process Variant: DELTA - 2LIS_03_UM (ZPAK_AEZIPW6N0YTIIEKLYM4CTI82MC)  
>>>> InfoPackage: DELTA - 2LIS_03_UM (ZPAK_AEZIPW6N0YTIIEKLYM4CTI82MC)
```

PSA load only

```
>>>> Process Variant: FULL - ZDS_J_3ABSSI_PO (ZPAK_53I2GE3DWVI48LR4DSQXTZO04)  
>>>> InfoPackage: FULL - ZDS_J_3ABSSI_PO (ZPAK_53I2GE3DWVI48LR4DSQXTZO04)
```

PSA load only

```
>>>> Process Variant: FULL - ZDS_AFPO_J_3ABSSI (ZPAK_4Z8M5Q67640RY9DZYHBW5CDOK)  
>>>> InfoPackage: FULL - ZDS_AFPO_J_3ABSSI (ZPAK_4Z8M5Q67640RY9DZYHBW5CDOK)
```

PSA load only

```
>>>> Process Variant: DELTA - 2LIS_03_BF (ZPAK_1NK7Z0F5YBV955MV4NFCUCUV8)  
>>>> InfoPackage: DELTA - 2LIS_03_BF (ZPAK_1NK7Z0F5YBV955MV4NFCUCUV8)
```

PSA load only

```
>>>> Process Variant: ZPO_C01 -> Z_POC05 (DTP_0002THVXVZKUMTEQP7BCTVXO7)  
>>>> Data Transfer Process: No description (DTP_0002THVXVZKUMTEQP7BCTVXO7)
```

```
>>>> Target: Emerging JAPAC - Open POs (Z_POC05)
```

```
>>> Source: Staging for Open Production and Purchase Orders (ZPO_C01)
```

```
Click on details to edit Transformation (0IVM99MZBHYB1B9V2ZE171QRH66VSG4G)  
Click on details to show code (See Program GP0002THW8XCZ3PSO1JM05JNHDF)  
Click on details to run Ext. Syntax Check (GP0002THW8XCZ3PSO1JM05JNHDF)  
Click on details to run Code Inspector (GP0002THW8XCZ3PSO1JM05JNHDF)  
Global Declarations: --- (0002THW8XCZ3PSO1IUATG99YM)  
Global Implementations: --- (0002THW8XCZ3PSO1IUATG9GA6)  
End Routine: --- (0002THW8XCZ3PSO1IUATG93N2)
```

```
* ----- Begin of Routine -----  
* -----
```

```
CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-PS_OPUNT MATERIAL = <RESULT_FIELDS>-MATERIA
```

Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD

```
* -----  
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>  
* ----- End of Routine -----
```

```
>>>> Process Variant: DELTA - 0IC_C03 -> Z_IC305 (DTP_0002THVXVZKUMTEQL5MBHWT9S)
```

```
>>>> Data Transfer Process: DELTA - 0IC_C03 -> Z_IC305 (DTP_0002THVXVZKUMTEQL5MBHWT9S)
```

```
>>>> Target: Emerging JAPAC - Material Stocks/Movements (Z_IC305)
```

```
>>> Source: Material Stocks/Movements (as of 3.0B) (0IC_C03)
```

```
Click on details to edit Transformation (0CERN8TGFVQT1FJD3QE81KG8PWXAM3LS)  
Click on details to show code (See Program GP0002THW8XCZ3PSO1JGDTP6UUR)  
Click on details to run Ext. Syntax Check (GP0002THW8XCZ3PSO1JGDTP6UUR)  
Click on details to run Code Inspector (GP0002THW8XCZ3PSO1JGDTP6UUR)  
Global Declarations: --- (0002THW8XCZ3PSO1IUATG81PQ)  
Global Implementations: --- (0002THW8XCZ3PSO1IUATG881A)  
Start Routine: --- (0002THW8XCZ3PSO1IUATG7P2M)
```

```
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----  
End Routine: --- (0002THW8XCZ3PSO1IUATG7VE6)  
* ----- Begin of Routine -----  
* -----
```

```
CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-BASE_UOM MATERIAL = <RESULT_FIELDS>-MATERIA
```

Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD

```
* -----  
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>  
* ----- End of Routine -----
```

```
>>>> Process Variant: ZPO_C01 -> Z_POC04 (DTP_0002THVXVZKUMTEQCVCYSGG0Z)
```

```
>>>> Data Transfer Process: No description (DTP_0002THVXVZKUMTEQCVCYSGG0Z)
```

```
>>>> Target: Japan - Open POs (Z_POC04)
```

```
>>> Source: Staging for Open Production and Purchase Orders (ZPO_C01)
```

```
Click on details to edit Transformation (0OASJ1CU4T3ROS075YRU6G5N7Z12SUOL)  
Click on details to show code (See Program GP0002THW8XCZ3PSO1JNF1LZRG3)  
Click on details to run Ext. Syntax Check (GP0002THW8XCZ3PSO1JNF1LZRG3)  
Click on details to run Code Inspector (GP0002THW8XCZ3PSO1JNF1LZRG3)  
Global Declarations: --- (0002THW8XCZ3PSO1IWEHQMAWE)  
Global Implementations: --- (0002THW8XCZ3PSO1IWEHQMH7Y)  
End Routine: --- (0002THW8XCZ3PSO1IWEHQM4KU)
```

```
* ----- Begin of Routine -----  
* -----
```

```
CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-PS_OPUNT MATERIAL = <RESULT_FIELDS>-MATERIA
```

Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD

```
* -----  
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>  
* ----- End of Routine -----
```

```
>>>> Process Variant: DELTA - 0IC_C03 -> Z_IC304 (DTP_0002THVXVZKUMTEQ79KXM6BDK)
```

```
>>>> Data Transfer Process: DELTA - 0IC_C03 -> Z_IC304 (DTP_0002THVXVZKUMTEQ79KXM6BDK)
```

```
>>>> Target: Japan - Material Stocks/Movements (Z_IC304)
```

```
>>> Source: Material Stocks/Movements (as of 3.0B) (0IC_C03)
```

```
Click on details to edit Transformation (0RU8146N36WPIBYT92HVZOVVPYUIWHDN)
```

```
Click on details to show code (See Program GP00O2THW8XCZ3PSO1JPU877BUB)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3PSO1JPU877BUB)
Click on details to run Code Inspector (GP00O2THW8XCZ3PSO1JPU877BUB)
Global Declarations: --- (00O2THW8XCZ3PSO1IWEHQN06M)
Global Implementations: --- (00O2THW8XCZ3PSO1IWEHQN616)
Start Routine: --- (00O2THW8XCZ3PSO1IWEHQMNJI)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
End Routine: --- (00O2THW8XCZ3PSO1IWEHQMTV2)
* ----- Begin of Routine -----
* -----
CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-BASE_UOM MATERIAL = <RESULT_FIELDS>-MATERIA
Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD
* -----
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
* ----- End of Routine -----
```

```
>>>> Process Variant: 2LIS_03_BF / NEQ100 -> 01C_C03 (DTP_00O2THVXVZKUF5H3B7R7RGXSE)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUF5H3B7R7RGXSE)
>>>> Target: 2LIS_03_BF_TR (2LIS_03_BF_TR)
```

```
>>> Source: Goods Movements From Inventory Management (2LIS_03_BF NEQ100)
Click on details to edit Transformation (00FKU8GBF9YISCGE4UM2PSMRWGWKAWH6)
Click on details to show code (See Program GP00O2THW8XCZ1V0EAOS7V2VAEI)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1V0EAOS7V2VAEI)
Click on details to run Code Inspector (GP00O2THW8XCZ1V0EAOS7V2VAEI)
Global Declarations: --- (00O2THW8XCZ3PK5C1DB4SMS17)
* ----- Begin of Routine -----
* ----- Begin of Call Depth 2 -----
```

```
No issues found
* ----- End of Call Depth 2 -----
* ----- Begin of Call Depth 2 -----
* ----- Begin of Call Depth 3 -----
```

```
Too many recursive calls
> Manual analysis required
* ----- End of Call Depth 3 -----
* ----- Begin of Call Depth 3 -----
```

```
Too many recursive calls
> Manual analysis required
Too many recursive calls
> Manual analysis required
* ----- End of Call Depth 3 -----
* ----- Begin of Call Depth 3 -----
```

```
Too many recursive calls
> Manual analysis required
Too many recursive calls
> Manual analysis required
* ----- End of Call Depth 3 -----
* ----- Begin of Call Depth 3 -----
```

```
Too many recursive calls
> Manual analysis required
Too many recursive calls
> Manual analysis required
Too many recursive calls
> Manual analysis required
Too many recursive calls
> Manual analysis required
* ----- End of Call Depth 3 -----
* ----- End of Call Depth 2 -----
* ----- Begin of Call Depth 2 -----
```

```
No issues found
* ----- End of Call Depth 2 -----
* ----- Begin of Call Depth 2 -----
```

```
No issues found
* ----- End of Call Depth 2 -----
* ----- Begin of Call Depth 2 -----
* ----- Begin of Call Depth 3 -----
```

```
No issues found
* ----- End of Call Depth 3 -----
* ----- Begin of Call Depth 3 -----
```

```
Too many recursive calls
> Manual analysis required
Too many recursive calls
> Manual analysis required
* ----- End of Call Depth 3 -----
* ----- Begin of Call Depth 3 -----
```

```
Too many recursive calls
> Manual analysis required
Too many recursive calls
> Manual analysis required
* ----- End of Call Depth 3 -----
* ----- Begin of Call Depth 3 -----
```

```
No issues found
* ----- End of Call Depth 3 -----
* ----- Begin of Call Depth 3 -----
```

```
Too many recursive calls
> Manual analysis required
Too many recursive calls
> Manual analysis required
Too many recursive calls
> Manual analysis required
Too many recursive calls
> Manual analysis required
* ----- End of Call Depth 3 -----
```

	* ----- End of Call Depth 2 -----
	* ----- End of Routine -----
	Global Implementations: --- (00O2THW8XCZ3PK5C1DB4SMYCR)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Start Routine: --- (00O2THW8XCZ3PK5C1DB4SMLPN)
	* ----- Begin of Routine -----
	* -----
	CALL FUNCTION 'RSBCT_RFASH_MATERIAL_EXPLO' EXPORTING IT_DATA = IT_DATA I_SPLIT = " IMPORTING E_T_DATA_NOR = ET_DATA
	* CALL FUNCTION: Object not in customer namespace: RSBCT_RFASH_MATERIAL_EXPLO
	No issues found
	* ----- End of Routine -----
	Field Routine: Transfer routine for InfoObject0SOURSYSTEM (18JW39V6T2LLS5VKJ2WKV3T1Q)
	* ----- Begin of Routine -----
	* -----
	CALL FUNCTION 'RSDG_ID_GET_FROM_LOGSYS' EXPORTING I_SOURCE_SYSTEM = SOURCE_SYSTEM IMPORTING E_SOURSYSID = RESULT EXCEPTI
	* CALL FUNCTION: Object not in customer namespace: RSDG_ID_GET_FROM_LOGSYS
	No issues found
	* ----- End of Routine -----
	Field Routine: Transfer Routine for InfoObject 0LOGSYS (DCW82EH56X6IE17QMCPP9L361)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	>>>> Target: Material Stocks/Movements (as of 3.0B) (0IC_C03)
	>>> Source: 2LIS_03_BF_TR (2LIS_03_BF_TR)
	Click on details to edit Transformation (0H9HHPLD63WDC8CND5BM32QRZ6U22BJK)
	Click on details to show code (See Program GP00O2THW8XCZ1V0EAOXE83GRXM)
	Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1V0EAOXE83GRXM)
	Click on details to run Code Inspector (GP00O2THW8XCZ1V0EAOXE83GRXM)
	Global Declarations: --- (00O2THW8XCZ1ZF6HOQ6ESYG1T)
	Global Implementations: --- (00O2THW8XCZ1ZF6HOQ6ESYMDD)
	* ----- Begin of Routine -----
	* -----
	CALL FUNCTION 'RS_BCT_GN_GET_GLOBAL_KEY' EXPORTING I_SOURCE_SYSTEM = L_SOURCE_SYSTEM I_OBJECT_TYPE = L_OBJECT_TYPE I_LOC
	* CALL FUNCTION: Object not in customer namespace: RS_BCT_GN_GET_GLOBAL_KEY
	* -----
	CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT' EXPORTING INPUT = L_HLP_CHAVL IMPORTING OUTPUT = P_LOCAL_ID
	* CALL FUNCTION: Object not in customer namespace: CONVERSION_EXIT_ALPHA_INPUT
	No issues found
	* ----- End of Routine -----
	Start Routine: --- (00O2THW8XCZ1ZF6HOQ6ESY9Q9)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0BASE_UOM: Issue Qty: Cons. Stock - Base Un from Matl Doc. on (00O2THW8XCZ1ZF6HORPZPU1TU)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0BASE_UOM: GR Qty: Cons. Stock - Base Un from Matl Doc. on Ps (00O2THW8XCZ1ZF6HORPZPU85E)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0GN_VENDOR: Key Composition for Consolidated Vendor (Consi) (00O2THW8XCZ1ZF6HORPZPUEGY)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0ISSVS_VAL: Issue Qty: Val. Stock- Purch.Val.from Matl Doc. on (00O2THW8XCZ1ZF6HORPZPUKSI)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0LOC_CURRCY: GR Qty: Val. Stock - Purch.Val. from Matl Doc. on (00O2THW8XCZ1ZF6HORPZPUR42)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0GN_VENDOR: Key Composite for Consolidated VENDOR (00O2THW8XCZ1ZF6HORPZPUXFM)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0BASE_UOM: Issue Qty: Total Stock - Base Un from Matl Doc. on (00O2THW8XCZ1ZF6HORPZPV3R6)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0BASE_UOM: GR Qty: Total Stock - Base Un from Matl Doc. on Ps (00O2THW8XCZ1ZF6HORPZPVA2Q)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0BASE_UOM: Issue Qty: Val. Stock- Base Un from Matl Doc. on P (00O2THW8XCZ1ZF6HORPZPVGEA)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0BASE_UOM: GR Quantity: Val. Stock- Base Un from Matl Doc. on (00O2THW8XCZ1ZF6HORPZPVMPU)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0GN_VENDOR: Key Composite for Consolidated Vendor (00O2THW8XCZ1ZF6HORPZPVT1E)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0LOC_CURRCY: Consumption Values: Vendor Consignment Stock - Pur (00O2THW8XCZ1ZF6HORPZPVZCY)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0BASE_UOM: Issue Qty: Blkd Stock - Base Un from Matl Doc. on (00O2THW8XCZ1ZF6HORPZPW5OI)

	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0BASE_UOM: Issue Qty: QI Stock - Base Un from Matl Doc. on Ps (0002THW8XCZ1ZF6HORPZPWC02)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0BASE_UOM: Issue Qty: Trsit Stock - Base Un from Matl Doc. on (0002THW8XCZ1ZF6HORPZPWIBM)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0BASE_UOM: GR Qty: Blocked Stock - Base Un from Matl Doc. on (0002THW8XCZ1ZF6HORPZPWON6)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0BASE_UOM: GR Qty: QI Stock - Base Un from Matl Doc. on Pstg (0002THW8XCZ1ZF6HORPZPWUYQ)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0BASE_UOM: GR Qty: Transit Stock - Base Un from Matl Doc. on (0002THW8XCZ1ZF6HORPZPX1AA)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0BASE_UOM: Issue Qty: Scrap - Base Un from Matl Doc. on Posti (0002THW8XCZ1ZF6HORPZPX7LU)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0ISSVALSCRIP: Issue Qty: Scrap - Purch.Val. from Matl Doc. on Po (0002THW8XCZ1ZF6HORPZPXDxE)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
>>>>>	Process Variant: ZDS_J_3ABSSI_PO / NEQ100 -> ZPO_C01 (DTP_0002THVXVZKSWIFDBJUKC3TUQ)
>>>>>	Data Transfer Process: No description (DTP_0002THVXVZKSWIFDBJUKC3TUQ)
>>>>>	Process Variant: ZDS_AFPO_J_3ABSSI / NEQ100 -> ZPO_C01 (DTP_0002THVXVZKSWIFDB31OEL78I)
>>>>>	Data Transfer Process: No description (DTP_0002THVXVZKSWIFDB31OEL78I)
>>>>>	Target: Staging for Open Production and Purchase Orders (ZPO_C01)
>>>>>	Source: Production Order Extract (ZDS_AFPO_J_3ABSSI NEQ100)
>>>>>	Click on details to edit Transformation (0CJZQRCXFFQID2L4OFYCXNOOS872771P)
>>>>>	Click on details to show code (See Program GP0002THW8XCZ1ZHVVY8O0CAPHCH)
>>>>>	Click on details to run Ext. Syntax Check (GP0002THW8XCZ1ZHVVY8O0CAPHCH)
>>>>>	Click on details to run Code Inspector (GP0002THW8XCZ1ZHVVY8O0CAPHCH)
>>>>>	Global Declarations: --- (0002THW8XCZ1ZHVVY7W6D0H9FX)
>>>>>	Global Implementations: --- (0002THW8XCZ1ZHVVY7W6D0HFRH)
>>>>>	Unit Routine 0PS_OPQNT: --- (0002THW8XCZ1ZHVVY7W6D0HM31)
>>>>>	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
>>>>>	Process Variant: 2LIS_03_UM / NEQ100 -> 0IC_C03 (DTP_0002THVXVZKSS1DFDKVLZ9I83)
>>>>>	Data Transfer Process: No description (DTP_0002THVXVZKSS1DFDKVLZ9I83)
>>>>>	Target: Revaluations (7.0) (2LIS_03_UM_TR)
>>>>>	Source: Revaluations (2LIS_03_UM NEQ100)
>>>>>	Click on details to edit Transformation (00BYNG7FS0VOBO4UZTRU41VQXR426NIS)
>>>>>	Click on details to show code (See Program GP0002THW8XCZ1V0EAKNBKREY0)
>>>>>	Click on details to run Ext. Syntax Check (GP0002THW8XCZ1V0EAKNBKREY0)
>>>>>	Click on details to run Code Inspector (GP0002THW8XCZ1V0EAKNBKREY0)
>>>>>	Global Declarations: --- (0002THW8XCZ3PK5C1BHDJB11J)
>>>>>	Global Implementations: --- (0002THW8XCZ3PK5C1BHDJB7U3)
>>>>>	Field Routine 0FISCVARNT: Routine Fiscal Year Variant from BUDAT (0002THW8XCZ3PK5C1BHDJBE5N)
>>>>>	* ----- Begin of Routine -----
>>>>>	CALL METHOD /RTF/CL_TIME=> GET_RETAIL_FPERS_FROM_DATE EXPORTING I_DATE = SOURCE_FIELDS-BUDAT IMPORTING E_FISCYV1 = RESUL
>>>>>	* CALL METHOD: Object not in customer namespace: /RTF/CL_TIME
	No issues found
	* ----- End of Routine -----
>>>>>	Field Routine 0RT_MTFYVRN: Routine MAP: Rough Fiscal Year Variant from BUDAT (0002THW8XCZ3PK5C1BHDJBKH7)
>>>>>	* ----- Begin of Routine -----
>>>>>	CALL METHOD /RTF/CL_TIME=> GET_RETAIL_FPERS_FROM_DATE EXPORTING I_DATE = SOURCE_FIELDS-BUDAT IMPORTING E_FISCYV2 = RESUL
>>>>>	* CALL METHOD: Object not in customer namespace: /RTF/CL_TIME
	No issues found
	* ----- End of Routine -----
>>>>>	Field Routine 0RT_MTFPER: Routine MAP: Rough Posting Period from BUDAT (0002THW8XCZ3PK5C1BHDJBQSR)
>>>>>	* ----- Begin of Routine -----
>>>>>	CALL METHOD /RTF/CL_TIME=> GET_RETAIL_FPERS_FROM_DATE EXPORTING I_DATE = SOURCE_FIELDS-BUDAT IMPORTING E_FPER2 = RESULT
>>>>>	* CALL METHOD: Object not in customer namespace: /RTF/CL_TIME
	No issues found
	* ----- End of Routine -----
>>>>>	Field Routine 0RT_QTFYVRN: Routine: Very Rough Fiscal Year Variant from BUDAT (0002THW8XCZ3PK5C1BHDJBX4B)
>>>>>	* ----- Begin of Routine -----
>>>>>	CALL METHOD /RTF/CL_TIME=> GET_RETAIL_FPERS_FROM_DATE EXPORTING I_DATE = SOURCE_FIELDS-BUDAT IMPORTING E_FISCYV3 = RESUL
>>>>>	* CALL METHOD: Object not in customer namespace: /RTF/CL_TIME
	No issues found
	* ----- End of Routine -----
>>>>>	Field Routine 0RT_QTFPER: Routine Very Rough Fiscal Year Period from BUDAT (0002THW8XCZ3PK5C1BHDJC3FV)
>>>>>	* ----- Begin of Routine -----
>>>>>	CALL METHOD /RTF/CL_TIME=> GET_RETAIL_FPERS_FROM_DATE EXPORTING I_DATE = SOURCE_FIELDS-BUDAT IMPORTING E_FPER3 = RESULT
>>>>>	* CALL METHOD: Object not in customer namespace: /RTF/CL_TIME
	No issues found
	* ----- End of Routine -----
>>>>>	Field Routine 0FISCPER: Routine Fiscal Year / Period from BUDAT (0002THW8XCZ3PK5C1BHDJC9RF)
>>>>>	* ----- Begin of Routine -----
>>>>>	CALL METHOD /RTF/CL_TIME=> GET_RETAIL_FPERS_FROM_DATE EXPORTING I_DATE = SOURCE_FIELDS-BUDAT IMPORTING E_FPER1 = RESULT
>>>>>	* CALL METHOD: Object not in customer namespace: /RTF/CL_TIME

No issues found

* ----- End of Routine -----

Field Routine: Transfer Routine for InfoObject 0LOGSYS (DCW82EH56X6IE17QMCP9L361)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

>>>> Target: Material Stocks/Movements (as of 3.0B) (0IC_C03)

>>> Source: Revaluations (7.0) (2LIS_03_UM_TR)

Click on details to edit Transformation (07YBF7HILK6UGT0I5DP16QMS439XAF2D)

Click on details to show code (See Program GP00O2THW8XCZ1V0EAOP7NLWL7U)

Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1V0EAOP7NLWL7U)

Click on details to run Code Inspector (GP00O2THW8XCZ1V0EAOP7NLWL7U)

Global Declarations: --- (00O2THW8XCZ1ZF6HOQ6ESX1HD)

Global Implementations: --- (00O2THW8XCZ1ZF6HOQ6ESX7SX)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Start Routine: --- (00O2THW8XCZ1ZF6HOQ6ESWV5T)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Field Routine 0LOC_CURRCY: Issue Quantity: Valuated Stock on Posting Date (00O2THW8XCZ1ZF6HOQ6ESXE4H)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Field Routine 0ISSVS_VAL: Issue Quantity: Valuated Stock on Posting Date (00O2THW8XCZ1ZF6HOQ6ESXKG1)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

>>>> Summary

Runtime: 2.32 sec

** Process Chain: Process Chain for Inventory Stock Statistics Maste (ZPC_INV_STK_STATS)

>>>> Process Variant: ZDS_S032 / NEQ100 -> 0MAT_PLANT (DTP_00O2THVXVZKUMT52F15QU61I3)

>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUMT52F15QU61I3)

>>>> Target: Plant Material (0MAT_PLANT)

>>> Source: S032 Extract: Stock Statistics and Grouping (ZDS_S032 NEQ100)

Click on details to edit Transformation (041SG7W1656YTH6GU8ECXQ27BW3MA86V)

Click on details to show code (See Program GP00O2THW8XCZ1ZHVV8LCJFE2A9)

Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1ZHVV8LCJFE2A9)

Click on details to run Code Inspector (GP00O2THW8XCZ1ZHVV8LCJFE2A9)

Global Declarations: --- (00O2THW8XCZ1ZHVV7W6D0GWST)

Global Implementations: --- (00O2THW8XCZ1ZHVV7W6D0H34D)

Start Routine: --- (00O2THW8XCZ1ZHVV7W6D0GQH9)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

>>>> Process Variant: FULL - ZDS_S032 (ZPAK_5U1K7KLCBBO7VXUA2P60CA5AC)

>>>> InfoPackage: FULL - ZDS_S032 (ZPAK_5U1K7KLCBBO7VXUA2P60CA5AC)

PSA load only

>>>> Summary

Runtime: 0.17 sec

** Process Chain: Process chain to load unit of measure DSO UOM0MATE (ZPC_LOAD_DSO_UOM0MATE)

>>>> Process Variant: 0MAT_UNIT_ATTR / NEQ100 -> UOM0MATE (DTP_00O2TGZDW7QEZ9Z8D157Y7LN1)

>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QEZ9Z8D157Y7LN1)

>>>> Process Variant: 0MAT_UNIT_ATTR_FULL (ZPAK_B0Z5VNHXD3VZ4457KEIUXM6V8)

>>>> InfoPackage: 0MAT_UNIT_ATTR_FULL (ZPAK_B0Z5VNHXD3VZ4457KEIUXM6V8)

PSA load only

>>>> Summary

Runtime: 0.16 sec

** Process Chain: Process Chain for Service Level InfoCube (ZPC_LOAD_SSL)

>>>> Process Variant: 2LIS_11_V_SSL_DELTA_ERP (0PAK_8ED6DHY5SPVLM9BQ5MEBXWM6C)

>>>> InfoPackage: 2LIS_11_V_SSL_DELTA_ERP (0PAK_8ED6DHY5SPVLM9BQ5MEBXWM6C)

PSA load only

>>>> Process Variant: ZSSL_TAS -> ZSDC_SSL (DTP_00O2THVXVZKUJ103OF8YRN20R)

>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUJ103OF8YRN20R)

>>>> Target: Service Level: Orders (ZSDC_SSL)

>>> Source: Orders Service level - TAS Orders (ZSSL_TAS)

Click on details to edit Transformation (048TFRI8OJZ9E01QAVTH97LE7PT8UI0B)

Click on details to show code (See Program GP00O2THW8XCZ1VQ6EXVUSCDCTZ)

Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1VQ6EXVUSCDCTZ)

Click on details to run Code Inspector (GP00O2THW8XCZ1VQ6EXVUSCDCTZ)

Global Declarations: --- (00O2THW8XCZ1VQ6EXIZ36HD10)

Global Implementations: --- (00O2THW8XCZ1VQ6EXIZ36HJCK)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Start Routine: --- (00O2THW8XCZ1VQ6EXIZ36H0DW)

* ----- Begin of Routine -----

* ----- End of Routine -----

SELECT SINGLE * FROM /BIC/AZSSL_TAS00 INTO WA_SSLODS WHERE DOC_NUMBER = WA_SOURCE-DOC_NUMBER AND /BIC/ZDLVPGQTY NE 0

* Database SELECT: Reading all columns (*) on big table

* Database SELECT: > Specify only the columns you need

```

* Database SELECT: Reading DataStore Object table /BIC/AZSSL_TAS00
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* -----
SELECT SINGLE * FROM /BIC/AZSSL_TAS00 INTO WA_SSLODS WHERE DOC_NUMBER = WA_SOURCE-DOC_NUMBER AND REASON_REJ = SPACE
* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZSSL_TAS00
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* -----
SELECT SINGLE * FROM /BIC/AZSSL_TAS00 INTO WA_SSLODS WHERE DOC_NUMBER = WA_SOURCE-DOC_NUMBER AND CONF_QTY = 0
* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZSSL_TAS00
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* -----
* ----- End of Routine -----
Field Routine 0SALES_UNIT: --- (00O2THW8XCZ1VQ6EXIZ36HPO4)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0SALES_UNIT: --- (00O2THW8XCZ1VQ6EXIZ36HVZO)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0DOC_CURRCY: --- (00O2THW8XCZ1VQ6EXIZ36I2B8)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0DLV_VAL: --- (00O2THW8XCZ1VQ6EXIZ36I8MS)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0DOC_CURRCY: --- (00O2THW8XCZ1VQ6EXIZ36IEYC)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
End Routine: --- (00O2THW8XCZ1VQ6EXIZ36H6PG)
* ----- Begin of Routine -----
* -----
CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-SALES_UNIT MATERIAL = <RESULT_FIELDS>-MATER
Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD
* -----
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
* ----- End of Routine -----

```

```

>>>>> Process Variant: 2LIS_11_V_SSL / NEQ100 -> ZSD_OSSL (DTP_00O2THVXVZKUIPV8QIT59WF)
>>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUIPV8QIT59WF)
>>>>> Target: Staging DSO for Service Level (ZSD_OSSL)
>>>>> Source: Sales Document Order Delivery (2LIS_11_V_SSL NEQ100)
Click on details to edit Transformation (038QXDPYPQKWQ10SVV7VQD874CKHNGDH)
Click on details to show code (See Program GP00O2THW8XCZ1VEGPYRGJO3KJK)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1VEGPYRGJO3KJK)
Click on details to run Code Inspector (GP00O2THW8XCZ1VEGPYRGJO3KJK)
Global Declarations: --- (00O2THW8XCZ1VEGPYATON8TKT)
Global Implementations: --- (00O2THW8XCZ1VEGPYATON8ZWD)
Start Routine: --- (00O2THW8XCZ1VEGPYATON8N99)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZQTYFPM: --- (00O2THW8XCZ1VEGPYATON967X)
* ----- Begin of Routine -----
* -----
SELECT MIN( DELIV_NUMB ) FROM /BIC/AZSD_O1000 INTO WA_VBELN_VL WHERE DOC_NUMBER = SOURCE_FIELDS-VBELN AND CONF_DATE = SO
* Database SELECT: Reading DataStore Object table /BIC/AZSD_O1000
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* Database SELECT: Database access inside field routine
* Database SELECT: > Move statement to start routine
* -----
SELECT DOC_NUMBER S_ORD_ITEM SCHED_LINE DELIV_NUMB GI_STS DLV_QTY FROM /BIC/AZSD_O1000 INTO TABLE IT_DLV WHERE DOC_NUMBE
* Database SELECT: Reading DataStore Object table /BIC/AZSD_O1000
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* Database SELECT: Database access inside field routine
* Database SELECT: > Move statement to start routine
* ----- End of Routine -----

```

```

>>>>> Process Variant: 2LIS_11_VASCL / NEQ100 -> ZSD_OSSL (DTP_00O2THVXVZKUIPV5MQ2NFUC2)
>>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUIPV5MQ2NFUC2)
>>>>> Target: Staging DSO for Service Level (ZSD_OSSL)
>>>>> Source: Sales Document Schedule Line (2LIS_11_VASCL NEQ100)
Click on details to edit Transformation (06LPGQ40EOK2PROJCKIE1SM61P3O3NP)
Click on details to show code (See Program GP00O2THW8XCZ1VEGPYDJKUQ94W)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1VEGPYDJKUQ94W)
Click on details to run Code Inspector (GP00O2THW8XCZ1VEGPYDJKUQ94W)
Field Routine: Transfer Routine for Info Object0DOC_CATEG (CXEDHAYMVRBS5MMSDZD6MBIBR)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----

```

```

>>>>> Process Variant: ZSDC_SSL -> ZSSL_AG01 (DTP_00O2THVXVZKSWOG2R0TH2PS1R)
>>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSWOG2R0TH2PS1R)

```

```

>>>>> Process Variant: ZSD_OSSL -> ZDSOSSL (DTP_00O2THVXVZKSSF6A7JSQQ16HY)
>>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSSF6A7JSQQ16HY)
>>>>> Target: SSL InfoSurce (ZIF_ZDSOSSL)
>>>>> Source: Staging DSO for Service Level (ZSD_OSSL)

```

Click on details to edit Transformation (026XQH8W5TMUGKX78LBP32LI2JIAYLHY)
Click on details to show code (See Program GP00O2THW8XCZ1VEGQ5AIA400JW)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1VEGQ5AIA400JW)
Click on details to run Code Inspector (GP00O2THW8XCZ1VEGQ5AIA400JW)
Global Declarations: --- (00O2THW8XCZ1VHX8KWZK8WB44)
Global Implementations: --- (00O2THW8XCZ1VHX8KWZK8WHFO)
Start Routine: --- (00O2THW8XCZ1VHX8KWZK8W4SK)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine 0NET_PRICE: --- (00O2THW8XCZ1VHX8KWZK8WNR8)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine 0PO_NUMBER: --- (00O2THW8XCZ1VHX8KWZK8X0EC)
* ----- Begin of Routine -----
* -----

CALL FUNCTION 'SCP_REPLACE_STRANGE_CHARS' EXPORTING INTEXT = SOURCE_FIELDS-PO_NUMBER IMPORTING OUTTEXT = RESULT EXCEPTIO
* CALL FUNCTION: Object not in customer namespace: SCP_REPLACE_STRANGE_CHARS

No issues found

* ----- End of Routine -----
Field Routine 0CO_AREA: --- (00O2THW8XCZ1VHX8KWZK8X6PW)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine ZRJFLDACP: --- (00O2THW8XCZ1VHX8KWZK8XD1G)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine ZDLVPGQTY: --- (00O2THW8XCZ1VHX8KWZK8XJD0)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine ZRJENTERR: --- (00O2THW8XCZ1VHX8KWZK8XP0K)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine ZRJREFORD: --- (00O2THW8XCZ1VHX8KWZK8XW04)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine ZRJFILDFL: --- (00O2THW8XCZ1VHX8KWZK8Y2BO)
* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

>>>> Target: Orders Service level (ZDSOSSL)

>>> Source: SSL InfoSurce (ZIF_ZDSOSSL)

Click on details to edit Transformation (0QPCNGKRKMLXQ96V85UH2IY2H9VWPPS)
Click on details to show code (See Program GP00O2THW8XCZ1VEGQ5GQKENYZ2)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1VEGQ5GQKENYZ2)
Click on details to run Code Inspector (GP00O2THW8XCZ1VEGQ5GQKENYZ2)
Global Declarations: --- (00O2THW8XCZ3LZ9LUW8EHIGH4)
Global Implementations: --- (00O2THW8XCZ3LZ9LUW8EHIMSO)
Field Routine ZOTCONQTY: --- (00O2THW8XCZ3LZ9LUW8EHIT48)
* ----- Begin of Routine -----
* -----

CALL FUNCTION 'ZBI_FM_GET_WORKING_DAYS' EXPORTING DATE_FROM = SOURCE_FIELDS-CONF_DATE DATE_TO = SOURCE_FIELDS-/BIC/ZACTG
* ----- Begin of Call Depth 2 -----

No issues found

* ----- End of Call Depth 2 -----
* ----- Begin of Call Depth 2 -----
* -----

CALL FUNCTION 'DAY_ATTRIBUTES_GET' EXPORTING FACTORY_CALENDAR = FACT_CAL DATE_FROM = DATE1 DATE_TO = DATE2 LANGUAGE = SY
* CALL FUNCTION: Object not in customer namespace: DAY_ATTRIBUTES_GET

No issues found

* ----- End of Call Depth 2 -----

No issues found

* ----- End of Routine -----
Field Routine ZLACONQTY: --- (00O2THW8XCZ3LZ9LUW8EHIZFS)
* ----- Begin of Routine -----
* -----

CALL FUNCTION 'ZBI_FM_GET_WORKING_DAYS' EXPORTING DATE_FROM = SOURCE_FIELDS-/BIC/ZACTGMDAT DATE_TO = SOURCE_FIELDS-CONF_

Code already analyzed above

No issues found

* ----- End of Routine -----
Field Routine ZERCONQTY: --- (00O2THW8XCZ3LZ9LUW8EHJ5RC)
* ----- Begin of Routine -----
* -----

CALL FUNCTION 'ZBI_FM_GET_WORKING_DAYS' EXPORTING DATE_FROM = SOURCE_FIELDS-/BIC/ZACTGMDAT DATE_TO = SOURCE_FIELDS-CONF_

Code already analyzed above

No issues found

* ----- End of Routine -----
Field Routine ZOTORDQTY: --- (00O2THW8XCZ3LZ9LUW8EHJC2W)
* ----- Begin of Routine -----
* -----

CALL FUNCTION 'ZBI_FM_GET_WORKING_DAYS' EXPORTING DATE_FROM = SOURCE_FIELDS-AF_RQDATE DATE_TO = SOURCE_FIELDS-/BIC/ZACTG

Code already analyzed above

No issues found

* ----- End of Routine -----
Field Routine ZLAORDQTY: --- (00O2THW8XCZ3LZ9LUW8EHJIEG)
* ----- Begin of Routine -----
* -----

CALL FUNCTION 'ZBI_FM_GET_WORKING_DAYS' EXPORTING DATE_FROM = SOURCE_FIELDS-/BIC/ZACTGMDAT DATE_TO = SOURCE_FIELDS-AF_RQ

Code already analyzed above

No issues found

*----- End of Routine -----
Field Routine ZERORDQTY: --- (00O2THW8XCZ3LZ9LUW8EHJOQ0)
*----- Begin of Routine -----
*-----

CALL FUNCTION 'ZBI_FM_GET_WORKING_DAYS' EXPORTING DATE_FROM = SOURCE_FIELDS-/BIC/ZACTGMDAT DATE_TO = SOURCE_FIELDS-AF_RQ

Code already analyzed above

No issues found

*----- End of Routine -----

>>>> Process Variant: ZDSOSSL -> ZSDC_SSL (DTP_00O2THVXVZKS07XFW91MZEUBU)

>>>> Data Transfer Process: No description (DTP_00O2THVXVZKS07XFW91MZEUBU)

>>>> Target: Service Level: Orders (ZSDC_SSL)

>>> Source: Orders Service level (ZDSOSSL)

- Click on details to edit Transformation (0IHSODIPOXMJSJ22IX75JD38ECQ887D3)
- Click on details to show code (See Program GP00O2THW8XCZ3HKLM5PHBP71QZ)
- Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HKLM5PHBP71QZ)
- Click on details to run Code Inspector (GP00O2THW8XCZ3HKLM5PHBP71QZ)
- Global Declarations: --- (00O2THW8XCZ1VQ6EXNDH4ZODZ)
- Global Implementations: --- (00O2THW8XCZ1VQ6EXNDH4ZUPJ)
- *----- Begin of Routine -----

No issues found

*----- End of Routine -----
Start Routine: --- (00O2THW8XCZ1VQ6EXNDH4ZBQV)
*----- Begin of Routine -----
*-----

SELECT SINGLE * FROM /BIC/AZDSOSSL00 INTO WA_SSLODS WHERE DOC_NUMBER = WA_SOURCE-DOC_NUMBER AND /BIC/ZDLVPGQTY NE 0

- * Database SELECT: Reading all columns (*) on big table
- * Database SELECT: > Specify only the columns you need
- * Database SELECT: Reading DataStore Object table /BIC/AZDSOSSL00
- * Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
- *-----

SELECT SINGLE * FROM /BIC/AZDSOSSL00 INTO WA_SSLODS WHERE DOC_NUMBER = WA_SOURCE-DOC_NUMBER AND REASON_REJ = SPACE

- * Database SELECT: Reading all columns (*) on big table
- * Database SELECT: > Specify only the columns you need
- * Database SELECT: Reading DataStore Object table /BIC/AZDSOSSL00
- * Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
- *-----

SELECT SINGLE * FROM /BIC/AZDSOSSL00 INTO WA_SSLODS WHERE DOC_NUMBER = WA_SOURCE-DOC_NUMBER AND CONF_QTY = 0

- * Database SELECT: Reading all columns (*) on big table
- * Database SELECT: > Specify only the columns you need
- * Database SELECT: Reading DataStore Object table /BIC/AZDSOSSL00
- * Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
- *-----

*----- End of Routine -----
Field Routine 0SALES_UNIT: --- (00O2THW8XCZ1VQ6EXNDH50113)
*----- Begin of Routine -----

No issues found

*----- End of Routine -----
Field Routine 0SALES_UNIT: --- (00O2THW8XCZ1VQ6EXNDH507CN)
*----- Begin of Routine -----

No issues found

*----- End of Routine -----
Field Routine 0DOC_CURRCY: --- (00O2THW8XCZ1VQ6EXNDH50DO7)
*----- Begin of Routine -----

No issues found

*----- End of Routine -----
Field Routine 0DLV_VAL: --- (00O2THW8XCZ1VQ6EXNDH50JZR)
*----- Begin of Routine -----

No issues found

*----- End of Routine -----
Field Routine 0DOC_CURRCY: --- (00O2THW8XCZ1VQ6EXNDH50QBB)
*----- Begin of Routine -----

No issues found

*----- End of Routine -----
End Routine: --- (00O2THW8XCZ1VQ6EXNDH4ZI2F)
*----- Begin of Routine -----
*-----

CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-SALES_UNIT MATERIAL = <RESULT_FIELDS>-MATER

Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD

*----- End of Routine -----
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
*----- End of Routine -----

>>>> Process Variant: 2LIS_11_V_SSL / NEQ100 -> ZSD_O10 (DTP_00O2TGZDW7QD8ZHDSH60KAR0X)

>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8ZHDSH60KAR0X)

>>>> Target: Sales Delivery DSO (ZSD_O10)

>>> Source: Sales Document Order Delivery (2LIS_11_V_SSL NEQ100)

- Click on details to edit Transformation (0805USJGN0Y21PY2DT2J1GOOXM8X4UWX)
- Click on details to show code (See Program GP00O2THW8XCZ3HKPPMT89NU89C)
- Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HKPPMT89NU89C)
- Click on details to run Code Inspector (GP00O2THW8XCZ3HKPPMT89NU89C)
- Global Declarations: --- (00O2THW8XCZ3HNBH9BAZWS53N)
- Global Implementations: --- (00O2THW8XCZ3HNBH9BAZW5BF7)
- Start Routine: --- (00O2THW8XCZ3HNBH9BAZWRSJ)
- *----- Begin of Routine -----

No issues found

*----- End of Routine -----
Field Routine: Transfer Routine for Info Object0DOC_CATEG (CXEDHAYMVR5B5MMSDZ6MBIBR)
*----- Begin of Routine -----

No issues found

*----- End of Routine -----
End Routine: --- (00O2THW8XCZ3HNBH9BAZWRY53)
*----- Begin of Routine -----
*-----

SELECT SINGLE * FROM /BIC/AZAFSDDS100 INTO WA_ORDATA WHERE DOC_NUMBER = WA_RESULT-DOC_NUMBER AND S_ORD_ITEM = WA_RESULT-

* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

* ----- End of Routine -----

>>>> Process Variant: Variant to Delete Requests in SSL Cube (ZVAR_DEL_REQUESTS)

- Click on details to show code (See Program ZBI_DEL_REQUESTS)
- Click on details to run Ext. Syntax Check (ZBI_DEL_REQUESTS)
- Click on details to run Code Inspector (ZBI_DEL_REQUESTS)

Program variant: ZDEL_REQ_SSL

* ----- Begin of Routine -----

SELECT REQUID FROM RSBKREQUEST INTO TABLE IT_REQUID WHERE TGT = TARGET AND TSTATE = '2'
* Database SELECT: Object not in customer namespace: RSBKREQUEST
* -----
SELECT RNR RNSIDLAST FROM RSICCONT INTO TABLE IT_RSICCONT FOR ALL ENTRIES IN IT_FINAL WHERE RNSIDLAST = IT_FINAL-REQUID

* Database SELECT: Reading with "FOR ALL ENTRIES"
* Database SELECT: > Specify database hint for SAP HANA

* Database SELECT: Object not in customer namespace: RSICCONT
* -----
CALL FUNCTION 'RSSM_PROCESS_REQUDEL_CUBE' EXPORTING I_INFOCUBE = TGT_DATA I_REQUEST = WA_RSICCONT-RNR I_JOBNAME = JOB IM
* CALL FUNCTION: Object not in customer namespace: RSSM_PROCESS_REQUDEL_CUBE
* ----- End of Routine -----

>>>> Summary

Runtime: 8.40 sec

** Process Chain: Process Chain for TAS Orders in Service Level Cube (ZPC_LOAD_TAS_SSL)

>>>> Process Variant: ZSD_OSSL -> ZSD_OTAS (DTP_0002THVXVZKSSQJNB2K0T10RN)

>>>> Data Transfer Process: No description (DTP_0002THVXVZKSSQJNB2K0T10RN)

>>>> Target: Staging DSO for SSL(TAS orders) (ZSD_OTAS)

>>> Source: Staging DSO for Service Level (ZSD_OSSL)

- Click on details to edit Transformation (08Y6L6EMIIVANRYLDUS8E1TG8ZT6KW8F)
- Click on details to show code (See Program GP0002THW8XCZ1VQ6ESRXC358OD)
- Click on details to run Ext. Syntax Check (GP0002THW8XCZ1VQ6ESRXC358OD)
- Click on details to run Code Inspector (GP0002THW8XCZ1VQ6ESRXC358OD)
- Global Declarations: --- (0002THW8XCZ1VQ6ESNJRE2E5P)
- Global Implementations: --- (0002THW8XCZ1VQ6ESNJRE2KH9)
- Start Routine: --- (0002THW8XCZ1VQ6ESNJRE27U5)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine 0PO_NUMBER: --- (0002THW8XCZ1VQ6ESPSLFQ4VH)
* ----- Begin of Routine -----

* -----
CALL FUNCTION 'SCP_REPLACE_STRANGE_CHARS' EXPORTING INTEXT = SOURCE_FIELDS-PO_NUMBER IMPORTING OUTTEXT = RESULT EXCEPTIO
* CALL FUNCTION: Object not in customer namespace: SCP_REPLACE_STRANGE_CHARS

No issues found

* ----- End of Routine -----

>>>> Process Variant: ZSD_INBD -> ZSD_OTAS (DTP_0002THVXVZKSSQJNG2V374UNG)

>>>> Data Transfer Process: No description (DTP_0002THVXVZKSSQJNG2V374UNG)

>>>> Target: Staging DSO for SSL(TAS orders) (ZSD_OTAS)

>>> Source: Inbound Delivery Item Data (ZSD_INBD)

- Click on details to edit Transformation (0EWJVO9VT9U63S41AGQARQXBEH39RO9I)
- Click on details to show code (See Program GP0002THW8XCZ1VQ6ESZOECEZM0D)
- Click on details to run Ext. Syntax Check (GP0002THW8XCZ1VQ6ESZOECEZM0D)
- Click on details to run Code Inspector (GP0002THW8XCZ1VQ6ESZOECEZM0D)
- Global Declarations: --- (0002THW8XCZ1VQ6ESPSLFQB71)
- Global Implementations: --- (0002THW8XCZ1VQ6ESPSLFQHIL)
- Field Routine ZQTYFPM: --- (0002THW8XCZ1VQ6ESPSLFQNU5)

* ----- Begin of Routine -----

* -----
SELECT MIN(DELIV_NUMB) FROM /BIC/AZSD_INBD00 INTO WA_VBELN_VL WHERE DOC_NUMBER = SOURCE_FIELDS-DOC_NUMBER AND CONF_DAT

* Database SELECT: Reading DataStore Object table /BIC/AZSD_INBD00
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* Database SELECT: Database access inside field routine
* Database SELECT: > Move statement to start routine

* -----
SELECT DOC_NUMBER S_ORD_ITEM SCHED_LINE DELIV_NUMB GOODSMTV_ST /BIC/ZINB_QTY FROM /BIC/AZSD_INBD00 INTO TABLE IT_DLV WHERE

* Database SELECT: Reading DataStore Object table /BIC/AZSD_INBD00
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* Database SELECT: Database access inside field routine
* Database SELECT: > Move statement to start routine

* ----- End of Routine -----

>>>> Process Variant: ZSD_OTAS -> ZSSL_TAS (DTP_0002THVXVZKSSQJYU5GT4TC17)

>>>> Data Transfer Process: No description (DTP_0002THVXVZKSSQJYU5GT4TC17)

>>>> Target: SSL InfoSource - Third Party Orders (ZIF_ZTASSSL)

>>> Source: Staging DSO for SSL(TAS orders) (ZSD_OTAS)

- Click on details to edit Transformation (0GGPH384ZMVZ0JTKVUQ6N6APD80L300Q)
- Click on details to show code (See Program GP0002THW8XCZ1VQ6EV4MTQ741C)
- Click on details to run Ext. Syntax Check (GP0002THW8XCZ1VQ6EV4MTQ741C)
- Click on details to run Code Inspector (GP0002THW8XCZ1VQ6EV4MTQ741C)
- Global Declarations: --- (0002THW8XCZ1VQ6EUYUDHLQGG)
- Global Implementations: --- (0002THW8XCZ1VQ6EUYUDHLWS0)
- Field Routine 0NET_PRICE: --- (0002THW8XCZ1VQ6EUYUDHM33K)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----
Field Routine 0CO_AREA: --- (0002THW8XCZ1VQ6EUYUDHM9F4)

	*----- Begin of Routine -----
	No issues found
	*----- End of Routine -----
	Field Routine ZRJFLDACP: --- (00O2THW8XCZ1VQ6EUYUDHMFQO)
	*----- Begin of Routine -----
	No issues found
	*----- End of Routine -----
	Field Routine ZDLVPGQTY: --- (00O2THW8XCZ1VQ6EUYUDHMM28)
	*----- Begin of Routine -----
	No issues found
	*----- End of Routine -----
	Field Routine ZRJENTERR: --- (00O2THW8XCZ1VQ6EUYUDHMSDS)
	*----- Begin of Routine -----
	No issues found
	*----- End of Routine -----
	Field Routine ZRJREFORD: --- (00O2THW8XCZ1VQ6EUYUDHMYPC)
	*----- Begin of Routine -----
	No issues found
	*----- End of Routine -----
	Field Routine ZRJFILDFL: --- (00O2THW8XCZ1VQ6EUYUDHN50W)
	*----- Begin of Routine -----
	No issues found
	*----- End of Routine -----
	>>>> Target: Orders Service level - TAS Orders (ZSSL_TAS)
	>>> Source: SSL InfoSource - Third Party Orders (ZIF_ZTASSSL)
	Click on details to edit Transformation (0R5PE3L9R5D1VGNQTX7S58RT9HLYZKVH)
	Click on details to show code (See Program GP00O2THW8XCZ1VQ6EV8T6P4JSG)
	Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1VQ6EV8T6P4JSG)
	Click on details to run Code Inspector (GP00O2THW8XCZ1VQ6EV8T6P4JSG)
	Global Declarations: --- (00O2THW8XCZ1VQ6EV1BAQG1M8)
	Global Implementations: --- (00O2THW8XCZ1VQ6EV1BAQG7XS)
	Field Routine ZOTCONQTY: --- (00O2THW8XCZ1VQ6EV1BAQGE9C)
	*----- Begin of Routine -----
	*-----
	CALL FUNCTION 'ZBI_FM_GET_WORKING_DAYS' EXPORTING DATE_FROM = SOURCE_FIELDS-CONF_DATE DATE_TO = SOURCE_FIELDS-/BIC/ZACTG
	Code already analyzed above. See 7.x Transformations: ODSO/ZDSOSSL/TRCS/ZIF_ZDSOSSL
	No issues found
	*----- End of Routine -----
	Field Routine ZLACONQTY: --- (00O2THW8XCZ1VQ6EV1BAQGKKW)
	*----- Begin of Routine -----
	*-----
	CALL FUNCTION 'ZBI_FM_GET_WORKING_DAYS' EXPORTING DATE_FROM = SOURCE_FIELDS-/BIC/ZACTGMDAT DATE_TO = SOURCE_FIELDS-CONF_
	Code already analyzed above. See 7.x Transformations: ODSO/ZDSOSSL/TRCS/ZIF_ZDSOSSL
	No issues found
	*----- End of Routine -----
	Field Routine ZERCONQTY: --- (00O2THW8XCZ1VQ6EV1BAQGQWG)
	*----- Begin of Routine -----
	*-----
	CALL FUNCTION 'ZBI_FM_GET_WORKING_DAYS' EXPORTING DATE_FROM = SOURCE_FIELDS-/BIC/ZACTGMDAT DATE_TO = SOURCE_FIELDS-CONF_
	Code already analyzed above. See 7.x Transformations: ODSO/ZDSOSSL/TRCS/ZIF_ZDSOSSL
	No issues found
	*----- End of Routine -----
	Field Routine ZOTORDQTY: --- (00O2THW8XCZ1VQ6EV1BAQGX80)
	*----- Begin of Routine -----
	*-----
	CALL FUNCTION 'ZBI_FM_GET_WORKING_DAYS' EXPORTING DATE_FROM = SOURCE_FIELDS-AF_RQDATE DATE_TO = SOURCE_FIELDS-/BIC/ZACTG
	Code already analyzed above. See 7.x Transformations: ODSO/ZDSOSSL/TRCS/ZIF_ZDSOSSL
	No issues found
	*----- End of Routine -----
	Field Routine ZLAORDQTY: --- (00O2THW8XCZ1VQ6EV1BAQH3JK)
	*----- Begin of Routine -----
	*-----
	CALL FUNCTION 'ZBI_FM_GET_WORKING_DAYS' EXPORTING DATE_FROM = SOURCE_FIELDS-/BIC/ZACTGMDAT DATE_TO = SOURCE_FIELDS-AF_RQ
	Code already analyzed above. See 7.x Transformations: ODSO/ZDSOSSL/TRCS/ZIF_ZDSOSSL
	No issues found
	*----- End of Routine -----
	Field Routine ZERORDQTY: --- (00O2THW8XCZ1VQ6EV1BAQH9V4)
	*----- Begin of Routine -----
	*-----
	CALL FUNCTION 'ZBI_FM_GET_WORKING_DAYS' EXPORTING DATE_FROM = SOURCE_FIELDS-/BIC/ZACTGMDAT DATE_TO = SOURCE_FIELDS-AF_RQ
	Code already analyzed above. See 7.x Transformations: ODSO/ZDSOSSL/TRCS/ZIF_ZDSOSSL
	No issues found
	*----- End of Routine -----
	>>>> Summary
	Runtime: 1.65 sec
	** Process Chain: Process Chain for Service Level InfoCube - EMEA (ZPC_LOAD_SSL_EMEA)
	>>>> Process Variant: Variant to Delete requests in SSL Cube - EMEA (ZVAR_DEL_REQ_SSL03)
	Click on details to show code (See Program ZBI_DEL_REQUESTS)
	Click on details to run Ext. Syntax Check (ZBI_DEL_REQUESTS)
	Click on details to run Code Inspector (ZBI_DEL_REQUESTS)
	Program variant: ZDEL_REQ_SSL03
	*----- Begin of Routine -----
	*-----
	SELECT REQUID FROM RSBKREQUEST INTO TABLE IT_REQUID WHERE TGT = TARGET AND TSTATE = '2'
	* Database SELECT: Object not in customer namespace: RSBKREQUEST
	*-----
	SELECT RNR RNSIDLAST FROM RSICCONT INTO TABLE IT_RSICCONT FOR ALL ENTRIES IN IT_FINAL WHERE RNSIDLAST = IT_FINAL-REQUID
	* Database SELECT: Reading with "FOR ALL ENTRIES"
	* Database SELECT: > Specify database hint for SAP HANA
	* Database SELECT: Object not in customer namespace: RSICCONT
	*-----

```
CALL FUNCTION 'RSSM_PROCESS_REQUEDEL_CUBE' EXPORTING I_INFOCUBE = TGT_DATA I_REQUEST = WA_RSICCONT-RNR I_JOBNAME = JOB IM
* CALL FUNCTION: Object not in customer namespace: RSSM_PROCESS_REQUEDEL_CUBE
* ----- End of Routine -----
```

```
>>>> Process Variant: 2LIS_11_V_SSL / NEQ100 -> ZSD_O10 (DTP_00O2TGZDW7QD8ZHDSH60KAR0X)
```

```
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8ZHDSH60KAR0X)
```

```
>>>> Target: Sales Delivery DSO (ZSD_O10)
```

```
>>> Source: Sales Document Order Delivery (2LIS_11_V_SSL NEQ100)
```

```
Click on details to edit Transformation (0805USJGN0YZ1PY2DT2J1GOOXM8X4UWX)
Click on details to show code (See Program GP00O2THW8XCZ3HKPPMT89NU89C)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HKPPMT89NU89C)
Click on details to run Code Inspector (GP00O2THW8XCZ3HKPPMT89NU89C)
Global Declarations: --- (00O2THW8XCZ3HNBH9BAZWS53N)
Global Implementations: --- (00O2THW8XCZ3HNBH9BAZWSB7)
Start Routine: --- (00O2THW8XCZ3HNBH9BAZWRSJ)
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
```

```
Field Routine: Transfer Routine for Info Object0DOC_CATEG (CXEDHAYMVR5B5MMSDZD6MBIBR)
```

```
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
```

```
End Routine: --- (00O2THW8XCZ3HNBH9BAZWRS3)
```

```
* ----- Begin of Routine -----
```

```
* ----- End of Routine -----
```

```
SELECT SINGLE * FROM /BIC/AZAFSDDS100 INTO WA_ORDATA WHERE DOC_NUMBER = WA_RESULT-DOC_NUMBER AND S_ORD_ITEM = WA_RESULT-
```

* Database SELECT: Reading all columns (*) on big table

* Database SELECT: > Specify only the columns you need

* Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100

* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

```
* ----- End of Routine -----
```

```
>>>> Process Variant: ZSD_OSSL -> ZDSOSSL (DTP_00O2THVXVZKSSF6A7JSQQ16HY)
```

```
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSSF6A7JSQQ16HY)
```

```
>>>> Target: SSL InfoSurce (ZIF_ZDSOSSL)
```

```
>>> Source: Staging DSO for Service Level (ZSD_OSSL)
```

```
Click on details to edit Transformation (026XQH8W5TMUGKX78LBP32LI2JAIYLHY)
Click on details to show code (See Program GP00O2THW8XCZ1VEGQ5AIA400JW)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1VEGQ5AIA400JW)
Click on details to run Code Inspector (GP00O2THW8XCZ1VEGQ5AIA400JW)
Global Declarations: --- (00O2THW8XCZ1VHX8KWZK8WB44)
Global Implementations: --- (00O2THW8XCZ1VHX8KWZK8WHFO)
Start Routine: --- (00O2THW8XCZ1VHX8KWZK8W4SK)
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
```

```
Field Routine 0NET_PRICE: --- (00O2THW8XCZ1VHX8KWZK8WNR8)
```

```
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
```

```
Field Routine 0PO_NUMBER: --- (00O2THW8XCZ1VHX8KWZK8X0EC)
```

```
* ----- Begin of Routine -----
```

```
* ----- End of Routine -----
```

```
CALL FUNCTION 'SCP_REPLACE_STRANGE_CHARS' EXPORTING INTEXT = SOURCE_FIELDS-PO_NUMBER IMPORTING OUTTEXT = RESULT EXCEPTIO
```

```
* CALL FUNCTION: Object not in customer namespace: SCP_REPLACE_STRANGE_CHARS
```

No issues found

```
* ----- End of Routine -----
```

```
Field Routine 0CO_AREA: --- (00O2THW8XCZ1VHX8KWZK8X6PW)
```

```
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
```

```
Field Routine ZRJFLDACP: --- (00O2THW8XCZ1VHX8KWZK8XD1G)
```

```
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
```

```
Field Routine ZDLVPGQTY: --- (00O2THW8XCZ1VHX8KWZK8XJD0)
```

```
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
```

```
Field Routine ZRJENTERR: --- (00O2THW8XCZ1VHX8KWZK8XPOK)
```

```
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
```

```
Field Routine ZRJREFORD: --- (00O2THW8XCZ1VHX8KWZK8XW04)
```

```
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
```

```
Field Routine ZRJFILDFL: --- (00O2THW8XCZ1VHX8KWZK8Y2BO)
```

```
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
```

```
>>>> Target: Orders Service level (ZDSOSSL)
```

```
>>> Source: SSL InfoSurce (ZIF_ZDSOSSL)
```

```
Click on details to edit Transformation (0QPCNGKRKMLXQ96V85UH2IY2H9VWPPS)
Click on details to show code (See Program GP00O2THW8XCZ1VEGQ5GQKENY22)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1VEGQ5GQKENY22)
Click on details to run Code Inspector (GP00O2THW8XCZ1VEGQ5GQKENY22)
Global Declarations: --- (00O2THW8XCZ3LZ9LUW8EHIGH4)
Global Implementations: --- (00O2THW8XCZ3LZ9LUW8EHIMSO)
Field Routine ZOTCONQTY: --- (00O2THW8XCZ3LZ9LUW8EHIT48)
* ----- Begin of Routine -----
* ----- End of Routine -----
```

```
CALL FUNCTION 'ZBI_FM_GET_WORKING_DAYS' EXPORTING DATE_FROM = SOURCE_FIELDS-CONF_DATE DATE_TO = SOURCE_FIELDS-/BIC/ZACTG
```

Code already analyzed above

No issues found

```
* ----- End of Routine -----  
Field Routine ZLACONQTY: --- (00O2THW8XCZ3LZ9LUW8EHIZFS)  
* ----- Begin of Routine -----  
* -----  
CALL FUNCTION 'ZBI_FM_GET_WORKING_DAYS' EXPORTING DATE_FROM = SOURCE_FIELDS-/BIC/ZACTGMDAT DATE_TO = SOURCE_FIELDS-CONF_
```

Code already analyzed above
No issues found

```
* ----- End of Routine -----  
Field Routine ZERCONQTY: --- (00O2THW8XCZ3LZ9LUW8EHJ5RC)  
* ----- Begin of Routine -----  
* -----
```

```
CALL FUNCTION 'ZBI_FM_GET_WORKING_DAYS' EXPORTING DATE_FROM = SOURCE_FIELDS-/BIC/ZACTGMDAT DATE_TO = SOURCE_FIELDS-CONF_  
Code already analyzed above  
No issues found
```

```
* ----- End of Routine -----  
Field Routine ZOTORDQTY: --- (00O2THW8XCZ3LZ9LUW8EHJC2W)  
* ----- Begin of Routine -----  
* -----
```

```
CALL FUNCTION 'ZBI_FM_GET_WORKING_DAYS' EXPORTING DATE_FROM = SOURCE_FIELDS-AF_RQDATE DATE_TO = SOURCE_FIELDS-/BIC/ZACTG  
Code already analyzed above  
No issues found
```

```
* ----- End of Routine -----  
Field Routine ZLAORDQTY: --- (00O2THW8XCZ3LZ9LUW8EHJIEG)  
* ----- Begin of Routine -----  
* -----
```

```
CALL FUNCTION 'ZBI_FM_GET_WORKING_DAYS' EXPORTING DATE_FROM = SOURCE_FIELDS-/BIC/ZACTGMDAT DATE_TO = SOURCE_FIELDS-AF_RQ  
Code already analyzed above  
No issues found
```

```
* ----- End of Routine -----  
Field Routine ZERORDQTY: --- (00O2THW8XCZ3LZ9LUW8EHJOQ0)  
* ----- Begin of Routine -----  
* -----
```

```
CALL FUNCTION 'ZBI_FM_GET_WORKING_DAYS' EXPORTING DATE_FROM = SOURCE_FIELDS-/BIC/ZACTGMDAT DATE_TO = SOURCE_FIELDS-AF_RQ  
Code already analyzed above  
No issues found
```

```
* ----- End of Routine -----
```

>>>> Process Variant: ZDSOSSL -> Z_SSL03 (DTP_00O2THVXVZKUIN896W673JFG6)

>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUIN896W673JFG6)

>>>> Target: Z_SSL_I (Z_SSL_I)

>>> Source: Orders Service level (ZDSOSSL)

- Click on details to edit Transformation (0ENNKEH3Q1O0NE1HGVYOZYCGRGYQTOZD)
- Click on details to show code (See Program GP00O2THW8XCZ3LMW8JFNW1I72P)
- Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3LMW8JFNW1I72P)
- Click on details to run Code Inspector (GP00O2THW8XCZ3LMW8JFNW1I72P)
- Global Declarations: --- (00O2THW8XCZ1VSQ3VJ877B0GW)
- Global Implementations: --- (00O2THW8XCZ1VSQ3VJ877B6SG)
- * ----- Begin of Routine -----

No issues found

```
* ----- End of Routine -----  
Start Routine: --- (00O2THW8XCZ1VSQ3VJ877ANTS)  
* ----- Begin of Routine -----  
* -----
```

```
SELECT SINGLE * FROM /BIC/AZDSOSSL00 INTO WA_SSLODS WHERE DOC_NUMBER = WA_SOURCE-DOC_NUMBER AND /BIC/ZDLVPGQTY NE 0
```

* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZDSOSSL00
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

```
SELECT SINGLE * FROM /BIC/AZDSOSSL00 INTO WA_SSLODS WHERE DOC_NUMBER = WA_SOURCE-DOC_NUMBER AND REASON_REJ = SPACE
```

* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZDSOSSL00
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

```
SELECT SINGLE * FROM /BIC/AZDSOSSL00 INTO WA_SSLODS WHERE DOC_NUMBER = WA_SOURCE-DOC_NUMBER AND CONF_QTY = 0
```

* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZDSOSSL00
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

```
* ----- End of Routine -----  
Field Routine 0REQU_VAL: --- (00O2THW8XCZ1VSQ3VJ877BD40)  
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----  
Field Routine 0DLV_VAL: --- (00O2THW8XCZ1VSQ3VJ877BJFK)  
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----  
Field Routine 0NET_VALUE: --- (00O2THW8XCZ1VSQ3VJ877BPR4)  
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----  
Field Routine ZCUSTORDQ: --- (00O2THW8XCZ1VSQ3VJ877BW2O)  
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----  
Field Routine ZCONFQTY: --- (00O2THW8XCZ1VSQ3VJ877C2E8)  
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----  
End Routine: --- (00O2THW8XCZ1VSQ3VJ877AU5C)  
* ----- Begin of Routine -----
```

```
*
CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-SALES_UNIT MATERIAL = <RESULT_FIELDS>-MATER
Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD
```

```
*
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
*----- End of Routine -----
```

```
>>>> Process Variant: 2LIS_11_VASCL / NEQ100 -> ZSD_OSSL (DTP_0002THVXVZKUIPVR5MQ2NFUC2)
>>>> Data Transfer Process: No description (DTP_0002THVXVZKUIPVR5MQ2NFUC2)
>>>> Target: Staging DSO for Service Level (ZSD_OSSL)
>>> Source: Sales Document Schedule Line (2LIS_11_VASCL NEQ100)
Click on details to edit Transformation (06LPGQ40EOK2PROJCKIE1SM611P3O3NP)
Click on details to show code (See Program GP0002THW8XCZ1VEGPYDJKUQ94W)
Click on details to run Ext. Syntax Check (GP0002THW8XCZ1VEGPYDJKUQ94W)
Click on details to run Code Inspector (GP0002THW8XCZ1VEGPYDJKUQ94W)
Field Routine: Transfer Routine for Info Object0DOC_CATEG (CXEDHAYMVRSB5MMSDZD6MBIBR)
*----- Begin of Routine -----
```

No issues found

```
*----- End of Routine -----
```

```
>>>> Process Variant: 2LIS_11_V_SSL / NEQ100 -> ZSD_OSSL (DTP_0002THVXVZKUIPVRD8QIT59WF)
>>>> Data Transfer Process: No description (DTP_0002THVXVZKUIPVRD8QIT59WF)
>>>> Target: Staging DSO for Service Level (ZSD_OSSL)
>>> Source: Sales Document Order Delivery (2LIS_11_V_SSL NEQ100)
Click on details to edit Transformation (038QXDYPYPQKWQ10SVV7VQD874CKHNGDH)
Click on details to show code (See Program GP0002THW8XCZ1VEGPYRGJO3KJK)
Click on details to run Ext. Syntax Check (GP0002THW8XCZ1VEGPYRGJO3KJK)
Click on details to run Code Inspector (GP0002THW8XCZ1VEGPYRGJO3KJK)
Global Declarations: --- (0002THW8XCZ1VEGPYATON8TKT)
Global Implementations: --- (0002THW8XCZ1VEGPYATON8ZWD)
Start Routine: --- (0002THW8XCZ1VEGPYATON8N99)
*----- Begin of Routine -----
```

No issues found

```
*----- End of Routine -----
Field Routine ZQTYFPM: --- (0002THW8XCZ1VEGPYATON967X)
*----- Begin of Routine -----
*-----
```

```
SELECT MIN( DELIV_NUMB ) FROM /BIC/AZSD_O1000 INTO WA_VBELN_VL WHERE DOC_NUMBER = SOURCE_FIELDS-VBELN AND CONF_DATE = SO
```

```
* Database SELECT: Reading DataStore Object table /BIC/AZSD_O1000
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* Database SELECT: Database access inside field routine
* Database SELECT: > Move statement to start routine
```

```
*-----
SELECT DOC_NUMBER S_ORD_ITEM SCHED_LINE DELIV_NUMB GI_STS DLV_QTY FROM /BIC/AZSD_O1000 INTO TABLE IT_DLV WHERE DOC_NUMBE
```

```
* Database SELECT: Reading DataStore Object table /BIC/AZSD_O1000
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* Database SELECT: Database access inside field routine
* Database SELECT: > Move statement to start routine
*-----
```

```
*----- End of Routine -----
```

```
>>>> Process Variant: ZSSL_TAS -> Z_SSL03 (DTP_0002THVXVZKUJ33MNMAAQSJR4)
>>>> Data Transfer Process: No description (DTP_0002THVXVZKUJ33MNMAAQSJR4)
>>>> Target: Z_SSL_I (Z_SSL_I)
>>> Source: Orders Service level - TAS Orders (ZSSL_TAS)
Click on details to edit Transformation (0S80FCXQCWBPA2UYKSORQUXHKU2OZHWWB)
Click on details to show code (See Program GP0002THW8XCZ1VSQ3WPU4ME5NN)
Click on details to run Ext. Syntax Check (GP0002THW8XCZ1VSQ3WPU4ME5NN)
Click on details to run Code Inspector (GP0002THW8XCZ1VSQ3WPU4ME5NN)
Global Declarations: --- (0002THW8XCZ1VSQ3VSEOVRJFN)
Global Implementations: --- (0002THW8XCZ1VSQ3VSEOVRPR7)
*----- Begin of Routine -----
```

No issues found

```
*----- End of Routine -----
Start Routine: --- (0002THW8XCZ1VSQ3VSEOVR6SJ)
*----- Begin of Routine -----
*-----
```

```
SELECT SINGLE * FROM /BIC/AZSSL_TAS00 INTO WA_SSLODS WHERE DOC_NUMBER = WA_SOURCE-DOC_NUMBER AND /BIC/ZDLVPQTY NE 0
```

```
* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZSSL_TAS00
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
```

```
*-----
SELECT SINGLE * FROM /BIC/AZSSL_TAS00 INTO WA_SSLODS WHERE DOC_NUMBER = WA_SOURCE-DOC_NUMBER AND REASON_REJ = SPACE
```

```
* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZSSL_TAS00
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
```

```
*-----
SELECT SINGLE * FROM /BIC/AZSSL_TAS00 INTO WA_SSLODS WHERE DOC_NUMBER = WA_SOURCE-DOC_NUMBER AND CONF_QTY = 0
```

```
* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZSSL_TAS00
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
```

```
*----- End of Routine -----
Field Routine 0REQU_VAL: --- (0002THW8XCZ1VSQ3VSEOVRW2R)
*----- Begin of Routine -----
```

No issues found

```
*----- End of Routine -----
Field Routine 0DLV_VAL: --- (0002THW8XCZ1VSQ3VSEOV2EB)
*----- Begin of Routine -----
```

No issues found

```
*----- End of Routine -----
Field Routine 0NET_VALUE: --- (0002THW8XCZ1VSQ3VSEOV8PV)
*----- Begin of Routine -----
```

No issues found

*----- End of Routine -----
Field Routine ZCUSTORDQ: --- (00O2THW8XCZ1VSQ3VSEOVSF1F)
*----- Begin of Routine -----

No issues found

*----- End of Routine -----
Field Routine ZCONFQTY: --- (00O2THW8XCZ1VSQ3VSEOVSLCZ)
*----- Begin of Routine -----

No issues found

*----- End of Routine -----
End Routine: --- (00O2THW8XCZ1VSQ3VSEOVRD43)
*----- Begin of Routine -----

CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-SALES_UNIT MATERIAL = <RESULT_FIELDS>-MATER

Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD

*-----
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
*----- End of Routine -----

>>>> Process Variant: 2LIS_11_V_SSL_DELTA_ERP (0PAK_8ED6DHY5SPVLM9BQ5MEBXWM6C)

>>>> InfoPackage: 2LIS_11_V_SSL_DELTA_ERP (0PAK_8ED6DHY5SPVLM9BQ5MEBXWM6C)

PSA load only

>>>> Summary

Runtime: 5.27 sec

** Process Chain: Process Chain for Service Level - Japan, Emerging (ZPC_LOAD_SSL_EM_JAPAC)

>>>> Process Variant: 2LIS_11_V_SSL_DELTA_ERP (0PAK_8ED6DHY5SPVLM9BQ5MEBXWM6C)

>>>> InfoPackage: 2LIS_11_V_SSL_DELTA_ERP (0PAK_8ED6DHY5SPVLM9BQ5MEBXWM6C)

PSA load only

>>>> Process Variant: ZSSL_TAS -> Z_SSL05 (DTP_00O2THVXVZKUJ33MOY2ZUPCEB)

>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUJ33MOY2ZUPCEB)

>>>> Target: Z_SSL_I (Z_SSL_I)

>>> Source: Orders Service level - TAS Orders (ZSSL_TAS)

- Click on details to edit Transformation (0S80FCXQCWBPA2UYKSORQUXHKU2OHZWB)
- Click on details to show code (See Program GP00O2THW8XCZ1VSQ3WPU4ME5NN)
- Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1VSQ3WPU4ME5NN)
- Click on details to run Code Inspector (GP00O2THW8XCZ1VSQ3WPU4ME5NN)
- Global Declarations: --- (00O2THW8XCZ1VSQ3VSEOVRJFN)
- Global Implementations: --- (00O2THW8XCZ1VSQ3VSEOVRPR7)

*----- Begin of Routine -----

No issues found

*----- End of Routine -----
Start Routine: --- (00O2THW8XCZ1VSQ3VSEOVR6SJ)
*----- Begin of Routine -----

SELECT SINGLE * FROM /BIC/AZSSL_TAS00 INTO WA_SSLODS WHERE DOC_NUMBER = WA_SOURCE-DOC_NUMBER AND /BIC/ZDLVPGQTY NE 0

* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZSSL_TAS00
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

SELECT SINGLE * FROM /BIC/AZSSL_TAS00 INTO WA_SSLODS WHERE DOC_NUMBER = WA_SOURCE-DOC_NUMBER AND REASON_REJ = SPACE

* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZSSL_TAS00
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

SELECT SINGLE * FROM /BIC/AZSSL_TAS00 INTO WA_SSLODS WHERE DOC_NUMBER = WA_SOURCE-DOC_NUMBER AND CONF_QTY = 0

* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZSSL_TAS00
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

*----- End of Routine -----
Field Routine 0REQU_VAL: --- (00O2THW8XCZ1VSQ3VSEOVRW2R)
*----- Begin of Routine -----

No issues found

*----- End of Routine -----
Field Routine 0DLV_VAL: --- (00O2THW8XCZ1VSQ3VSEOV2EB)
*----- Begin of Routine -----

No issues found

*----- End of Routine -----
Field Routine 0NET_VALUE: --- (00O2THW8XCZ1VSQ3VSEOV8PV)
*----- Begin of Routine -----

No issues found

*----- End of Routine -----
Field Routine ZCUSTORDQ: --- (00O2THW8XCZ1VSQ3VSEOVSF1F)
*----- Begin of Routine -----

No issues found

*----- End of Routine -----
Field Routine ZCONFQTY: --- (00O2THW8XCZ1VSQ3VSEOVSLCZ)
*----- Begin of Routine -----

No issues found

*----- End of Routine -----
End Routine: --- (00O2THW8XCZ1VSQ3VSEOVRD43)
*----- Begin of Routine -----

CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-SALES_UNIT MATERIAL = <RESULT_FIELDS>-MATER

Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD

*-----
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
*----- End of Routine -----

```

>>>>> Process Variant: ZSSL_TAS -> Z_SSL04 (DTP_0002THVXVZKUJ33MO898TLTDV)
>>>> Data Transfer Process: No description (DTP_0002THVXVZKUJ33MO898TLTDV)
>>>> Target: Z_SSL_I (Z_SSL_I)
>>> Source: Orders Service level - TAS Orders (ZSSL_TAS)
  Click on details to edit Transformation (0S80FCXQCWBPA2UYKSORQUXHKU2OHZWB)
  Click on details to show code (See Program GP0002THW8XCZ1VSQ3WPU4ME5NN)
  Click on details to run Ext. Syntax Check (GP0002THW8XCZ1VSQ3WPU4ME5NN)
  Click on details to run Code Inspector (GP0002THW8XCZ1VSQ3WPU4ME5NN)
  Global Declarations: --- (0002THW8XCZ1VSQ3VSEOVRJFN)
  Global Implementations: --- (0002THW8XCZ1VSQ3VSEOVRPR7)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
Start Routine: --- (0002THW8XCZ1VSQ3VSEOVR6SJ)
  * ----- Begin of Routine -----
  * -----
SELECT SINGLE * FROM /BIC/AZSSL_TAS00 INTO WA_SSLODS WHERE DOC_NUMBER = WA_SOURCE-DOC_NUMBER AND /BIC/ZDLVPGQTY NE 0
  * Database SELECT: Reading all columns (*) on big table
  * Database SELECT: > Specify only the columns you need
  * Database SELECT: Reading DataStore Object table /BIC/AZSSL_TAS00
  * Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
  * -----
SELECT SINGLE * FROM /BIC/AZSSL_TAS00 INTO WA_SSLODS WHERE DOC_NUMBER = WA_SOURCE-DOC_NUMBER AND REASON_REJ = SPACE
  * Database SELECT: Reading all columns (*) on big table
  * Database SELECT: > Specify only the columns you need
  * Database SELECT: Reading DataStore Object table /BIC/AZSSL_TAS00
  * Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
  * -----
SELECT SINGLE * FROM /BIC/AZSSL_TAS00 INTO WA_SSLODS WHERE DOC_NUMBER = WA_SOURCE-DOC_NUMBER AND CONF_QTY = 0
  * Database SELECT: Reading all columns (*) on big table
  * Database SELECT: > Specify only the columns you need
  * Database SELECT: Reading DataStore Object table /BIC/AZSSL_TAS00
  * Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
  * ----- End of Routine -----
Field Routine 0REQU_VAL: --- (0002THW8XCZ1VSQ3VSEOVRW2R)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
Field Routine 0DLV_VAL: --- (0002THW8XCZ1VSQ3VSEOV52EB)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
Field Routine 0NET_VALUE: --- (0002THW8XCZ1VSQ3VSEOV88PV)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
Field Routine ZCUSTORDQ: --- (0002THW8XCZ1VSQ3VSEOV5F1F)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
Field Routine ZCONFQTY: --- (0002THW8XCZ1VSQ3VSEOV5SLCZ)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
End Routine: --- (0002THW8XCZ1VSQ3VSEOVRD43)
  * ----- Begin of Routine -----
  * -----
CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-SALES_UNIT MATERIAL = <RESULT_FIELDS>-MATER
Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD
  * -----
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
  * ----- End of Routine -----

>>>>> Process Variant: 2LIS_11_V_SSL / NEQ100 -> ZSD_OSSL (DTP_0002THVXVZKUIPVRD8QIT59WF)
>>>> Data Transfer Process: No description (DTP_0002THVXVZKUIPVRD8QIT59WF)
>>>> Target: Staging DSO for Service Level (ZSD_OSSL)
>>> Source: Sales Document Order Delivery (2LIS_11_V_SSL NEQ100)
  Click on details to edit Transformation (038QXDPYPQKWQ10SVV7VQD874CKHNGDH)
  Click on details to show code (See Program GP0002THW8XCZ1VEGPYRGJO3KJK)
  Click on details to run Ext. Syntax Check (GP0002THW8XCZ1VEGPYRGJO3KJK)
  Click on details to run Code Inspector (GP0002THW8XCZ1VEGPYRGJO3KJK)
  Global Declarations: --- (0002THW8XCZ1VEGPYATON8TKT)
  Global Implementations: --- (0002THW8XCZ1VEGPYATON8ZWD)
  Start Routine: --- (0002THW8XCZ1VEGPYATON8N99)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
Field Routine ZQTYFPM: --- (0002THW8XCZ1VEGPYATON967X)
  * ----- Begin of Routine -----
  * -----
SELECT MIN( DELIV_NUMB ) FROM /BIC/AZSD_O1000 INTO WA_VBELN_VL WHERE DOC_NUMBER = SOURCE_FIELDS-VBELN AND CONF_DATE = SO
  * Database SELECT: Reading DataStore Object table /BIC/AZSD_O1000
  * Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
  * Database SELECT: Database access inside field routine
  * Database SELECT: > Move statement to start routine
  * -----
SELECT DOC_NUMBER S_ORD_ITEM SCHED_LINE DELIV_NUMB GI_STS DLV_QTY FROM /BIC/AZSD_O1000 INTO TABLE IT_DLV WHERE DOC_NUMBE
  * Database SELECT: Reading DataStore Object table /BIC/AZSD_O1000
  * Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
  * Database SELECT: Database access inside field routine
  * Database SELECT: > Move statement to start routine
  * ----- End of Routine -----

```

```
>>>>> Process Variant: 2LIS_11_VASCL / REQ100 -> ZSD_OSSL (DTP_0002THVXVZKUIPVR5MQ2NFUC2)
>>>>> Data Transfer Process: No description (DTP_0002THVXVZKUIPVR5MQ2NFUC2)
>>>>> Target: Staging DSO for Service Level (ZSD_OSSL)
>>>>> Source: Sales Document Schedule Line (2LIS_11_VASCL REQ100)
  Click on details to edit Transformation (06LPGQ40EOK2PROJCKIE1SM61P3O3NP)
  Click on details to show code (See Program GP0002THW8XCZ1VEGPDYDKUQ94W)
  Click on details to run Ext. Syntax Check (GP0002THW8XCZ1VEGPDYDKUQ94W)
  Click on details to run Code Inspector (GP0002THW8XCZ1VEGPDYDKUQ94W)
  Field Routine: Transfer Routine for Info Object0DOC_CATEG (CXEDHAYMVR5B5MMSDZD6MBIBR)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
```

```
>>>>> Process Variant: ZDSOSSL -> Z_SSL05 (DTP_0002THVXVZKUI897IML3U0AE)
>>>>> Data Transfer Process: No description (DTP_0002THVXVZKUI897IML3U0AE)
>>>>> Target: Z_SSL_I (Z_SSL_I)
>>>>> Source: Orders Service level (ZDSOSSL)
  Click on details to edit Transformation (0ENNKEH3Q1O0NE1HGVYOZYCGRGYQTOZD)
  Click on details to show code (See Program GP0002THW8XCZ3LMW8JFNW1I72P)
  Click on details to run Ext. Syntax Check (GP0002THW8XCZ3LMW8JFNW1I72P)
  Click on details to run Code Inspector (GP0002THW8XCZ3LMW8JFNW1I72P)
  Global Declarations: --- (0002THW8XCZ1VSQ3VJ877B0GW)
  Global Implementations: --- (0002THW8XCZ1VSQ3VJ877B6SG)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  Start Routine: --- (0002THW8XCZ1VSQ3VJ877ANTS)
  * ----- Begin of Routine -----
  * -----
  SELECT SINGLE * FROM /BIC/AZDSOSSL00 INTO WA_SSLODS WHERE DOC_NUMBER = WA_SOURCE-DOC_NUMBER AND /BIC/ZDLVPGQTY NE 0
  * Database SELECT: Reading all columns (*) on big table
  * Database SELECT: > Specify only the columns you need
  * Database SELECT: Reading DataStore Object table /BIC/AZDSOSSL00
  * Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
  * -----
  SELECT SINGLE * FROM /BIC/AZDSOSSL00 INTO WA_SSLODS WHERE DOC_NUMBER = WA_SOURCE-DOC_NUMBER AND REASON_REJ = SPACE
  * Database SELECT: Reading all columns (*) on big table
  * Database SELECT: > Specify only the columns you need
  * Database SELECT: Reading DataStore Object table /BIC/AZDSOSSL00
  * Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
  * -----
  SELECT SINGLE * FROM /BIC/AZDSOSSL00 INTO WA_SSLODS WHERE DOC_NUMBER = WA_SOURCE-DOC_NUMBER AND CONF_QTY = 0
  * Database SELECT: Reading all columns (*) on big table
  * Database SELECT: > Specify only the columns you need
  * Database SELECT: Reading DataStore Object table /BIC/AZDSOSSL00
  * Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
  * ----- End of Routine -----
  Field Routine 0REQU_VAL: --- (0002THW8XCZ1VSQ3VJ877BD40)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  Field Routine 0DLV_VAL: --- (0002THW8XCZ1VSQ3VJ877BJFK)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  Field Routine 0NET_VALUE: --- (0002THW8XCZ1VSQ3VJ877BPR4)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  Field Routine ZCUSTORDQ: --- (0002THW8XCZ1VSQ3VJ877BW2O)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  Field Routine ZCONFQTY: --- (0002THW8XCZ1VSQ3VJ877C2E8)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  End Routine: --- (0002THW8XCZ1VSQ3VJ877AU5C)
  * ----- Begin of Routine -----
  * -----
  CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-SALES_UNIT MATERIAL = <RESULT_FIELDS>-MATER
Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD
  * -----
  DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
  * ----- End of Routine -----
```

```
>>>>> Process Variant: ZDSOSSL -> Z_SSL04 (DTP_0002THVXVZKUI897637W5HIU)
>>>>> Data Transfer Process: No description (DTP_0002THVXVZKUI897637W5HIU)
>>>>> Target: Z_SSL_I (Z_SSL_I)
>>>>> Source: Orders Service level (ZDSOSSL)
  Click on details to edit Transformation (0ENNKEH3Q1O0NE1HGVYOZYCGRGYQTOZD)
  Click on details to show code (See Program GP0002THW8XCZ3LMW8JFNW1I72P)
  Click on details to run Ext. Syntax Check (GP0002THW8XCZ3LMW8JFNW1I72P)
  Click on details to run Code Inspector (GP0002THW8XCZ3LMW8JFNW1I72P)
  Global Declarations: --- (0002THW8XCZ1VSQ3VJ877B0GW)
  Global Implementations: --- (0002THW8XCZ1VSQ3VJ877B6SG)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  Start Routine: --- (0002THW8XCZ1VSQ3VJ877ANTS)
  * ----- Begin of Routine -----
  * -----
  SELECT SINGLE * FROM /BIC/AZDSOSSL00 INTO WA_SSLODS WHERE DOC_NUMBER = WA_SOURCE-DOC_NUMBER AND /BIC/ZDLVPGQTY NE 0
  * Database SELECT: Reading all columns (*) on big table
```

* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZDSOSSL00
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

*-----
SELECT SINGLE * FROM /BIC/AZDSOSSL00 INTO WA_SSLODS WHERE DOC_NUMBER = WA_SOURCE-DOC_NUMBER AND REASON_REJ = SPACE

* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZDSOSSL00
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

*-----
SELECT SINGLE * FROM /BIC/AZDSOSSL00 INTO WA_SSLODS WHERE DOC_NUMBER = WA_SOURCE-DOC_NUMBER AND CONF_QTY = 0

* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZDSOSSL00
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

*----- End of Routine -----
Field Routine 0REQU_VAL: --- (00O2THW8XCZ1VSQ3VJ877BD40)
*----- Begin of Routine -----

No issues found

*----- End of Routine -----
Field Routine 0DLV_VAL: --- (00O2THW8XCZ1VSQ3VJ877BJFK)
*----- Begin of Routine -----

No issues found

*----- End of Routine -----
Field Routine 0NET_VALUE: --- (00O2THW8XCZ1VSQ3VJ877BPR4)
*----- Begin of Routine -----

No issues found

*----- End of Routine -----
Field Routine ZCUSTORDQ: --- (00O2THW8XCZ1VSQ3VJ877BW2O)
*----- Begin of Routine -----

No issues found

*----- End of Routine -----
Field Routine ZCONFQTY: --- (00O2THW8XCZ1VSQ3VJ877C2E8)
*----- Begin of Routine -----

No issues found

*----- End of Routine -----
End Routine: --- (00O2THW8XCZ1VSQ3VJ877AU5C)
*----- Begin of Routine -----
*-----

CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-SALES_UNIT MATERIAL = <RESULT_FIELDS>-MATER
Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD

*-----
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
*----- End of Routine -----

>>>> Process Variant: ZSD_OSSL -> ZDSOSSL (DTP_00O2THVXVZKSSF6A7JSQQ16HY)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSSF6A7JSQQ16HY)
>>>> Target: SSL InfoSource (ZIF_ZDSOSSL)
>>> Source: Staging DSO for Service Level (ZSD_OSSL)

Click on details to edit Transformation (026XQH8W5TMUGKX78LBP32LI2JIAYLHY)
Click on details to show code (See Program GP00O2THW8XCZ1VEGQ5AIA400JW)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1VEGQ5AIA400JW)
Click on details to run Code Inspector (GP00O2THW8XCZ1VEGQ5AIA400JW)
Global Declarations: --- (00O2THW8XCZ1VHX8KWZK8WB44)
Global Implementations: --- (00O2THW8XCZ1VHX8KWZK8WHFO)
Start Routine: --- (00O2THW8XCZ1VHX8KWZK8W4SK)
*----- Begin of Routine -----

No issues found

*----- End of Routine -----
Field Routine 0NET_PRICE: --- (00O2THW8XCZ1VHX8KWZK8WNR8)
*----- Begin of Routine -----

No issues found

*----- End of Routine -----
Field Routine 0PO_NUMBER: --- (00O2THW8XCZ1VHX8KWZK8X0EC)
*----- Begin of Routine -----
*-----

CALL FUNCTION 'SCP_REPLACE_STRANGE_CHARS' EXPORTING INTEXT = SOURCE_FIELDS-PO_NUMBER IMPORTING OUTTEXT = RESULT_EXCEPTIO
* CALL FUNCTION: Object not in customer namespace: SCP_REPLACE_STRANGE_CHARS

No issues found

*----- End of Routine -----
Field Routine 0CO_AREA: --- (00O2THW8XCZ1VHX8KWZK8X6PW)
*----- Begin of Routine -----

No issues found

*----- End of Routine -----
Field Routine ZRJFLDACP: --- (00O2THW8XCZ1VHX8KWZK8XD1G)
*----- Begin of Routine -----

No issues found

*----- End of Routine -----
Field Routine ZDLVPGQTY: --- (00O2THW8XCZ1VHX8KWZK8XJD0)
*----- Begin of Routine -----

No issues found

*----- End of Routine -----
Field Routine ZRJENTERR: --- (00O2THW8XCZ1VHX8KWZK8XPOK)
*----- Begin of Routine -----

No issues found

*----- End of Routine -----
Field Routine ZRJREFORD: --- (00O2THW8XCZ1VHX8KWZK8XW04)
*----- Begin of Routine -----

No issues found

*----- End of Routine -----
Field Routine ZRJFILDFL: --- (00O2THW8XCZ1VHX8KWZK8Y2BO)
*----- Begin of Routine -----

No issues found

*----- End of Routine -----

```

>>>> Target: Orders Service level (ZDSOSSL)
>>> Source: SSL InfoSource (ZIF_ZDSOSSL)
  Click on details to edit Transformation (0QPCNGKRKMLXQ96V85UH2IY2H9VWPPS)
  Click on details to show code (See Program GP00O2THW8XCZ1VEGQ5GQKENY2Z)
  Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1VEGQ5GQKENY2Z)
  Click on details to run Code Inspector (GP00O2THW8XCZ1VEGQ5GQKENY2Z)
  Global Declarations: --- (00O2THW8XCZ3LZ9LUW8EHIGH4)
  Global Implementations: --- (00O2THW8XCZ3LZ9LUW8EHIMSO)
  Field Routine ZOTCONQTY: --- (00O2THW8XCZ3LZ9LUW8EHIT48)
  * ----- Begin of Routine -----
  * ----- End of Routine -----
  CALL FUNCTION 'ZBI_FM_GET_WORKING_DAYS' EXPORTING DATE_FROM = SOURCE_FIELDS-CONF_DATE DATE_TO = SOURCE_FIELDS-/BIC/ZACTG
Code already analyzed above
No issues found
  * ----- End of Routine -----
  Field Routine ZLACONQTY: --- (00O2THW8XCZ3LZ9LUW8EHIZFS)
  * ----- Begin of Routine -----
  * ----- End of Routine -----
  CALL FUNCTION 'ZBI_FM_GET_WORKING_DAYS' EXPORTING DATE_FROM = SOURCE_FIELDS-/BIC/ZACTGMDAT DATE_TO = SOURCE_FIELDS-CONF_
Code already analyzed above
No issues found
  * ----- End of Routine -----
  Field Routine ZERCONQTY: --- (00O2THW8XCZ3LZ9LUW8EHJ5RC)
  * ----- Begin of Routine -----
  * ----- End of Routine -----
  CALL FUNCTION 'ZBI_FM_GET_WORKING_DAYS' EXPORTING DATE_FROM = SOURCE_FIELDS-/BIC/ZACTGMDAT DATE_TO = SOURCE_FIELDS-CONF_
Code already analyzed above
No issues found
  * ----- End of Routine -----
  Field Routine ZOTORDQTY: --- (00O2THW8XCZ3LZ9LUW8EHJC2W)
  * ----- Begin of Routine -----
  * ----- End of Routine -----
  CALL FUNCTION 'ZBI_FM_GET_WORKING_DAYS' EXPORTING DATE_FROM = SOURCE_FIELDS-AF_RQDATE DATE_TO = SOURCE_FIELDS-/BIC/ZACTG
Code already analyzed above
No issues found
  * ----- End of Routine -----
  Field Routine ZLAORDQTY: --- (00O2THW8XCZ3LZ9LUW8EHJIEG)
  * ----- Begin of Routine -----
  * ----- End of Routine -----
  CALL FUNCTION 'ZBI_FM_GET_WORKING_DAYS' EXPORTING DATE_FROM = SOURCE_FIELDS-/BIC/ZACTGMDAT DATE_TO = SOURCE_FIELDS-AF_RQ
Code already analyzed above
No issues found
  * ----- End of Routine -----
  Field Routine ZERORDQTY: --- (00O2THW8XCZ3LZ9LUW8EHJOQ0)
  * ----- Begin of Routine -----
  * ----- End of Routine -----
  CALL FUNCTION 'ZBI_FM_GET_WORKING_DAYS' EXPORTING DATE_FROM = SOURCE_FIELDS-/BIC/ZACTGMDAT DATE_TO = SOURCE_FIELDS-AF_RQ
Code already analyzed above
No issues found
  * ----- End of Routine -----

```

```

>>>> Process Variant: 2LIS_11_V_SSL / NEQ100 -> ZSD_O10 (DTP_00O2TGZDW7QD8ZHDSH60KAR0X)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8ZHDSH60KAR0X)
>>>> Target: Sales Delivery DSO (ZSD_O10)
>>> Source: Sales Document Order Delivery (2LIS_11_V_SSL NEQ100)
  Click on details to edit Transformation (0805USJGN0YZ1PY2DT2J1GOOXM8X4UWX)
  Click on details to show code (See Program GP00O2THW8XCZ3HKPPMT89NU89C)
  Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HKPPMT89NU89C)
  Click on details to run Code Inspector (GP00O2THW8XCZ3HKPPMT89NU89C)
  Global Declarations: --- (00O2THW8XCZ3HNBH9BAZWS53N)
  Global Implementations: --- (00O2THW8XCZ3HNBH9BAZWSBF7)
  Start Routine: --- (00O2THW8XCZ3HNBH9BAZWRSGJ)
  * ----- Begin of Routine -----
  * ----- End of Routine -----
No issues found
  * ----- End of Routine -----
  Field Routine: Transfer Routine for Info Object0DOC_CATEG (CXEDHAYMVR5B5MMSDZD6MB1BR)
  * ----- Begin of Routine -----
  * ----- End of Routine -----
No issues found
  * ----- End of Routine -----
  End Routine: --- (00O2THW8XCZ3HNBH9BAZWRY3)
  * ----- Begin of Routine -----
  * ----- End of Routine -----
  SELECT SINGLE * FROM /BIC/AZAFSDDS100 INTO WA_ORDATA WHERE DOC_NUMBER = WA_RESULT-DOC_NUMBER AND S_ORD_ITEM = WA_RESULT-
* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZAFSDDS100
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
  * ----- End of Routine -----

```

```

>>>> Process Variant: Variant to Delete requests in SSL Cube - Emerging (ZVAR_DEL_REQ_SSL05)
  Click on details to show code (See Program ZBI_DEL_REQUESTS)
  Click on details to run Ext. Syntax Check (ZBI_DEL_REQUESTS)
  Click on details to run Code Inspector (ZBI_DEL_REQUESTS)
Program variant: ZDEL_REQ_SSL05
  * ----- Begin of Routine -----
  * ----- End of Routine -----
  SELECT REQUID FROM RSBKREQUEST INTO TABLE IT_REQUID WHERE TGT = TARGET AND TSTATE = '2'
  * Database SELECT: Object not in customer namespace: RSBKREQUEST
  * ----- End of Routine -----
  SELECT RNR RNSIDLAST FROM RSICCONT INTO TABLE IT_RSICCONT FOR ALL ENTRIES IN IT_FINAL WHERE RNSIDLAST = IT_FINAL-REQUID
  * Database SELECT: Reading with "FOR ALL ENTRIES"
  * Database SELECT: > Specify database hint for SAP HANA
  * Database SELECT: Object not in customer namespace: RSICCONT
  * ----- End of Routine -----

```

```
CALL FUNCTION 'RSSM_PROCESS_REQUDEL_CUBE' EXPORTING I_INFOCUBE = TGT_DATA I_REQUEST = WA_RSICCONT-RNR I_JOBNAME = JOB IM
* CALL FUNCTION: Object not in customer namespace: RSSM_PROCESS_REQUDEL_CUBE
* ----- End of Routine -----
```

>>>> Process Variant: Variant to Delete requests in SSL Cube - Japan (ZVAR_DEL_REQ_SSL04)

- Click on details to show code (See Program ZBI_DEL_REQUESTS)
- Click on details to run Ext. Syntax Check (ZBI_DEL_REQUESTS)
- Click on details to run Code Inspector (ZBI_DEL_REQUESTS)

Program variant: ZDEL_REQ_SSL04

```
* ----- Begin of Routine -----
*
SELECT REQUID FROM RSBKREQUEST INTO TABLE IT_REQUID WHERE TGT = TARGET AND TSTATE = '2'
* Database SELECT: Object not in customer namespace: RSBKREQUEST
*
SELECT RNR RNSIDLAST FROM RSICCONT INTO TABLE IT_RSICCONT FOR ALL ENTRIES IN IT_FINAL WHERE RNSIDLAST = IT_FINAL-REQUID
* Database SELECT: Reading with "FOR ALL ENTRIES"
* Database SELECT: > Specify database hint for SAP HANA
* Database SELECT: Object not in customer namespace: RSICCONT
*
CALL FUNCTION 'RSSM_PROCESS_REQUDEL_CUBE' EXPORTING I_INFOCUBE = TGT_DATA I_REQUEST = WA_RSICCONT-RNR I_JOBNAME = JOB IM
* CALL FUNCTION: Object not in customer namespace: RSSM_PROCESS_REQUDEL_CUBE
* ----- End of Routine -----
```

>>>> Summary

Runtime: 0.65 sec

** Process Chain: Process Chain for Service Level - Emerging America (ZPC_LOAD_SSL_NA_EM)

>>>> Process Variant: ZSDC_SSL -> Z_SSL02 (DTP_0002THVXVZKSSCVL02LOPRIUT)

>>>> Data Transfer Process: No description (DTP_0002THVXVZKSSCVL02LOPRIUT)

>>>> Summary

Runtime: 0.01 sec

** Process Chain: Process Chain for TAS Orders in Service Level Cube (ZPC_LOAD_TAS_SSL)

>>>> Process Variant: ZSD_OSSL -> ZSD_OTAS (DTP_0002THVXVZKSSQJNB2K0T10RN)

>>>> Data Transfer Process: No description (DTP_0002THVXVZKSSQJNB2K0T10RN)

>>>> Target: Staging DSO for SSL(TAS orders) (ZSD_OTAS)

>>> Source: Staging DSO for Service Level (ZSD_OSSL)

- Click on details to edit Transformation (08Y6L6EMIIVANRYLDUS8E1TG8ZT6KW8F)
- Click on details to show code (See Program GP0002THW8XCZ1VQ6ESRXC358OD)
- Click on details to run Ext. Syntax Check (GP0002THW8XCZ1VQ6ESRXC358OD)
- Click on details to run Code Inspector (GP0002THW8XCZ1VQ6ESRXC358OD)
- Global Declarations: --- (0002THW8XCZ1VQ6ESNJRE2E5P)
- Global Implementations: --- (0002THW8XCZ1VQ6ESNJRE2KH9)
- Start Routine: --- (0002THW8XCZ1VQ6ESNJRE27U5)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Field Routine 0PO_NUMBER: --- (0002THW8XCZ1VQ6ESPSLFQ4VH)

* ----- Begin of Routine -----

* ----- End of Routine -----

CALL FUNCTION 'SCP_REPLACE_STRANGE_CHARS' EXPORTING INTEXT = SOURCE_FIELDS-PO_NUMBER IMPORTING OUTTEXT = RESULT EXCEPTIO

* CALL FUNCTION: Object not in customer namespace: SCP_REPLACE_STRANGE_CHARS

No issues found

* ----- End of Routine -----

>>>> Process Variant: ZSD_INBD -> ZSD_OTAS (DTP_0002THVXVZKSSQJNG2V374UNG)

>>>> Data Transfer Process: No description (DTP_0002THVXVZKSSQJNG2V374UNG)

>>>> Target: Staging DSO for SSL(TAS orders) (ZSD_OTAS)

>>> Source: Inbound Delivery Item Data (ZSD_INBD)

- Click on details to edit Transformation (0EWJVO9VT9U63S41AGQARQXBEH39RO9I)
- Click on details to show code (See Program GP0002THW8XCZ1VQ6ESZOECEZM0D)
- Click on details to run Ext. Syntax Check (GP0002THW8XCZ1VQ6ESZOECEZM0D)
- Click on details to run Code Inspector (GP0002THW8XCZ1VQ6ESZOECEZM0D)
- Global Declarations: --- (0002THW8XCZ1VQ6ESPSLFQB71)
- Global Implementations: --- (0002THW8XCZ1VQ6ESPSLFQHIL)
- Field Routine ZQTYFPM: --- (0002THW8XCZ1VQ6ESPSLFQNU5)

* ----- Begin of Routine -----

* ----- End of Routine -----

SELECT MIN(DELIV_NUMB) FROM /BIC/AZSD_INBD00 INTO WA_VBELN_VL WHERE DOC_NUMBER = SOURCE_FIELDS-DOC_NUMBER AND CONF_DAT

* Database SELECT: Reading DataStore Object table /BIC/AZSD_INBD00

* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

* Database SELECT: Database access inside field routine

* Database SELECT: > Move statement to start routine

* ----- End of Routine -----

SELECT DOC_NUMBER S_ORD_ITEM SCHED_LINE DELIV_NUMB GOODSMT_ST /BIC/ZINB_QTY FROM /BIC/AZSD_INBD00 INTO TABLE IT_DLV WHERE

* Database SELECT: Reading DataStore Object table /BIC/AZSD_INBD00

* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"

* Database SELECT: Database access inside field routine

* Database SELECT: > Move statement to start routine

* ----- End of Routine -----

>>>> Process Variant: ZSD_OTAS -> ZSSL_TAS (DTP_0002THVXVZKSSQJYU5GT4TC17)

>>>> Data Transfer Process: No description (DTP_0002THVXVZKSSQJYU5GT4TC17)

>>>> Target: SSL InfoSource - Third Party Orders (ZIF_ZTASSSL)

>>> Source: Staging DSO for SSL(TAS orders) (ZSD_OTAS)

- Click on details to edit Transformation (0GGPH384ZMVZ0JTKVUQ6N6APD80L3OOQ)
- Click on details to show code (See Program GP0002THW8XCZ1VQ6EV4MTQ741C)
- Click on details to run Ext. Syntax Check (GP0002THW8XCZ1VQ6EV4MTQ741C)
- Click on details to run Code Inspector (GP0002THW8XCZ1VQ6EV4MTQ741C)
- Global Declarations: --- (0002THW8XCZ1VQ6EUYUDHLQGG)
- Global Implementations: --- (0002THW8XCZ1VQ6EUYUDHLWS0)

```
Field Routine 0NET_PRICE --- (00O2THW8XCZ1VQ6EUYUDHM33K)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0CO_AREA: --- (00O2THW8XCZ1VQ6EUYUDHM9F4)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZRJFLDACP: --- (00O2THW8XCZ1VQ6EUYUDHMFQO)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZDLVPGQTY: --- (00O2THW8XCZ1VQ6EUYUDHMM28)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZRJENTERR: --- (00O2THW8XCZ1VQ6EUYUDHMSDS)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZRJREFORD: --- (00O2THW8XCZ1VQ6EUYUDHMYPC)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZRJFILDFL: --- (00O2THW8XCZ1VQ6EUYUDHN50W)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
>>>> Target: Orders Service level - TAS Orders (ZSSL_TAS)
>>> Source: SSL InfoSource - Third Party Orders (ZIF_ZTASSSL)
  Click on details to edit Transformation (0R5PE3L9R5D1VGNQTX7S58RT9HLYZKVH)
  Click on details to show code (See Program GP00O2THW8XCZ1VQ6EV8T6P4JSG)
  Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1VQ6EV8T6P4JSG)
  Click on details to run Code Inspector (GP00O2THW8XCZ1VQ6EV8T6P4JSG)
  Global Declarations: --- (00O2THW8XCZ1VQ6EV1BAQG1M8)
  Global Implementations: --- (00O2THW8XCZ1VQ6EV1BAQG7XS)
  Field Routine ZOTCONQTY: --- (00O2THW8XCZ1VQ6EV1BAQGE9C)
  * ----- Begin of Routine -----
  * -----
  CALL FUNCTION 'ZBI_FM_GET_WORKING_DAYS' EXPORTING DATE_FROM = SOURCE_FIELDS-CONF_DATE DATE_TO = SOURCE_FIELDS-/BIC/ZACTG
  Code already analyzed above. See 7.x Transformations: ODSO/ZDSOSSL/TRCS/ZIF_ZDSOSSL
  No issues found
  * ----- End of Routine -----
  Field Routine ZLACONQTY: --- (00O2THW8XCZ1VQ6EV1BAQGKKW)
  * ----- Begin of Routine -----
  * -----
  CALL FUNCTION 'ZBI_FM_GET_WORKING_DAYS' EXPORTING DATE_FROM = SOURCE_FIELDS-/BIC/ZACTGMDAT DATE_TO = SOURCE_FIELDS-CONF_
  Code already analyzed above. See 7.x Transformations: ODSO/ZDSOSSL/TRCS/ZIF_ZDSOSSL
  No issues found
  * ----- End of Routine -----
  Field Routine ZERCONQTY: --- (00O2THW8XCZ1VQ6EV1BAQGQWG)
  * ----- Begin of Routine -----
  * -----
  CALL FUNCTION 'ZBI_FM_GET_WORKING_DAYS' EXPORTING DATE_FROM = SOURCE_FIELDS-/BIC/ZACTGMDAT DATE_TO = SOURCE_FIELDS-CONF_
  Code already analyzed above. See 7.x Transformations: ODSO/ZDSOSSL/TRCS/ZIF_ZDSOSSL
  No issues found
  * ----- End of Routine -----
  Field Routine ZOTORDQTY: --- (00O2THW8XCZ1VQ6EV1BAQGX80)
  * ----- Begin of Routine -----
  * -----
  CALL FUNCTION 'ZBI_FM_GET_WORKING_DAYS' EXPORTING DATE_FROM = SOURCE_FIELDS-AF_RQDATE DATE_TO = SOURCE_FIELDS-/BIC/ZACTG
  Code already analyzed above. See 7.x Transformations: ODSO/ZDSOSSL/TRCS/ZIF_ZDSOSSL
  No issues found
  * ----- End of Routine -----
  Field Routine ZLAORDQTY: --- (00O2THW8XCZ1VQ6EV1BAQH3JK)
  * ----- Begin of Routine -----
  * -----
  CALL FUNCTION 'ZBI_FM_GET_WORKING_DAYS' EXPORTING DATE_FROM = SOURCE_FIELDS-/BIC/ZACTGMDAT DATE_TO = SOURCE_FIELDS-AF_RQ
  Code already analyzed above. See 7.x Transformations: ODSO/ZDSOSSL/TRCS/ZIF_ZDSOSSL
  No issues found
  * ----- End of Routine -----
  Field Routine ZERORDQTY: --- (00O2THW8XCZ1VQ6EV1BAQH9V4)
  * ----- Begin of Routine -----
  * -----
  CALL FUNCTION 'ZBI_FM_GET_WORKING_DAYS' EXPORTING DATE_FROM = SOURCE_FIELDS-/BIC/ZACTGMDAT DATE_TO = SOURCE_FIELDS-AF_RQ
  Code already analyzed above. See 7.x Transformations: ODSO/ZDSOSSL/TRCS/ZIF_ZDSOSSL
  No issues found
  * ----- End of Routine -----
```

```
>>>> Summary
  Runtime: 0.19 sec
```

```
** Process Chain: Process Chain for Material Management (ZPC_MM)
```

```
>>>> Process Variant: ZSD_MD_SEA_COL_EXTRACT / ZNECFIL -> 0MAT_SALES (DTP_00O2THVXVZKSWLMT4NNWNRJ2H)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSWLMT4NNWNRJ2H)
```

```
>>>> Process Variant: 0PROD_HIER_TEXT / NEQ100 -> 0PROD_HIER (DTP_00O2THVXVZKUEJY9N7KQH34Q)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUEJY9N7KQH34Q)
>>>> Target: Product: Assigned Categories (0PROD_HIER_ATTR)
>>> Source: Product Hierarchy (0PROD_HIER_TEXT NEQ100)
  Click on details to edit Transformation (02OUW47MCNU1K26UFJB4OMUBF5F5GI8Q)
  Click on details to show code (See Program GP00O2THW8XCZ1R8L6R2QF5CAAW)
  Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R8L6R2QF5CAAW)
```

Click on details to run Code Inspector (GP0002THW8XCZ1R8L6R2QF5CAAW)
Global Declarations: --- (00O2THW8XCZ1R8L6QNM64E2HY)
Global Implementations: --- (00O2THW8XCZ1R8L6QNM64E8TI)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Field Routine OGN_CAT_SSY: Source System: Product Hierarchy (00O2THW8XCZ1R8L6QNM64EF52)

* ----- Begin of Routine -----

* -----

CALL FUNCTION 'RSDG_ID_GET_FROM_LOGSYS' EXPORTING I_SOURCE_SYSTEM = L_SRC SYST IMPORTING E_SOURSYSID = RESULT EXCEPTIONS

* CALL FUNCTION: Object not in customer namespace: RSDG_ID_GET_FROM_LOGSYS

No issues found

* ----- End of Routine -----

Field Routine: Transfer routine for InfoObjectSOURSYSTEM (18JW39V6T2LLS5VKJ2WKV3T1Q)

* ----- Begin of Routine -----

* -----

CALL FUNCTION 'RSDG_ID_GET_FROM_LOGSYS' EXPORTING I_SOURCE_SYSTEM = SOURCE_SYSTEM IMPORTING E_SOURSYSID = RESULT EXCEPTI

* CALL FUNCTION: Object not in customer namespace: RSDG_ID_GET_FROM_LOGSYS

No issues found

* ----- End of Routine -----

>>>> Process Variant: ZDS_J_3ASEAN / NEQ100 -> 0AF_SEAN (DTP_00O2THVXVZKUET6KAK6OZZDTA)

>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUET6KAK6OZZDTA)

>>>> Target: AFS Season (0AF_SEAN)

>>> Source: MD Extractor for Table J_3ASEAN (ZDS_J_3ASEAN NEQ100)

Click on details to edit Transformation (0BPFSFURH0O37H5J10KGG3PAKCES08RT)

Click on details to show code (See Program GP00O2THW8XCZ3HSP120HYGF0YJ)

Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HSP120HYGF0YJ)

Click on details to run Code Inspector (GP00O2THW8XCZ3HSP120HYGF0YJ)

Global Declarations: --- (00O2THW8XCZ1VPJ7E0UL1DDUZ)

Global Implementations: --- (00O2THW8XCZ1VPJ7E0UL1DK6J)

Field Routine ZBPC_SEA: --- (00O2THW8XCZ1VPJ7E0UL1DQI3)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Field Routine ZAFS_SEA: --- (00O2THW8XCZ1VPJ7E0UL1DWTN)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

>>>> Process Variant: 0MATL_GRP_5_TEXT / NEQ100 -> 0MATL_GRP_5 (DTP_00O2THVXVZKUIL3V8B20IW3V3)

>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUIL3V8B20IW3V3)

>>>> Process Variant: ZDS_MEAN / NEQ100 -> ZMAT_GRID (DTP_00O2THVXVZKUMMOPCL3F2KLT)

>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUMMOPCL3F2KLT)

>>>> Process Variant: ZSD_MD_SEA_COL_EXTRACT_SPC_STK / ZNECFILE -> 0MAT_ (DTP_00O2THVXVZKUMZ6BHTK6PHUC5)

>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUMZ6BHTK6PHUC5)

>>>> Process Variant: 0MATL_TYPE_TEXT_ME_FULL_R3 (0PAK_26KWMT1TRN36J86RTGYDHY2BO)

>>>> InfoPackage: 0MATL_TYPE_TEXT_ME_FULL_R3 (0PAK_26KWMT1TRN36J86RTGYDHY2BO)

PSA load only

>>>> Process Variant: 0PLANT_ATTR_ME_FULL_R3 (0PAK_38XZHLICIGIF94BGVNBPSNRN7O)

>>>> InfoPackage: 0PLANT_ATTR_ME_FULL_R3 (0PAK_38XZHLICIGIF94BGVNBPSNRN7O)

PSA load only

>>>> Process Variant: 0PLANT_TEXT_ME_FULL_R3 (0PAK_3B2PMXB3TW5X9HNFUFZFB13ADG)

>>>> InfoPackage: 0PLANT_TEXT_ME_FULL_R3 (0PAK_3B2PMXB3TW5X9HNFUFZFB13ADG)

PSA load only

>>>> Process Variant: 0MATERIAL_TEXT_ME_INIT_R3 (0PAK_81JX48245SCLBF1T8INVK2U6C)

>>>> InfoPackage: 0MATERIAL_TEXT_ME_INIT_R3 (0PAK_81JX48245SCLBF1T8INVK2U6C)

PSA load only

>>>> Process Variant: 0MATL_CAT_TEXT_ME_FULL_R3 (0PAK_85TDEVZAWJTXLREXNU2X8Q4HW)

>>>> InfoPackage: 0MATL_CAT_TEXT_ME_FULL_R3 (0PAK_85TDEVZAWJTXLREXNU2X8Q4HW)

PSA load only

>>>> Process Variant: IP_0VENDOR_TEXT_FULL (ZPAK_0N9Y8XV5COK9DWAKEOMQEYHXG)

>>>> InfoPackage: IP_0VENDOR_TEXT_FULL (ZPAK_0N9Y8XV5COK9DWAKEOMQEYHXG)

PSA load only

>>>> Process Variant: IP_0MATERIAL_ATTR_FULL (ZPAK_2G5AR2Z14KEEF4ZXIU4C7Q2BO)

>>>> InfoPackage: IP_0MATERIAL_ATTR_FULL (ZPAK_2G5AR2Z14KEEF4ZXIU4C7Q2BO)

PSA load only

>>>> Process Variant: FULL - ZROC_MAT_PRICING (ZPAK_2P60P3ESQ0U1ZWZEO1GPWUWQS)

>>>> InfoPackage: FULL - ZROC_MAT_PRICING (ZPAK_2P60P3ESQ0U1ZWZEO1GPWUWQS)

PSA load only

>>>> Process Variant: IP_0PROD_HIER_TEXT_FULL (ZPAK_2W79WFMXMZA95EQJ45OY8GMDG)

>>>> InfoPackage: IP_0PROD_HIER_TEXT_FULL (ZPAK_2W79WFMXMZA95EQJ45OY8GMDG)

PSA load only

>>>> Process Variant: IP_ZDS_J_3ASEAN_FULL (ZPAK_3BJGYZFEO1RBWEV425E6P9F0K)

>>>> InfoPackage: IP_ZDS_J_3ASEAN_FULL (ZPAK_3BJGYZFEO1RBWEV425E6P9F0K)

PSA load only

>>>> Process Variant: FULL - 0MATL_GRP_5_TEXT (ZPAK_3FDS1YE0H2UJ6PS2J2GHXY2BO)

>>>> InfoPackage: FULL - 0MATL_GRP_5_TEXT (ZPAK_3FDS1YE0H2UJ6PS2J2GHXY2BO)

PSA load only

>>>> Process Variant: FULL - ZSD_MD_SEA_COL_EXTRACT_SPC_STK (ZPAK_59L981CWRSCF58NY7LG98FXVO)

```
>>>> InfoPackage: FULL - ZSD_MD_SEA_COL_EXTRACT_SPC_STK (ZPAK_59L981CWRSCF58NY7LG98FXVO)
PSA load only

>>>> Process Variant: IP_0MRP_CONTRL_TEXT_FULL (ZPAK_7SRQZ17WRSGNBTTNFB4D744)
>>>> InfoPackage: IP_0MRP_CONTRL_TEXT_FULL (ZPAK_7SRQZ17WRSGNBTTNFB4D744)
PSA load only

>>>> Process Variant: IP_0MATL_GRP_2_TEXT_FULL (ZPAK_9JG9PTI3F6DFWAZOK7YE401TW)
>>>> InfoPackage: IP_0MATL_GRP_2_TEXT_FULL (ZPAK_9JG9PTI3F6DFWAZOK7YE401TW)
PSA load only

>>>> Process Variant: IP_0VENDOR_ATTR_FULL (ZPAK_AJ3XX2H8CWTUUQVAHARWV8Q4K)
>>>> InfoPackage: IP_0VENDOR_ATTR_FULL (ZPAK_AJ3XX2H8CWTUUQVAHARWV8Q4K)
PSA load only

>>>> Process Variant: IP_0MATL_GRP_3_TEXT_FULL (ZPAK_B8JK9SNIMD7X4ECAX3YIPLG04)
>>>> InfoPackage: IP_0MATL_GRP_3_TEXT_FULL (ZPAK_B8JK9SNIMD7X4ECAX3YIPLG04)
PSA load only

>>>> Process Variant: IP_0MATL_GROUP_TEXT_FULL (ZPAK_BF1BXTE24TTM3QG5AAPBH7UX0)
>>>> InfoPackage: IP_0MATL_GROUP_TEXT_FULL (ZPAK_BF1BXTE24TTM3QG5AAPBH7UX0)
PSA load only

>>>> Process Variant: IP_0MATL_GRP_1_TEXT_FULL (ZPAK_CSNMA8LR9EQC67K760AMVV5MS)
>>>> InfoPackage: IP_0MATL_GRP_1_TEXT_FULL (ZPAK_CSNMA8LR9EQC67K760AMVV5MS)
PSA load only

>>>> Process Variant: IP_0MAT_SALES_ATTR_FULL (ZPAK_CZK2XT3DUKD29UMU8NHLTTCG4)
>>>> InfoPackage: IP_0MAT_SALES_ATTR_FULL (ZPAK_CZK2XT3DUKD29UMU8NHLTTCG4)
PSA load only

>>>> Process Variant: FULL_ZDS_MEAN_IP (ZPAK_DJ1HWIP2CZP9O6YG36FFXGABO)
>>>> InfoPackage: FULL_ZDS_MEAN_IP (ZPAK_DJ1HWIP2CZP9O6YG36FFXGABO)
PSA load only

>>>> Process Variant: FULL - ZSD_MD_SEA_COL_EXTRACT (ZPAK_E8QTG0PJM8CC82JVVOQJS475W)
>>>> InfoPackage: FULL - ZSD_MD_SEA_COL_EXTRACT (ZPAK_E8QTG0PJM8CC82JVVOQJS475W)
PSA load only

>>>> Process Variant: IP_0MAT_SALES_TEXT_FULL (ZPAK_F00RZ3RKHJJV5OTXH1LEGT7WK)
>>>> InfoPackage: IP_0MAT_SALES_TEXT_FULL (ZPAK_F00RZ3RKHJJV5OTXH1LEGT7WK)
PSA load only

>>>> Process Variant: 0MAT_SALES_ATTR / NEQ100 -> 0MAT_SALES (DTP_00O2TGZDW7QD8WBY1C56XHDJD)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8WBY1C56XHDJD)
>>>> Target: Material (Sales) (0MAT_SALES)
>>>> Source: Material number with sales (0MAT_SALES_ATTR NEQ100)
  Click on details to edit Transformation (0HL1MBN712OMFSQLUZZA5AM2HLTMAIN4)
  Click on details to show code (See Program GP00O2THW8XCZ1R8L6RLHN4FD48)
  Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R8L6RLHN4FD48)
  Click on details to run Code Inspector (GP00O2THW8XCZ1R8L6RLHN4FD48)
  Global Declarations: --- (00O2THW8XCZ1VIF9RA3KBUZ56)
  Global Implementations: --- (00O2THW8XCZ1VIF9RA3KBV5GQ)
  Field Routine Z_SBU: --- (00O2THW8XCZ1VIF9RA3KBVBSA)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  Field Routine 0GENDER: --- (00O2THW8XCZ1VIF9RA3KBV13U)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  Field Routine Z_SILH: --- (00O2THW8XCZ1VIF9RA3KBVOFE)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  Field Routine Z_SPORT: --- (00O2THW8XCZ1VIF9RA3KBVUQY)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  Field Routine Z_LICENSE: --- (00O2THW8XCZ1VIF9RA3KBW12I)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  Field Routine Z_TEAM: --- (00O2THW8XCZ1VIF9RA3KBW7E2)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  Field Routine Z_LOGO: --- (00O2THW8XCZ1VIF9RA3KBWDPM)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  Field Routine 0MATL_GROUP: --- (00O2THW8XCZ1VIF9RA3KBWK16)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  End Routine: --- (00O2THW8XCZ1VIF9RA3KBUSTM)
  * ----- Begin of Routine -----
  * ----- End of Routine -----
  SELECT /BIC/ZINDID /BIC/ZSAPID /BIC/ZCONSID FROM /BIC/PZSAPID INTO TABLE LT_/BIC/PZSAPID WHERE /BIC/ZINDID = 'SBU' OR /B
  * Database SELECT: Reading master data table or view /BIC/PZSAPID
  * Database SELECT: > Try to replace with standard functionality using rule type "Read master data"
  * Database SELECT: > or better, try using navigational attributes of the source object
  * ----- End of Routine -----
```

```
>>>>> Process Variant: 0MATL_SALES_TEXT / NEQ100 -> 0MATL_SALES (DTP_0002TGZDW7QD8WBY4Y6TTLDCF)
>>>>> Data Transfer Process: No description (DTP_0002TGZDW7QD8WBY4Y6TTLDCF)

>>>>> Process Variant: 0MATERIAL_ATTR / NEQ100 -> 0MATERIAL (DTP_0002TGZDW7QD8WCAF8ZJU6L7K)
>>>>> Data Transfer Process: No description (DTP_0002TGZDW7QD8WCAF8ZJU6L7K)
>>>>> Target: Material (attributes) (0MATERIAL_ATTR)
>>>> Source: Material Number (0MATERIAL_ATTR NEQ100)
  Click on details to edit Transformation (07WOB6GPF1JE0XR64MBYD23WGNHNGM)
  Click on details to show code (See Program GP0002THW8XCZ1R8L6RXKF6KVU0)
  Click on details to run Ext. Syntax Check (GP0002THW8XCZ1R8L6RXKF6KVU0)
  Click on details to run Code Inspector (GP0002THW8XCZ1R8L6RXKF6KVU0)
  Global Declarations: --- (0002THW8XCZ1VHX94IXO7VCKR)
  * ----- Begin of Routine -----
  No issues found
  * ----- End of Routine -----
  Global Implementations: --- (0002THW8XCZ1VHX94IXO7VIWB)
  * ----- Begin of Routine -----
  No issues found
  * ----- End of Routine -----
  Start Routine: --- (0002THW8XCZ1VHX94IXO7UZXN)
  * ----- Begin of Routine -----
  SELECT SINGLE DET_CHARVAL FROM /RTF/TC_CUST INTO G_DET_CHARVAL
  * Database SELECT: No WHERE clause on small table
  * Database SELECT: Object not in customer namespace: /RTF/TC_CUST
  No issues found
  * ----- End of Routine -----
  Field Routine: Transfer routine for InfoObject0SOURSYSTEM (18JW39V6T2LLS5VKJ2WKV3T1Q)
  * ----- Begin of Routine -----
  * -----
  CALL FUNCTION 'RSDG_ID_GET_FROM_LOGSYS' EXPORTING I_SOURCE_SYSTEM = SOURCE_SYSTEM IMPORTING E_SOURSYSID = RESULT EXCEPTI
  * CALL FUNCTION: Object not in customer namespace: RSDG_ID_GET_FROM_LOGSYS
  No issues found
  * ----- End of Routine -----
  Field Routine: Transfer Routine for InfoObject 0LOGSYS (DCW82EH56X6IE17QMCP9L361)
  * ----- Begin of Routine -----
  No issues found
  * ----- End of Routine -----
  End Routine: --- (0002THW8XCZ1VHX94IXO7V697)
  * ----- Begin of Routine -----
  * -----
  SELECT SINGLE /BIC/ZCONSID FROM /BIC/PZSAPID INTO WA_RESULT_FIELDS-/BIC/ZBPCSBU WHERE /BIC/ZSAPID = LV_SBU AND /BIC/ZIND
  * Database SELECT: Reading master data table or view /BIC/PZSAPID
  * Database SELECT: > Try to replace with standard functionality using rule type "Read master data"
  * Database SELECT: > or better, try using navigational attributes of the source object
  * -----
  SELECT SINGLE /BIC/ZCONSID FROM /BIC/PZSAPID INTO WA_RESULT_FIELDS-/BIC/ZBPCSIL WHERE /BIC/ZSAPID = LV_SILH AND /BIC/ZIN
  * Database SELECT: Reading master data table or view /BIC/PZSAPID
  * Database SELECT: > Try to replace with standard functionality using rule type "Read master data"
  * Database SELECT: > or better, try using navigational attributes of the source object
  * -----
  SELECT SINGLE /BIC/ZCONSID FROM /BIC/PZSAPID INTO WA_RESULT_FIELDS-/BIC/ZBPCLIC WHERE /BIC/ZSAPID = LV_LIC AND /BIC/ZIND
  * Database SELECT: Reading master data table or view /BIC/PZSAPID
  * Database SELECT: > Try to replace with standard functionality using rule type "Read master data"
  * Database SELECT: > or better, try using navigational attributes of the source object
  * ----- End of Routine -----

>>>>> Process Variant: 0MATERIAL_TEXT / NEQ100 -> 0MATERIAL (DTP_0002TGZDW7QD8WCB9TEZK96VP)
>>>>> Data Transfer Process: No description (DTP_0002TGZDW7QD8WCB9TEZK96VP)
>>>>> Target: Material (texts) (0MATERIAL_TEXT)
>>>> Source: Material Number (0MATERIAL_TEXT NEQ100)
  Click on details to edit Transformation (05QYKCJYCWYG4GQPBV86TBYCZZAMLEYE)
  Click on details to show code (See Program GP0002THW8XCZ1R8L6RDLSTFGVC)
  Click on details to run Ext. Syntax Check (GP0002THW8XCZ1R8L6RDLSTFGVC)
  Click on details to run Code Inspector (GP0002THW8XCZ1R8L6RDLSTFGVC)
  Global Declarations: --- (0002THW8XCZ1R8L6QP4RA7FHI)
  Global Implementations: --- (0002THW8XCZ1R8L6QP4RA7LT2)
  * ----- Begin of Routine -----
  No issues found
  * ----- End of Routine -----
  Field Routine 0GN_PRO_SSY: logsys_id (0002THW8XCZ1R8L6QP4RA7S4M)
  * ----- Begin of Routine -----
  * -----
  CALL FUNCTION 'RSDG_ID_GET_FROM_LOGSYS' EXPORTING I_SOURCE_SYSTEM = LV_LOGSYS IMPORTING E_SOURSYSID = RESULT EXCEPTIONS
  * CALL FUNCTION: Object not in customer namespace: RSDG_ID_GET_FROM_LOGSYS
  No issues found
  * ----- End of Routine -----
  Field Routine: Transfer routine for InfoObject0SOURSYSTEM (18JW39V6T2LLS5VKJ2WKV3T1Q)
  * ----- Begin of Routine -----
  * -----
  CALL FUNCTION 'RSDG_ID_GET_FROM_LOGSYS' EXPORTING I_SOURCE_SYSTEM = SOURCE_SYSTEM IMPORTING E_SOURSYSID = RESULT EXCEPTI
  * CALL FUNCTION: Object not in customer namespace: RSDG_ID_GET_FROM_LOGSYS
  No issues found
  * ----- End of Routine -----

>>>>> Process Variant: 0MATL_GROUP_TEXT / NEQ100 -> 0MATL_GROUP (DTP_0002TGZDW7QD8WCCPH51AEZXL)
>>>>> Data Transfer Process: No description (DTP_0002TGZDW7QD8WCCPH51AEZXL)
>>>>> Target: Material Group (Texts) (0MATL_GROUP_TEXT)
>>>> Source: Material Group (0MATL_GROUP_TEXT NEQ100)
  Click on details to edit Transformation (0371I0BYHZLF2U4HLW4OZYCBGE58JVSR)
  Click on details to show code (See Program GP0002THW8XCZ1R8L6S1UETO46G)
  Click on details to run Ext. Syntax Check (GP0002THW8XCZ1R8L6S1UETO46G)
  Click on details to run Code Inspector (GP0002THW8XCZ1R8L6S1UETO46G)
  Global Declarations: --- (0002THW8XCZ1R8L6QT1YM74FA)
  Global Implementations: --- (0002THW8XCZ1R8L6QT1YM7AQU)
```

	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0GN_CAT_SSY: Source System for Material Group (0002THW8XCZ1R8L6QUCOOLTEW)
	* ----- Begin of Routine -----
	* -----
	CALL FUNCTION 'RSDG_ID_GET_FROM_LOGSYS' EXPORTING I_SOURCE_SYSTEM = LV_LOGSYS IMPORTING E_SOURSYSID = RESULT EXCEPTIONS
	* CALL FUNCTION: Object not in customer namespace: RSDG_ID_GET_FROM_LOGSYS
	No issues found
	* ----- End of Routine -----
	Field Routine: Transfer routine for InfoObject0SOURSYSTEM (18JW39V6T2LLS5VKJ2WKV3T1Q)
	* ----- Begin of Routine -----
	* -----
	CALL FUNCTION 'RSDG_ID_GET_FROM_LOGSYS' EXPORTING I_SOURCE_SYSTEM = SOURCE_SYSTEM IMPORTING E_SOURSYSID = RESULT EXCEPTI
	* CALL FUNCTION: Object not in customer namespace: RSDG_ID_GET_FROM_LOGSYS
	No issues found
	* ----- End of Routine -----
	>>>> Process Variant: 0MATL_GRP_1_TEXT / NEQ100 -> 0MATL_GRP_1 (DTP_0002TGZDW7QD8WCD9C0ESCY2V)
	>>>> Data Transfer Process: No description (DTP_0002TGZDW7QD8WCD9C0ESCY2V)
	>>>> Process Variant: 0MATL_GRP_2_TEXT / NEQ100 -> 0MATL_GRP_2 (DTP_0002TGZDW7QD8WCDGF02XE8IA)
	>>>> Data Transfer Process: No description (DTP_0002TGZDW7QD8WCDGF02XE8IA)
	>>>> Process Variant: 0MATL_GRP_3_TEXT / NEQ100 -> 0MATL_GRP_3 (DTP_0002TGZDW7QD8WCDZ8YWK1PKJ)
	>>>> Data Transfer Process: No description (DTP_0002TGZDW7QD8WCDZ8YWK1PKJ)
	>>>> Process Variant: 0PLANT_ATTR / NEQ100 -> 0PLANT (DTP_0002TGZDW7QD8WDPG1NC65PSE)
	>>>> Data Transfer Process: No description (DTP_0002TGZDW7QD8WDPG1NC65PSE)
	>>>> Target: Plant (0PLANT)
	>>>> Source: Plant (Attributes) (0PLANT_ATTR)
	Click on details to edit Transformation (06J7ZNZP7MD2UC6CQ446MJ7L1FV7KQQW)
	Click on details to show code (See Program GP0002THW8XCZ1R8L6R8EDDX6I0)
	Click on details to run Ext. Syntax Check (GP0002THW8XCZ1R8L6R8EDDX6I0)
	Click on details to run Code Inspector (GP0002THW8XCZ1R8L6R8EDDX6I0)
	Global Declarations: --- (0002THW8XCZ1R8L6QP4RA678M)
	Global Implementations: --- (0002THW8XCZ1R8L6QP4RA6DK6)
	* ----- Begin of Routine -----
	* -----
	SELECT * FROM /BI0/PSALESORG APPENDING CORRESPONDING FIELDS OF TABLE IT_SALESORG WHERE OBJVERS = 'A'
	* Database SELECT: Reading all columns (*) on big table
	* Database SELECT: > Specify only the columns you need
	* Database SELECT: Reading master data table or view /BI0/PSALESORG
	* Database SELECT: > Try to replace with standard functionality using rule type "Read master data"
	* Database SELECT: > or better, try using navigational attributes of the source object
	* -----
	SELECT * FROM /BI0/PCOMP_CODE APPENDING CORRESPONDING FIELDS OF TABLE IT_COMPCODE WHERE OBJVERS = 'A'
	* Database SELECT: Reading all columns (*) on big table
	* Database SELECT: > Specify only the columns you need
	* Database SELECT: Reading master data table or view /BI0/PCOMP_CODE
	* Database SELECT: > Try to replace with standard functionality using rule type "Read master data"
	* Database SELECT: > or better, try using navigational attributes of the source object
	* -----
	CALL METHOD /RTF/CL_COMP_CODE=>SINGLE_READ EXPORTING I_COMP_CODE = LV_COMPCODE IMPORTING ES_COMP_CODE = L_COMPCODE
	* CALL METHOD: Object not in customer namespace: /RTF/CL_COMP_CODE
	* ----- End of Routine -----
	Field Routine 0LOC_CURRCY: Local Currency Enrichment (0002THW8XCZ1R8L6QP4RA6JVQ)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0COMP_CODE: Enrich Company Code (0002THW8XCZ1R8L6QP4RA6Q7A)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	>>>> Target: Plant (Attributes) (0PLANT_ATTR)
	>>>> Source: Plant (0PLANT_ATTR NEQ100)
	Click on details to edit Transformation (0R12I5BRRVI4KF11EFTYAORDCE29H8B3)
	Click on details to show code (See Program GP0002THW8XCZ1R8L6RBDD6CEUG)
	Click on details to run Ext. Syntax Check (GP0002THW8XCZ1R8L6RBDD6CEUG)
	Click on details to run Code Inspector (GP0002THW8XCZ1R8L6RBDD6CEUG)
	Global Declarations: --- (0002THW8XCZ1R8L6QP4RA6WIU)
	Global Implementations: --- (0002THW8XCZ1R8L6QP4RA72UE)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----
	Field Routine 0GN_R3_SSY: Fill Source System (0002THW8XCZ1R8L6QP4RA795Y)
	* ----- Begin of Routine -----
	* -----
	CALL FUNCTION 'RSDG_ID_GET_FROM_LOGSYS' EXPORTING I_SOURCE_SYSTEM = LV_LOGSYS IMPORTING E_SOURSYSID = RESULT EXCEPTIONS
	* CALL FUNCTION: Object not in customer namespace: RSDG_ID_GET_FROM_LOGSYS
	No issues found
	* ----- End of Routine -----
	Field Routine: Transfer routine for InfoObject0SOURSYSTEM (18JW39V6T2LLS5VKJ2WKV3T1Q)
	* ----- Begin of Routine -----
	* -----
	CALL FUNCTION 'RSDG_ID_GET_FROM_LOGSYS' EXPORTING I_SOURCE_SYSTEM = SOURCE_SYSTEM IMPORTING E_SOURSYSID = RESULT EXCEPTI
	* CALL FUNCTION: Object not in customer namespace: RSDG_ID_GET_FROM_LOGSYS
	No issues found
	* ----- End of Routine -----
	Field Routine: Transfer Routine for InfoObject 0LOGSYS (DCW82EH56X6IE17QMCP9L361)
	* ----- Begin of Routine -----
	No issues found
	* ----- End of Routine -----

```
Process Variant: 0PLANT_TEXT / NEQ100 -> 0PLANT (DTP_0002TGZDW7QD8WDPKM9EDVYZA)
>>>> Data Transfer Process: No description (DTP_0002TGZDW7QD8WDPKM9EDVYZA)
>>>> Target: Plant (Texts) (0PLANT_TEXT)
>>>> Source: Plant (0PLANT_TEXT NEQ100)
  Click on details to edit Transformation (01WBKD3I820YWU90B6R1I30VH7RWLL6C)
  Click on details to show code (See Program GP0002THW8XCZ1R8L6S1UETOAI0)
  Click on details to run Ext. Syntax Check (GP0002THW8XCZ1R8L6S1UETOAI0)
  Click on details to run Code Inspector (GP0002THW8XCZ1R8L6S1UETOAI0)
  Global Declarations: --- (0002THW8XCZ1R8L6QUCOOLZQG)
  Global Implementations: --- (0002THW8XCZ1R8L6QUCOOM620)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  Field Routine 0GN_R3_SSY: Fill Source System (0002THW8XCZ1R8L6QUCOOMCDK)
  * ----- Begin of Routine -----
  * -----
CALL FUNCTION 'RSDG_ID_GET_FROM_LOGSYS' EXPORTING I_SOURCE_SYSTEM = LV_LOGSYS IMPORTING E_SOURSYSID = RESULT EXCEPTIONS
* CALL FUNCTION: Object not in customer namespace: RSDG_ID_GET_FROM_LOGSYS
No issues found
  * ----- End of Routine -----
  Field Routine: Transfer routine for InfoObject0SOURSYSTEM (18JW39V6T2LLS5VKJ2WKV3T1Q)
  * ----- Begin of Routine -----
  * -----
CALL FUNCTION 'RSDG_ID_GET_FROM_LOGSYS' EXPORTING I_SOURCE_SYSTEM = SOURCE_SYSTEM IMPORTING E_SOURSYSID = RESULT EXCEPTI
* CALL FUNCTION: Object not in customer namespace: RSDG_ID_GET_FROM_LOGSYS
No issues found
  * ----- End of Routine -----

>>>> Process Variant: 0MATL_CAT_TEXT / NEQ100 -> 0MATL_CAT (DTP_0002TGZDW7QD8WZA9VFYS2WJC)
>>>> Data Transfer Process: No description (DTP_0002TGZDW7QD8WZA9VFYS2WJC)

>>>> Process Variant: 0MATL_TYPE_TEXT / NEQ100 -> 0MATL_TYPE (DTP_0002TGZDW7QD8WZN4H0HA1Q0F)
>>>> Data Transfer Process: No description (DTP_0002TGZDW7QD8WZN4H0HA1Q0F)

>>>> Process Variant: 0MRP_CONTRL_TEXT / NEQ100 -> 0MRP_CONTRL (DTP_0002TGZDW7QD8X9JKU798AFD6)
>>>> Data Transfer Process: No description (DTP_0002TGZDW7QD8X9JKU798AFD6)

>>>> Process Variant: 0VENDOR_ATTR / NEQ100 -> 0VENDOR (DTP_0002TGZDW7QD8X9KLO1G95J0H)
>>>> Data Transfer Process: No description (DTP_0002TGZDW7QD8X9KLO1G95J0H)
>>>> Target: Vendor (Attributes) (0VENDOR_ATTR)
>>>> Source: Vendor Number (0VENDOR_ATTR NEQ100)
  Click on details to edit Transformation (0OYXF2TVGFTFOJB2Q24ZPFW8UKDQUNV1)
  Click on details to show code (See Program GP0002THW8XCZ1R8L6S8SVTZOKO)
  Click on details to run Ext. Syntax Check (GP0002THW8XCZ1R8L6S8SVTZOKO)
  Click on details to run Code Inspector (GP0002THW8XCZ1R8L6S8SVTZOKO)
  Global Declarations: --- (0002THW8XCZ1R8L6QUCOON1NS)
  Global Implementations: --- (0002THW8XCZ1R8L6QUCOON7ZC)
  * ----- Begin of Routine -----
  * -----
CALL FUNCTION 'RSAU_READ_MASTER_DATA' EXPORTING I_IJOB_NNM = '0VENDOR' I_CHAVL = L_HLP_CHAVL I_ATTRNM = '0DBDUNS_NUM' IMPO
* CALL FUNCTION: Object not in customer namespace: RSAU_READ_MASTER_DATA
No issues found
  * ----- End of Routine -----
  Field Routine 0DBDUNS_NUM: 0DBDUNS_NUM (0002THW8XCZ1R8L6QUCOONEAW)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  Field Routine 0GN_PAR_SSY: Fill source system of partner (0002THW8XCZ1R8L6QUCOONKMG)
  * ----- Begin of Routine -----
  * -----
CALL FUNCTION 'RSDG_ID_GET_FROM_LOGSYS' EXPORTING I_SOURCE_SYSTEM = LV_LOGSYS IMPORTING E_SOURSYSID = RESULT EXCEPTIONS
* CALL FUNCTION: Object not in customer namespace: RSDG_ID_GET_FROM_LOGSYS
No issues found
  * ----- End of Routine -----
  Field Routine 0POSTCD_GIS: Fill 0POSTCD_GIS (0002THW8XCZ1R8L6QUCOONQY0)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  Field Routine: Transfer routine for InfoObject0SOURSYSTEM (18JW39V6T2LLS5VKJ2WKV3T1Q)
  * ----- Begin of Routine -----
  * -----
CALL FUNCTION 'RSDG_ID_GET_FROM_LOGSYS' EXPORTING I_SOURCE_SYSTEM = SOURCE_SYSTEM IMPORTING E_SOURSYSID = RESULT EXCEPTI
* CALL FUNCTION: Object not in customer namespace: RSDG_ID_GET_FROM_LOGSYS
No issues found
  * ----- End of Routine -----
  Field Routine: Transfer Routine for InfoObject 0LOGSYS (DCW82EH56X6IE17QMCP9L361)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----

>>>> Process Variant: 0VENDOR_TEXT / NEQ100 -> 0VENDOR (DTP_0002TGZDW7QD8X9KSUZ0ZH5E3)
>>>> Data Transfer Process: No description (DTP_0002TGZDW7QD8X9KSUZ0ZH5E3)
>>>> Target: Vendor (Texts) (0VENDOR_TEXT)
>>>> Source: Vendor Number (0VENDOR_TEXT NEQ100)
  Click on details to edit Transformation (0K8NXGEYNE9UZJPF7SPADARBCGEQBK77)
  Click on details to show code (See Program GP0002THW8XCZ1R8L6RGCCOECRS)
  Click on details to run Ext. Syntax Check (GP0002THW8XCZ1R8L6RGCCOECRS)
  Click on details to run Code Inspector (GP0002THW8XCZ1R8L6RGCCOECRS)
  Global Declarations: --- (0002THW8XCZ1R8L6QP4RA7YG6)
  Global Implementations: --- (0002THW8XCZ1R8L6QP4RA84RQ)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  Field Routine 0GN_PAR_SSY: Source System of Vendor (0002THW8XCZ1R8L6QP4RA8B3A)
```

```
*----- Begin of Routine -----
*
CALL FUNCTION 'RSDG_ID_GET_FROM_LOGSYS' EXPORTING I_SOURCE_SYSTEM = LV_LOGSYS IMPORTING E_SOURSYSID = RESULT EXCEPTIONS
* CALL FUNCTION: Object not in customer namespace: RSDG_ID_GET_FROM_LOGSYS
No issues found
*----- End of Routine -----
Field Routine: Transfer routine for InfoObject0SOURSYSTEM (18JW39V6T2LLS5VKJ2WKV3T1Q)
*----- Begin of Routine -----
*
CALL FUNCTION 'RSDG_ID_GET_FROM_LOGSYS' EXPORTING I_SOURCE_SYSTEM = SOURCE_SYSTEM IMPORTING E_SOURSYSID = RESULT EXCEPTI
* CALL FUNCTION: Object not in customer namespace: RSDG_ID_GET_FROM_LOGSYS
No issues found
*----- End of Routine -----
```

```
>>>> Process Variant: ZDS_J_3ASEAN / NEQ100 -> ZSEACOL (DTP_0002THVXVZKSOQ5C69A7R2PRJ)
>>>> Data Transfer Process: No description (DTP_0002THVXVZKSOQ5C69A7R2PRJ)
>>>> Target: Season and Collection (ZSEACOL)
>>> Source: MD Extractor for Table J_3ASEAN (ZDS_J_3ASEAN NEQ100)
  Click on details to edit Transformation (04KBT3MG12S603BN5JPPPNIPJUMTSJOX)
  Click on details to show code (See Program GP0002THW8XCZ1RWNYX7Q7X0LFE)
  Click on details to run Ext. Syntax Check (GP0002THW8XCZ1RWNYX7Q7X0LFE)
  Click on details to run Code Inspector (GP0002THW8XCZ1RWNYX7Q7X0LFE)
  Global Declarations: --- (0002THW8XCZ3PCX93JH8KDYTF)
  Global Implementations: --- (0002THW8XCZ3PCX93JH8KE54Z)
  Field Routine ZSEACOLCN: --- (0002THW8XCZ3PCX93JH8KEBGJ)
  *----- Begin of Routine -----
  *
  CALL FUNCTION 'CONVERSION_EXIT_ALPHA_INPUT' EXPORTING INPUT = SOURCE_FIELDS-/AFS/COLLECTION IMPORTING OUTPUT = LV_/AFS/C
  * CALL FUNCTION: Object not in customer namespace: CONVERSION_EXIT_ALPHA_INPUT
  *
  SELECT SINGLE * FROM /BIC/PZSAPID INTO WA_SAPID WHERE /BIC/ZINDID = 'COL' AND /BIC/ZSAPID = LV_/AFS/COLLECTION
  * Database SELECT: Reading all columns (*) on small table
  * Database SELECT: Reading master data table or view /BIC/PZSAPID
  * Database SELECT: > Try to replace with standard functionality using rule type "Read master data"
  * Database SELECT: > or better, try using navigational attributes of the source object
  * Database SELECT: Database access inside field routine
  * Database SELECT: > Move statement to start routine
  *----- End of Routine -----
```

```
>>>> Process Variant: ZROC_MAT_PRICING / ZNECFIL -> 0MAT_SALES (DTP_0002THVXVZKSWFK2KOP0YQ0OC)
>>>> Data Transfer Process: No description (DTP_0002THVXVZKSWFK2KOP0YQ0OC)
```

```
>>>> Summary
  Runtime: 4.97 sec
```

```
** Process Chain: Process Chain for Material Management - Once Per D (ZPC_MM_OPD)
```

```
>>>> Process Variant: 0MAT_PLANT_ATTR / NEQ100 -> 0MAT_PLANT (DTP_0002TGZDW7QD8WZHEQZ83ZR22)
>>>> Data Transfer Process: No description (DTP_0002TGZDW7QD8WZHEQZ83ZR22)
>>>> Target: Plant Material (0MAT_PLANT)
>>> Source: Material Number with Plant (0MAT_PLANT_ATTR NEQ100)
  Click on details to edit Transformation (0FU1VGJ9KAR4WKM140RK7Z6X5FO4FT47)
  Click on details to show code (See Program GP0002THW8XCZ1R8N1R4F3DRF3I)
  Click on details to run Ext. Syntax Check (GP0002THW8XCZ1R8N1R4F3DRF3I)
  Click on details to run Code Inspector (GP0002THW8XCZ1R8N1R4F3DRF3I)
  Global Declarations: --- (0002THW8XCZ1ZB9DXEL9Y0FGF)
  Global Implementations: --- (0002THW8XCZ1ZB9DXEL9Y0LRZ)
  *----- Begin of Routine -----
  *
  SELECT SINGLE * FROM /BIO/PMATERIAL WHERE MATERIAL = ARTICLE AND OBJVERS = 'A'
  * Database SELECT: Reading all columns (*) on big table
  * Database SELECT: > Specify only the columns you need
  * Database SELECT: Reading master data table or view /BIO/PMATERIAL
  * Database SELECT: > Try to replace with standard functionality using rule type "Read master data"
  * Database SELECT: > or better, try using navigational attributes of the source object
  *-----
  SELECT SINGLE * FROM /BIO/PMATERIAL WHERE MATERIAL = ARTICLE AND OBJVERS = 'M'
  * Database SELECT: Reading all columns (*) on big table
  * Database SELECT: > Specify only the columns you need
  * Database SELECT: Reading master data table or view /BIO/PMATERIAL
  * Database SELECT: > Try to replace with standard functionality using rule type "Read master data"
  * Database SELECT: > or better, try using navigational attributes of the source object
  *-----
  SELECT SINGLE * FROM /BIO/PRT_LOC_MGR WHERE MATL_GROUP = INT_DEP-MERCHGR AND RT_LOC_MGR = LOCATION AND OBJVERS = 'A'
  * Database SELECT: Reading all columns (*) on small table
  * Database SELECT: Reading master data table or view /BIO/PRT_LOC_MGR
  * Database SELECT: > Try to replace with standard functionality using rule type "Read master data"
  * Database SELECT: > or better, try using navigational attributes of the source object
  *-----
  SELECT SINGLE * FROM /BIO/PRT_LOC_MGR WHERE MATL_GROUP = INT_DEP-MERCHGR AND RT_LOC_MGR = LOCATION AND OBJVERS = 'M'
  * Database SELECT: Reading all columns (*) on small table
  * Database SELECT: Reading master data table or view /BIO/PRT_LOC_MGR
  * Database SELECT: > Try to replace with standard functionality using rule type "Read master data"
  * Database SELECT: > or better, try using navigational attributes of the source object
  *-----
  SELECT * FROM /BIO/PPLANT INTO CORRESPONDING FIELDS OF TABLE LT_PLANT
  * Database SELECT: No WHERE clause on small table
  * Database SELECT: Reading all columns (*) on big table
  * Database SELECT: > Specify only the columns you need
  * Database SELECT: Reading master data table or view /BIO/PPLANT
  * Database SELECT: > Try to replace with standard functionality using rule type "Read master data"
  * Database SELECT: > or better, try using navigational attributes of the source object
  *-----
  SELECT * FROM /BIO/PRT_PRCH_PO INTO CORRESPONDING FIELDS OF TABLE INT_PURCHAR
```

```
* Database SELECT: No WHERE clause on small table
* Database SELECT: Reading all columns (*) on small table
* Database SELECT: Reading master data table or view /BI0/PRT_PRCH_PO
* Database SELECT: > Try to replace with standard functionality using rule type "Read master data"
* Database SELECT: > or better, try using navigational attributes of the source object
```

```
* ----- End of Routine -----
Field Routine 0RT_DEPARTM: Sales Department (Retail) (00O2THW8XCZ1ZB9DXGBRJ9LJ3)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0RT_PURCHAR: Purchasing Area (Retail) (00O2THW8XCZ1ZB9DXGBRJ9RUN)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
```

```
>>>> Process Variant: ZSD_MD_SEA_COL_EXTRACT / ZNECFIL -> 0MAT_SALES (DTP_00O2THVXVZKSWLMT4NNWNRJ2H)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSWLMT4NNWNRJ2H)
```

```
>>>> Process Variant: IP_0MAT_PLANT_ATTR_FULL (ZPAK_18GPVUU01AK1MK7GBIBE6RCCK)
>>>> InfoPackage: IP_0MAT_PLANT_ATTR_FULL (ZPAK_18GPVUU01AK1MK7GBIBE6RCCK)
PSA load only
```

```
>>>> Process Variant: FULL - ZSD_MD_SEA_COL_EXTRACT (ZPAK_E8QTG0PJM8CC82JVVOQJS475W)
>>>> InfoPackage: FULL - ZSD_MD_SEA_COL_EXTRACT (ZPAK_E8QTG0PJM8CC82JVVOQJS475W)
PSA load only
```

```
>>>> Summary
Runtime: 0.14 sec
```

```
** Process Chain: Process Chain for Open Orders InfoCube (ZPC_OPEN_ORDER_CUBE)
```

```
>>>> Process Variant: ZAFSDDS1 -> ZSDC_OPN (DTP_00O2TGZDW7QEZXEEXS0OUZGY)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QEZXEEXS0OUZGY)
>>>> Target: Open Orders InfoCube (ZSDC_OPN)
>>> Source: AFS Sales Orders (ZAFSDDS1)
Click on details to edit Transformation (08QHAVKK1755JHPPU1OUF3X15DIGJXDT)
Click on details to show code (See Program GP00O2THW8XCZ3HK0A3IJDEUGOF)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HK0A3IJDEUGOF)
Click on details to run Code Inspector (GP00O2THW8XCZ3HK0A3IJDEUGOF)
Global Declarations: --- (00O2THW8XCZ3T3OC2SYUTJIFY)
Global Implementations: --- (00O2THW8XCZ3T3OC2SYUTJORI)
Start Routine: --- (00O2THW8XCZ3T3OC2SYUTJ5SU)
* ----- Begin of Routine -----
* -----
SELECT SINGLE * FROM /BIC/AZSD_O0400 INTO WA_AZSD_O0400 WHERE DOC_NUMBER = WA_SOURCE_PACKAGE-DOC_NUMBER AND S_ORD_ITEM =
* Database SELECT: Reading all columns (*) on small table
* Database SELECT: Reading DataStore Object table /BIC/AZSD_O0400
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* ----- End of Routine -----
Field Routine 0CO_AREA: --- (00O2THW8XCZ3T3OC2SYUTJV32)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0CURRENCY: --- (00O2THW8XCZ3T3OC2SYUTK1EM)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0CURRENCY: --- (00O2THW8XCZ3T3OC2SYUTK7Q6)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0SALES_UNIT: --- (00O2THW8XCZ3T3OC2SYUTKE1Q)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZTASQTYEA: --- (00O2THW8XCZ3T3OC2SYUTKKDA)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
End Routine: --- (00O2THW8XCZ3T3OC2SYUTC4E)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
```

```
>>>> Summary
Runtime: 3.84 sec
```

```
** Process Chain: Process Chain for Open Orders InfoCube - EMEA (ZPC_OPEN_ORDER_EMEA)
```

```
>>>> Process Variant: ZAFSDDS1 -> Z_OPN03 (DTP_00O2THVXVZKSOW45I6ZLEYTJ)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSOW45I6ZLEYTJ)
>>>> Target: Z_OPN_I (Z_OPN_I)
>>> Source: AFS Sales Orders (ZAFSDDS1)
Click on details to edit Transformation (0C7JVXG4036W2S35I9RVO6U5803IBXDE)
Click on details to show code (See Program GP00O2THW8XCZ3LMW5ED05JWGTF)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3LMW5ED05JWGTF)
Click on details to run Code Inspector (GP00O2THW8XCZ3LMW5ED05JWGTF)
Global Declarations: --- (00O2THW8XCZ3T3OC30ON4DTZZ)
Global Implementations: --- (00O2THW8XCZ3T3OC30ON4E0BJ)
Start Routine: --- (00O2THW8XCZ3T3OC30ON4DHCV)
* ----- Begin of Routine -----
* -----
SELECT SINGLE * FROM /BIC/AZSD_O0400 INTO WA_AZSD_O0400 WHERE DOC_NUMBER = WA_SOURCE_PACKAGE-DOC_NUMBER AND S_ORD_ITEM =
* Database SELECT: Reading all columns (*) on small table
```

```
* Database SELECT: Reading DataStore Object table /BIC/AZSD_O0400
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* ----- End of Routine -----
Field Routine 0CO_AREA: --- (00O2THW8XCZ3T3OC30ON4E6N3)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZOPNPGINV: --- (00O2THW8XCZ3T3OC30ON4ECYN)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZTASOPNLV: --- (00O2THW8XCZ3T3OC30ON4EJA7)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZTASOPN: --- (00O2THW8XCZ3T3OC30ON4EPLR)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
End Routine: --- (00O2THW8XCZ3T3OC30ON4DNOF)
* ----- Begin of Routine -----
* ----- End of Routine -----
CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-SALES_UNIT MATERIAL = <RESULT_FIELDS>-MATER
Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD
* ----- End of Routine -----
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
* ----- End of Routine -----
```

```
>>>> Summary
Runtime: 3.44 sec
```

```
** Process Chain: Process Chain for Open Orders Cube - Japan & Emerg (ZPC_OPEN_ORDER_EM_JAPAC)
```

```
>>>> Process Variant: ZAFSDDS1 -> Z_OPN05 (DTP_00O2THVXVZKUIN7RVVJSQIQFN)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUIN7RVVJSQIQFN)
>>>> Target: Z_OPN_I (Z_OPN_I)
>>> Source: AFS Sales Orders (ZAFSDDS1)
Click on details to edit Transformation (0C7JVXG4036W2S35I9RVO6U5803IBXDE)
Click on details to show code (See Program GP00O2THW8XCZ3LMW5ED05JWGTF)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3LMW5ED05JWGTF)
Click on details to run Code Inspector (GP00O2THW8XCZ3LMW5ED05JWGTF)
Global Declarations: --- (00O2THW8XCZ3T3OC30ON4DTZZ)
Global Implementations: --- (00O2THW8XCZ3T3OC30ON4E0BJ)
Start Routine: --- (00O2THW8XCZ3T3OC30ON4DHCV)
* ----- Begin of Routine -----
* ----- End of Routine -----
SELECT SINGLE * FROM /BIC/AZSD_O0400 INTO WA_AZSD_O0400 WHERE DOC_NUMBER = WA_SOURCE_PACKAGE-DOC_NUMBER AND S_ORD_ITEM =
* Database SELECT: Reading all columns (*) on small table
* Database SELECT: Reading DataStore Object table /BIC/AZSD_O0400
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* ----- End of Routine -----
Field Routine 0CO_AREA: --- (00O2THW8XCZ3T3OC30ON4E6N3)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZOPNPGINV: --- (00O2THW8XCZ3T3OC30ON4ECYN)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZTASOPNLV: --- (00O2THW8XCZ3T3OC30ON4EJA7)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZTASOPN: --- (00O2THW8XCZ3T3OC30ON4EPLR)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
End Routine: --- (00O2THW8XCZ3T3OC30ON4DNOF)
* ----- Begin of Routine -----
* ----- End of Routine -----
CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-SALES_UNIT MATERIAL = <RESULT_FIELDS>-MATER
Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD
* ----- End of Routine -----
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
* ----- End of Routine -----
```

```
>>>> Summary
Runtime: 0.07 sec
```

```
** Process Chain: Process Chain for Open Orders InfoCube - Japan (ZPC_OPEN_ORDER_JAPAN)
```

```
>>>> Process Variant: ZAFSDDS1 -> Z_OPN04 (DTP_00O2THVXVZKSOW45IHU5X77IF)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSOW45IHU5X77IF)
>>>> Target: Z_OPN_I (Z_OPN_I)
>>> Source: AFS Sales Orders (ZAFSDDS1)
Click on details to edit Transformation (0C7JVXG4036W2S35I9RVO6U5803IBXDE)
Click on details to show code (See Program GP00O2THW8XCZ3LMW5ED05JWGTF)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3LMW5ED05JWGTF)
Click on details to run Code Inspector (GP00O2THW8XCZ3LMW5ED05JWGTF)
Global Declarations: --- (00O2THW8XCZ3T3OC30ON4DTZZ)
Global Implementations: --- (00O2THW8XCZ3T3OC30ON4E0BJ)
Start Routine: --- (00O2THW8XCZ3T3OC30ON4DHCV)
* ----- Begin of Routine -----
* ----- End of Routine -----
```

```
SELECT SINGLE * FROM /BIC/AZSD_00400 INTO WA_AZSD_00400 WHERE DOC_NUMBER = WA_SOURCE_PACKAGE-DOC_NUMBER AND S_ORD_ITEM =
* Database SELECT: Reading all columns (*) on small table
* Database SELECT: Reading DataStore Object table /BIC/AZSD_00400
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* ----- End of Routine -----
Field Routine 0CO_AREA: --- (00O2THW8XCZ3T3OC30ON4E6N3)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZOPNPGINV: --- (00O2THW8XCZ3T3OC30ON4ECYN)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZTASOPNVL: --- (00O2THW8XCZ3T3OC30ON4EJA7)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZTASOPN: --- (00O2THW8XCZ3T3OC30ON4EPLR)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
End Routine: --- (00O2THW8XCZ3T3OC30ON4DNOF)
* ----- Begin of Routine -----
* ----- End of Routine -----
CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-SALES_UNIT MATERIAL = <RESULT_FIELDS>-MATER
Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD
* ----- End of Routine -----
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
* ----- End of Routine -----
```

```
>>>> Summary
Runtime: 0.09 sec
```

```
** Process Chain: Process Chain for Open Orders InfoCube - Japan (ZPC_OPEN_ORDER_JAPAN)
```

```
>>>> Process Variant: ZAFSDDS1 -> Z_OPN04 (DTP_00O2THVXVZKSOW45IHU5X77IF)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSOW45IHU5X77IF)
>>>> Target: Z_OPN_I (Z_OPN_I)
>>>> Source: AFS Sales Orders (ZAFSDDS1)
Click on details to edit Transformation (0C7JVXG4036W2S35I9RVO6U5803IBXDE)
Click on details to show code (See Program GP00O2THW8XCZ3LMW5ED05JWGTF)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3LMW5ED05JWGTF)
Click on details to run Code Inspector (GP00O2THW8XCZ3LMW5ED05JWGTF)
Global Declarations: --- (00O2THW8XCZ3T3OC30ON4DTZZ)
Global Implementations: --- (00O2THW8XCZ3T3OC30ON4E0BJ)
Start Routine: --- (00O2THW8XCZ3T3OC30ON4DHCV)
* ----- Begin of Routine -----
* ----- End of Routine -----
SELECT SINGLE * FROM /BIC/AZSD_00400 INTO WA_AZSD_00400 WHERE DOC_NUMBER = WA_SOURCE_PACKAGE-DOC_NUMBER AND S_ORD_ITEM =
* Database SELECT: Reading all columns (*) on small table
* Database SELECT: Reading DataStore Object table /BIC/AZSD_00400
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* ----- End of Routine -----
Field Routine 0CO_AREA: --- (00O2THW8XCZ3T3OC30ON4E6N3)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZOPNPGINV: --- (00O2THW8XCZ3T3OC30ON4ECYN)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZTASOPNVL: --- (00O2THW8XCZ3T3OC30ON4EJA7)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZTASOPN: --- (00O2THW8XCZ3T3OC30ON4EPLR)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
End Routine: --- (00O2THW8XCZ3T3OC30ON4DNOF)
* ----- Begin of Routine -----
* ----- End of Routine -----
CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-SALES_UNIT MATERIAL = <RESULT_FIELDS>-MATER
Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD
* ----- End of Routine -----
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
* ----- End of Routine -----
```

```
>>>> Summary
Runtime: 0.04 sec
```

```
** Process Chain: Process Chain for Order Header & Item Status (ZPC_ORDER_STATUS)
```

```
>>>> Process Variant: 2LIS_11_VAHDR / NEQ100 -> ZSD_O03 (DTP_00O2TGZDW7QD8YZX1A5GL4C7B)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8YZX1A5GL4C7B)
>>>> Target: Orders (ZSD_O03)
>>>> Source: Sales Document Header Data (2LIS_11_VAHDR NEQ100)
Click on details to edit Transformation (0K33IP1Q0P00BVQGZK31JZZNJVR973Q)
Click on details to show code (See Program GP00O2THW8XCZ3HJMRDDD3M1TOV)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HJMRDDD3M1TOV)
Click on details to run Code Inspector (GP00O2THW8XCZ3HJMRDDD3M1TOV)
Field Routine: Transfer Routine for Info Object0DOC_CATEG (CXEDHAYMVR5B5MMSDZD6MBIBR)
* ----- Begin of Routine -----
No issues found
```

* ----- End of Routine -----

```

>>>>> Process Variant: 2LIS_11_VASTH / NEQ100 -> ZSD_O03 (DTP_00O2TGZDW7QD8YZX2UVSLX80A)
>>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8YZX2UVSLX80A)
>>>>> Target: Orders (ZSD_O03)
>>>> Source: Sales Document Header Status (2LIS_11_VASTH NEQ100)
  >>>> Click on details to edit Transformation (0AAZQ2JUJRZIWIWBLH2DJFVMWDREAK01R)
  >>>> Click on details to show code (See Program GP00O2THW8XCZ3HJMRDKPOMWFWV)
  >>>> Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HJMRDKPOMWFWV)
  >>>> Click on details to run Code Inspector (GP00O2THW8XCZ3HJMRDKPOMWFWV)
  >>>> Field Routine: Transfer Routine for Info Object0DOC_CATEG (CXEDHAYMVR5B5MMSDZD6MBIBR)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
```

```

>>>>> Process Variant: ZVBUK / NEQ100 -> ZSD_O03 (DTP_00O2TGZDW7QD8YZX47ER60EKS)
>>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8YZX47ER60EKS)
>>>>> Target: Orders (ZSD_O03)
>>>> Source: Sales Document: Header Status (ZVBUK NEQ100)
  >>>> Click on details to edit Transformation (0R2GLKXUNDLANI8NDIEHPEQANZS7MBU)
  >>>> Click on details to show code (See Program GP00O2THW8XCZ3HJMRDKPOMWM8F)
  >>>> Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HJMRDKPOMWM8F)
  >>>> Click on details to run Code Inspector (GP00O2THW8XCZ3HJMRDKPOMWM8F)
  >>>> Field Routine: Transfer Routine for Info Object0DOC_CATEG (CXEDHAYMVR5B5MMSDZD6MBIBR)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
```

```

>>>>> Process Variant: 2LIS_11_VASTI / NEQ100 -> ZSD_O04 (DTP_00O2THVXVZKUM9G6JL3VQ61UF)
>>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUM9G6JL3VQ61UF)
>>>>> Target: Order Item Status (ZSD_O04)
>>>> Source: Sales Document Item Status (2LIS_11_VASTI NEQ100)
  >>>> Click on details to edit Transformation (0SR7OL7QVND6T10EIKH0002HQ5KOM5NX)
  >>>> Click on details to show code (See Program GP00O2THW8XCZ1YY2V58SVRL23O)
  >>>> Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1YY2V58SVRL23O)
  >>>> Click on details to run Code Inspector (GP00O2THW8XCZ1YY2V58SVRL23O)
  >>>> Field Routine: Transfer Routine for Info Object0DOC_CATEG (CXEDHAYMVR5B5MMSDZD6MBIBR)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
```

```

>>>>> Process Variant: 2LIS_11_VAHDR_DELTA_R/3 (0PAK_7KJ0AUHULDI7LURV6EH05DLXG)
>>>>> InfoPackage: 2LIS_11_VAHDR_DELTA_R/3 (0PAK_7KJ0AUHULDI7LURV6EH05DLXG)
PSA load only
```

```

>>>>> Process Variant: 2LIS_11_VASTH_DELTA_R/3 (0PAK_7ZG3C68071OWM21SO0FO1N41W)
>>>>> InfoPackage: 2LIS_11_VASTH_DELTA_R/3 (0PAK_7ZG3C68071OWM21SO0FO1N41W)
PSA load only
```

```

>>>>> Process Variant: 2LIS_11_VASTI_DELTA_R/3 (ZPAK_0WAO5FFQRY13DTXC11AC65PAC)
>>>>> InfoPackage: 2LIS_11_VASTI_DELTA_R/3 (ZPAK_0WAO5FFQRY13DTXC11AC65PAC)
PSA load only
```

```

>>>>> Process Variant: IP_ZVBUK_FULL (ZPAK_EO1IWJB6X0ZOPJO8EGX7HP16C)
>>>>> InfoPackage: IP_ZVBUK_FULL (ZPAK_EO1IWJB6X0ZOPJO8EGX7HP16C)
PSA load only
```

```

>>>>> Summary
>>>>> Runtime: 0.81 sec
```

** Process Chain: Process Chain for Product Hierarchy (ZPC_PH)

```

>>>>> Process Variant: IP_ZPRODH_ATTR_FULL (ZPAK_93OBIKPH6H4004ETKMECG7EIS)
>>>>> InfoPackage: IP_ZPRODH_ATTR_FULL (ZPAK_93OBIKPH6H4004ETKMECG7EIS)
PSA load only
```

```

>>>>> Process Variant: IP_ZPRODH_TEXT_FULL (ZPAK_6S1PNLKXW0E209ASKF0QIART0)
>>>>> InfoPackage: IP_ZPRODH_TEXT_FULL (ZPAK_6S1PNLKXW0E209ASKF0QIART0)
PSA load only
```

```

>>>>> Process Variant: ZPRODH_TEXT / NEQ100 -> Z_TEAM (DTP_00O2TGZDW7QE749DSPA41OGG)
>>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QE749DSPA41OGG)
>>>>> Target: Team (Z_TEAM)
>>>> Source: Product Hier (ZPRODH_TEXT NEQ100)
  >>>> Click on details to edit Transformation (0R5M5C8LBSOW17FYZJHLN51TBZRWB3FR)
  >>>> Click on details to show code (See Program GP00O2THW8XCZ1R8L6W5VM52KAH)
  >>>> Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R8L6W5VM52KAH)
  >>>> Click on details to run Code Inspector (GP00O2THW8XCZ1R8L6W5VM52KAH)
  >>>> Global Declarations: --- (00O2THW8XCZ3HTI9TRT6K586E)
  >>>> Global Implementations: --- (00O2THW8XCZ3HTI9TRT6K5EHY)
  >>>> Field Routine Z_TEAM: --- (00O2THW8XCZ3HTI9TRT6K5KTl)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
```

```

>>>>> Process Variant: ZPRODH_ATTR / NEQ100 -> Z_TEAM (DTP_00O2TGZDW7QE749BJBZ64MQ5)
>>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QE749BJBZ64MQ5)
>>>>> Target: Team (Z_TEAM)
>>>> Source: ZBW_PROD_H_ATT (ZPRODH_ATTR NEQ100)
  >>>> Click on details to edit Transformation (0LK3WS10G5PRAP1HF4CTW9G5UVCW7UII)
  >>>> Click on details to show code (See Program GP00O2THW8XCZ1R8L6WJ5PCWU2H)
  >>>> Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R8L6WJ5PCWU2H)
  >>>> Click on details to run Code Inspector (GP00O2THW8XCZ1R8L6WJ5PCWU2H)
  >>>> Global Declarations: --- (00O2THW8XCZ1R8L6W1HIKQMGn)
```

Global Implementations: --- (00O2THW8XCZ1R8L6W1HIKQSS7)

Field Routine Z_TEAM: --- (00O2THW8XCZ1R8L6W1HIKQZ3R)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

>>>> Process Variant: ZPRODH_TEXT / NEQ100 -> Z_SPORT (DTP_00O2TGZDW7QEZ7490TIEI48HQ)

>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QEZ7490TIEI48HQ)

>>>> Target: Sport (Z_SPORT)

>>> Source: Product Hier (ZPRODH_TEXT NEQ100)

Click on details to edit Transformation (0G6U1EXQ69W0BEY47DEGOW3K6JORPUL4)

Click on details to show code (See Program GP00O2THW8XCZ1R8L6WEB9DV2NT)

Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R8L6WEB9DV2NT)

Click on details to run Code Inspector (GP00O2THW8XCZ1R8L6WEB9DV2NT)

Global Declarations: --- (00O2THW8XCZ1R8L6W05GRB03B)

Global Implementations: --- (00O2THW8XCZ1R8L6W05GRB6EV)

Field Routine Z_SPORT: --- (00O2THW8XCZ1R8L6W05GRBCQF)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

>>>> Process Variant: ZPRODH_TEXT / NED100 -> Z_SPORT (DTP_00O2TGZDW7QEZ748YO12ZF7CO)

>>>> Data Transfer Process: ZPRODH_TEXT / NED100 -> Z_SPORT (DTP_00O2TGZDW7QEZ748YO12ZF7CO)

>>>> Target: Sport (Z_SPORT)

>>> Source: ZBW_PRODH_ATT (ZPRODH_ATTR NEQ100)

Click on details to edit Transformation (0RFBW9CCX7G2T08GXIBK2Y1U0YYWWURB)

Click on details to show code (See Program GP00O2THW8XCZ1R8L6W4K5VM721)

Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R8L6W4K5VM721)

Click on details to run Code Inspector (GP00O2THW8XCZ1R8L6W4K5VM721)

Global Declarations: --- (00O2THW8XCZ1R8L6W05GR6SDZ)

Global Implementations: --- (00O2THW8XCZ1R8L6W05GR6YPJ)

Field Routine Z_SPORT: --- (00O2THW8XCZ1R8L6W05GR7513)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

>>>> Process Variant: ZPRODH_TEXT / NEQ100 -> Z_SILH (DTP_00O2TGZDW7QEZ748MGCO6U8RP)

>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QEZ748MGCO6U8RP)

>>>> Target: Silhouette (Z_SILH)

>>> Source: Product Hier (ZPRODH_TEXT NEQ100)

Click on details to edit Transformation (0KAVSFPPP0WMAQ1Z6JW46D3BJDATKZ6G)

Click on details to show code (See Program GP00O2THW8XCZ1R8L6W8E8A1PA1)

Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R8L6W8E8A1PA1)

Click on details to run Code Inspector (GP00O2THW8XCZ1R8L6W8E8A1PA1)

Global Declarations: --- (00O2THW8XCZ1R8L6W05GR8D9Z)

Global Implementations: --- (00O2THW8XCZ1R8L6W05GR8JLJ)

Field Routine Z_SILH: --- (00O2THW8XCZ1R8L6W05GR8PX3)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

>>>> Process Variant: ZPRODH_ATTR / NEQ100 -> Z_SILH (DTP_00O2TGZDW7QEZ748FUV6JCQU3)

>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QEZ748FUV6JCQU3)

>>>> Target: Silhouette (Z_SILH)

>>> Source: ZBW_PRODH_ATT (ZPRODH_ATTR NEQ100)

Click on details to edit Transformation (09F029GVE6ZT7OMXMNI9FG6QND FNP2F0)

Click on details to show code (See Program GP00O2THW8XCZ1R8L6W8E8A1VLL)

Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R8L6W8E8A1VLL)

Click on details to run Code Inspector (GP00O2THW8XCZ1R8L6W8E8A1VLL)

Global Declarations: --- (00O2THW8XCZ1R8L6W05GR8W8N)

Global Implementations: --- (00O2THW8XCZ1R8L6W05GR92K7)

Field Routine Z_SILH: --- (00O2THW8XCZ1R8L6W05GR98VR)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

>>>> Process Variant: ZPRODH_TEXT / NEQ100 -> Z_SBU (DTP_00O2TGZDW7QEZ746W38LMWUPV)

>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QEZ746W38LMWUPV)

>>>> Target: SBU (Z_SBU)

>>> Source: Product Hier (ZPRODH_TEXT NEQ100)

Click on details to edit Transformation (0EJKYZSTA0JBMPPELSEXT9BG74O4IIT)

Click on details to show code (See Program GP00O2THW8XCZ1R8L6WGPAOO56H)

Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R8L6WGPAOO56H)

Click on details to run Code Inspector (GP00O2THW8XCZ1R8L6WGPAOO56H)

Global Declarations: --- (00O2THW8XCZ1R8L6W1HIKPKJB)

Global Implementations: --- (00O2THW8XCZ1R8L6W1HIKPQUV)

Field Routine Z_SBU: --- (00O2THW8XCZ1R8L6W1HIKPX6F)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

>>>> Process Variant: ZPRODH_ATTR / NEQ100 -> Z_SBU (DTP_00O2TGZDW7QEZ746U70TADFGG)

>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QEZ746U70TADFGG)

>>>> Target: SBU (Z_SBU)

>>> Source: ZBW_PRODH_ATT (ZPRODH_ATTR NEQ100)

Click on details to edit Transformation (0L0HVQ4AC1M5CRQD4V5XHFGQC2PDWA9Y)

Click on details to show code (See Program GP00O2THW8XCZ1R8L6WBRYR04BP5)

Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R8L6WBRYR04BP5)

Click on details to run Code Inspector (GP00O2THW8XCZ1R8L6WBRYR04BP5)

Global Declarations: --- (00O2THW8XCZ1R8L6W05GR9Y5Z)

Global Implementations: --- (00O2THW8XCZ1R8L6W05GRA4HJ)

Field Routine Z_SBU: --- (00O2THW8XCZ1R8L6W05GRAAT3)

* ----- Begin of Routine -----

No issues found

```

* ----- End of Routine -----
>>>>> Process Variant: ZPRODH_TEXT / NEQ100 -> Z_LOGO (DTP_00O2TGZDW7QEZ745Q4GEDNKNA)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QEZ745Q4GEDNKNA)
>>>> Target: Logo (Z_LOGO)
>>> Source: Product Hier (ZPRODH_TEXT NEQ100)
  Click on details to edit Transformation (08IAQDKPEFONLQ9H5FUN6C22GZTDCNGP)
  Click on details to show code (See Program GP00O2THW8XCZ1R8L6W1HIKR5FB)
  Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R8L6W1HIKR5FB)
  Click on details to run Code Inspector (GP00O2THW8XCZ1R8L6W1HIKR5FB)
  Global Declarations: --- (00O2THW8XCZ1R8L6W05GR69FB)
  Global Implementations: --- (00O2THW8XCZ1R8L6W05GR6FQV)
  Field Routine Z_LOGO: --- (00O2THW8XCZ1R8L6W05GR6M2F)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
```

```

>>>>> Process Variant: ZPRODH_ATTR / NEQ100 -> Z_LOGO (DTP_00O2TGZDW7QEZ745NIX8NUL37)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QEZ745NIX8NUL37)
>>>> Target: Logo (Z_LOGO)
>>> Source: ZBW_PRODH_ATT (ZPRODH_ATTR NEQ100)
  Click on details to edit Transformation (0LB0Q2J43R1UFZETCMM0J20379FZ12H7)
  Click on details to show code (See Program GP00O2THW8XCZ1R8L6WEB9DV8ZD)
  Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R8L6WEB9DV8ZD)
  Click on details to run Code Inspector (GP00O2THW8XCZ1R8L6WEB9DV8ZD)
  Global Declarations: --- (00O2THW8XCZ1R8L6W1HIKP1KN)
  Global Implementations: --- (00O2THW8XCZ1R8L6W1HIKP7W7)
  Field Routine Z_LOGO: --- (00O2THW8XCZ1R8L6W1HIKPE7R)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
```

```

>>>>> Process Variant: ZPRODH_TEXT / NEQ100 -> Z_LICENSE (DTP_00O2TGZDW7QEZ745CRLMQWJLE)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QEZ745CRLMQWJLE)
>>>> Target: License (Z_LICENSE)
>>> Source: Product Hier (ZPRODH_TEXT NEQ100)
  Click on details to edit Transformation (0OOLNYVDIC7SUY5Q4OK9PKA5OFF3AZJJ)
  Click on details to show code (See Program GP00O2THW8XCZ1R8L6W5VM52QM1)
  Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R8L6W5VM52QM1)
  Click on details to run Code Inspector (GP00O2THW8XCZ1R8L6W5VM52QM1)
  Global Declarations: --- (00O2THW8XCZ1R8L6W05GR7UBB)
  Global Implementations: --- (00O2THW8XCZ1R8L6W05GR80MV)
  Field Routine Z_LICENSE: --- (00O2THW8XCZ1R8L6W05GR86YF)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
```

```

>>>>> Process Variant: ZPRODH_ATTR / NEQ100 -> Z_LICENSE (DTP_00O2TGZDW7QEZ744ZASWH115O)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QEZ744ZASWH115O)
>>>> Target: License (Z_LICENSE)
>>> Source: ZBW_PRODH_ATT (ZPRODH_ATTR NEQ100)
  Click on details to edit Transformation (07GW3FXRPTHAC6CEOUSYLHA0FT1UT5TR)
  Click on details to show code (See Program GP00O2THW8XCZ1R8L6WBYR04I0P)
  Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R8L6WBYR04I0P)
  Click on details to run Code Inspector (GP00O2THW8XCZ1R8L6WBYR04I0P)
  Global Declarations: --- (00O2THW8XCZ1R8L6W05GRAH4N)
  Global Implementations: --- (00O2THW8XCZ1R8L6W05GRANG7)
  Field Routine Z_LICENSE: --- (00O2THW8XCZ1R8L6W05GRATTR)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
```

```

>>>>> Process Variant: ZPRODH_TEXT / NEQ100 -> 0GENDER (DTP_00O2TGZDW7QEZ6U4E5SEMF35D)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QEZ6U4E5SEMF35D)
>>>> Target: Gender (0GENDER)
>>> Source: Product Hier (ZPRODH_TEXT NEQ100)
  Click on details to edit Transformation (0RRTH99GSLMBT4DQGJONR16EHAGTOYRE)
  Click on details to show code (See Program GP00O2THW8XCZ1R8L6WGPAOOB1)
  Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R8L6WGPAOOB1)
  Click on details to run Code Inspector (GP00O2THW8XCZ1R8L6WGPAOOB1)
  Global Declarations: --- (00O2THW8XCZ1R8L6W1HIKQ3HZ)
  Global Implementations: --- (00O2THW8XCZ1R8L6W1HIKQ9TJ)
  Field Routine 0GENDER: --- (00O2THW8XCZ1R8L6W1HIKQG53)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
```

```

>>>>> Process Variant: ZPRODH_ATTR / NEQ100 -> 0GENDER (DTP_00O2TGZDW7QEZ6U2CDP2L0ILT)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QEZ6U2CDP2L0ILT)
>>>> Target: Gender (0GENDER)
>>> Source: ZBW_PRODH_ATT (ZPRODH_ATTR NEQ100)
  Click on details to edit Transformation (08PYW50LFZ1CH2WICU6FC6UKREPKGV64)
  Click on details to show code (See Program GP00O2THW8XCZ1R8L6WAUSTMEK9)
  Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R8L6WAUSTMEK9)
  Click on details to run Code Inspector (GP00O2THW8XCZ1R8L6WAUSTMEK9)
  Global Declarations: --- (00O2THW8XCZ1R8L6W05GR9F7B)
  Global Implementations: --- (00O2THW8XCZ1R8L6W05GR9LIV)
  Field Routine 0GENDER: --- (00O2THW8XCZ1R8L6W05GR9RUF)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
```

```

>>>>> Summary
  Runtime: 1.41 sec
```

```

❏ ** Process Chain: Process Chain for PSA and Change Log Deletion (ZPC_PSA_CL_DEL)

❏ >>>> Summary
❏ Runtime: 0.00 sec

❏ ** Process Chain: PC for delete PSA & CL tables (ZPC_PSA_CL_DEL_TEST)

❏ >>>> Summary
❏ Runtime: 0.00 sec

❏ ** Process Chain: Process Chain for PSA Deletion (ZPC_PSA_DEL)

❏ >>>> Summary
❏ Runtime: 0.00 sec

❏ ** Process Chain: Process Chain for Retail, Brazil & Japan Sales & O (ZPC_RBJ_SAOO)

❏ >>>> Process Variant: ZBRAZIL_DATA / ZNECFIL -> ZBJ_OPEN (DTP_0002THVXVZKSOM7BRKPJN9DU6)
❏ >>>> Data Transfer Process: No description (DTP_0002THVXVZKSOM7BRKPJN9DU6)

❏ >>>> Process Variant: ZBRAZIL_DATA / ZNECFIL -> ZBJ_SALES (DTP_0002THVXVZKSOM7CEE0WBO03B)
❏ >>>> Data Transfer Process: No description (DTP_0002THVXVZKSOM7CEE0WBO03B)

❏ >>>> Process Variant: ZJAPAN_SALES_DATA / ZNECFIL -> ZBJ_SALES (DTP_0002THVXVZKUEWPHF7NNXL1CJ)
❏ >>>> Data Transfer Process: No description (DTP_0002THVXVZKUEWPHF7NNXL1CJ)

❏ >>>> Process Variant: ZRETAIL_DATA_KOREA / ZNECFIL -> ZRETAIL (DTP_0002THVXVZKUMBAG7BW3XNYD5)
❏ >>>> Data Transfer Process: No description (DTP_0002THVXVZKUMBAG7BW3XNYD5)

❏ >>>> Process Variant: ZSD_RP01 -> ZRETAIL (DTP_0002THVXVZKUMC9NND0KX03KZ)
❏ >>>> Data Transfer Process: No description (DTP_0002THVXVZKUMC9NND0KX03KZ)
❏ >>>> Target: Retail (ZRETAIL)
❏ >>>> Source: Retail Pro POS Data (ZSD_RP01)
❏ Click on details to edit Transformation (0NCSCYSBC1GNHL4K8DGC05RET3ECF7D)
❏ Click on details to show code (See Program GP0002THW8XCZ1Z0UX3T25HK4O5)
❏ Click on details to run Ext. Syntax Check (GP0002THW8XCZ1Z0UX3T25HK4O5)
❏ Click on details to run Code Inspector (GP0002THW8XCZ1Z0UX3T25HK4O5)
❏ Global Declarations: --- (0002THW8XCZ3PHWVDHWR6XV0X)
❏ Global Implementations: --- (0002THW8XCZ3PHWVDHWR6Y1CH)
❏ Field Routine 0SALESORG: --- (0002THW8XCZ3PHWVDHWR6YDZL)
❏ * ----- Begin of Routine -----
❏ No issues found
❏ * ----- End of Routine -----

❏ >>>> Process Variant: Load ZBRAZIL_DATA ZNECFIL (ZPAK_0TT7V3H4G2WMKH13T79I6ULAC)
❏ >>>> InfoPackage: Load ZBRAZIL_DATA ZNECFIL (ZPAK_0TT7V3H4G2WMKH13T79I6ULAC)
❏ PSA load only

❏ >>>> Process Variant: Load ZJAPAN_SALES_DATA ZNECFIL (ZPAK_32QQCE382JO3IVG6LHM8P43T0)
❏ >>>> InfoPackage: Load ZJAPAN_SALES_DATA ZNECFIL (ZPAK_32QQCE382JO3IVG6LHM8P43T0)
❏ PSA load only

❏ >>>> Process Variant: FULL - ZRETAIL_DATA_KOREA (ZPAK_CKWTB09CCLWL7BRTPT6R68090)
❏ >>>> InfoPackage: FULL - ZRETAIL_DATA_KOREA (ZPAK_CKWTB09CCLWL7BRTPT6R68090)
❏ PSA load only

❏ >>>> Summary
❏ Runtime: 0.73 sec

❏ ** Process Chain: Process Chain for Retail Pro Delta Load (ZPC_RP_DELTA_DATA)

❏ >>>> Process Variant: 6DB_RP_PRD_REC_STOCK_ADJ_V / RPROODSPRD -> ZSD_RPC (DTP_0002THVXVZKUJ7M4C6KDHR5JP)
❏ >>>> Data Transfer Process: No description (DTP_0002THVXVZKUJ7M4C6KDHR5JP)
❏ >>>> Target: Retail Pro Store Stock Levels (ZSD_RPC04)
❏ >>>> Source: Database: RPROODSPRD Table: RP_PRD_REC_STOCK_ADJ_V (6DB_RP_PRD_REC_STOCK_ADJ_V RPROODSPRD)
❏ Click on details to edit Transformation (0ISBNE54HZOZTH0B80BQS7ZYD4FY574T)
❏ Click on details to show code (See Program GP0002THW8XCZ1VWQ9L2JKXU86D)
❏ Click on details to run Ext. Syntax Check (GP0002THW8XCZ1VWQ9L2JKXU86D)
❏ Click on details to run Code Inspector (GP0002THW8XCZ1VWQ9L2JKXU86D)
❏ Global Declarations: --- (0002THW8XCZ1Z6RNP193DL91X)
❏ Global Implementations: --- (0002THW8XCZ1Z6RNP193DLFDH)
❏ Field Routine 0CUSTOMER: --- (0002THW8XCZ1Z6RNP193DLYC5)
❏ * ----- Begin of Routine -----
❏ No issues found
❏ * ----- End of Routine -----
❏ End Routine: --- (0002THW8XCZ1Z6RNP193DL2QD)
❏ * ----- Begin of Routine -----
❏ No issues found
❏ * ----- End of Routine -----

❏ >>>> Process Variant: 6DB_RP_PRD_MAT_INV_SEA_COL / RPROODSPRD -> ZMAT_DA (DTP_0002THVXVZKUMBAYJWDXSLS5DK)
❏ >>>> Data Transfer Process: No description (DTP_0002THVXVZKUMBAYJWDXSLS5DK)
❏ >>>> Target: Material Sold-Received Dates (ZMAT_DATE)
❏ >>>> Source: Database: RPROODSPRD Table: RP_PRD_MAT_INV_SEA_COL (6DB_RP_PRD_MAT_INV_SEA_COL RPROODSPRD)
❏ Click on details to edit Transformation (0EMAVAJ127SS91UA7DX8M0R2BJS6VM9M)
❏ Click on details to show code (See Program GP0002THW8XCZ3PB5IW5ACFYJQP)
❏ Click on details to run Ext. Syntax Check (GP0002THW8XCZ3PB5IW5ACFYJQP)
❏ Click on details to run Code Inspector (GP0002THW8XCZ3PB5IW5ACFYJQP)
❏ Global Declarations: --- (0002THW8XCZ1Z0SFA7VXA0JW9)
❏ Global Implementations: --- (0002THW8XCZ1Z0SFA7VXA0Q7T)
❏ Field Routine 0CUSTOMER: --- (0002THW8XCZ1Z0SFA7VXA0WJD)
❏ * ----- Begin of Routine -----
❏ No issues found
```

* ----- End of Routine -----

Process Variant: DELTA - 6DB_RP_PRD_ISS_STOCK_V (ZPAK_43ZO1HRR0FM3BHPEN0BA5SBB8)

InfoPackage: DELTA - 6DB_RP_PRD_ISS_STOCK_V (ZPAK_43ZO1HRR0FM3BHPEN0BA5SBB8)

PSA load only

Process Variant: DELTA - 6DB_RP_PRD_VOU_DELTA_V (ZPAK_5BEOCUNQ3BH5QK03AJHD4JARO)

InfoPackage: DELTA - 6DB_RP_PRD_VOU_DELTA_V (ZPAK_5BEOCUNQ3BH5QK03AJHD4JARO)

PSA load only

Process Variant: DELTA - 6DB_RP_PRD_SLIP_DELTA_V (ZPAK_6BEZSE6JY838T0U9BBZUR7DXG)

InfoPackage: DELTA - 6DB_RP_PRD_SLIP_DELTA_V (ZPAK_6BEZSE6JY838T0U9BBZUR7DXG)

PSA load only

Process Variant: FULL/DELTA - 6DB_RP_PRD_MAT_RECEIVED_DATES (ZPAK_7VI8RF64VMA0SOHWS2R4YPNIC)

InfoPackage: FULL/DELTA - 6DB_RP_PRD_MAT_RECEIVED_DATES (ZPAK_7VI8RF64VMA0SOHWS2R4YPNIC)

PSA load only

Process Variant: FULL/DELTA - 6DB_RP_PRD_MAT_SOLD_DATE (ZPAK_7ZRP233BMDRD30V17E66NCXTW)

InfoPackage: FULL/DELTA - 6DB_RP_PRD_MAT_SOLD_DATE (ZPAK_7ZRP233BMDRD30V17E66NCXTW)

PSA load only

Process Variant: DELTA - 6DB_RP_PRD_REC_STOCK_V (ZPAK_9MXAT61VADXNWDSKACWNT0LDW)

InfoPackage: DELTA - 6DB_RP_PRD_REC_STOCK_V (ZPAK_9MXAT61VADXNWDSKACWNT0LDW)

PSA load only

Process Variant: FULL - 6DB_RP_PRD_MAT_INV_SEA_COL (ZPAK_9QRN7698R0JAR7UBWTVAHZ9S4)

InfoPackage: FULL - 6DB_RP_PRD_MAT_INV_SEA_COL (ZPAK_9QRN7698R0JAR7UBWTVAHZ9S4)

PSA load only

Process Variant: DELTA - 6DB_RP_PRD_REC_STOCK_SLIP_V (ZPAK_AYMLQ2KGJOHE2MPZSSS0J96S)

InfoPackage: DELTA - 6DB_RP_PRD_REC_STOCK_SLIP_V (ZPAK_AYMLQ2KGJOHE2MPZSSS0J96S)

PSA load only

Process Variant: DELTA - 6DB_RP_PRD_REC_STOCK_ADJ_V (ZPAK_B240LMHNISBNLZ8RFLIO4BF44)

InfoPackage: DELTA - 6DB_RP_PRD_REC_STOCK_ADJ_V (ZPAK_B240LMHNISBNLZ8RFLIO4BF44)

PSA load only

Process Variant: FULL - 6DB_RP_PRD_RRICE_V (ZPAK_C2P2YMIZFRU6E4R8GZIMOMXXG)

InfoPackage: FULL - 6DB_RP_PRD_RRICE_V (ZPAK_C2P2YMIZFRU6E4R8GZIMOMXXG)

PSA load only

Process Variant: FULL - 6DB_RP_PRD_POS_DELTA_V (ZPAK_CMHV67PAIME6SY0X5Z97R29TW)

InfoPackage: FULL - 6DB_RP_PRD_POS_DELTA_V (ZPAK_CMHV67PAIME6SY0X5Z97R29TW)

PSA load only

Process Variant: FULL - 6DB_RP_PRD_PORD_V (ZPAK_DVG1JGWG0V3XM9WMOXFVOEEKK)

InfoPackage: FULL - 6DB_RP_PRD_PORD_V (ZPAK_DVG1JGWG0V3XM9WMOXFVOEEKK)

PSA load only

Process Variant: ZSD_RP01 -> ZSD_RPC01 (DTP_00O2THVXVZKSS56FECOV6JQOT)

Data Transfer Process: No description (DTP_00O2THVXVZKSS56FECOV6JQOT)

Target: Retail Pro Point of Sale (ZSD_RPC01)

Source: Retail Pro POS Data (ZSD_RP01)

Click on details to edit Transformation (0H64F5OBBR0AMZI4INN25UHPS3P1RZO4)

Click on details to show code (See Program GP00O2THW8XCZ1V6F2JD0JFG1RP)

Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1V6F2JD0JFG1RP)

Click on details to run Code Inspector (GP00O2THW8XCZ1V6F2JD0JFG1RP)

Global Declarations: --- (00O2THW8XCZ3PMWGWYUMZRC3R)

Global Implementations: --- (00O2THW8XCZ3PMWGWYUMZRIFB)

End Routine: --- (00O2THW8XCZ3PMWGWYUMZR5S7)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Process Variant: ZSD_RP03 -> ZSD_RPC03 (DTP_00O2THVXVZKSS56G4R5W7RCP8)

Data Transfer Process: No description (DTP_00O2THVXVZKSS56G4R5W7RCP8)

Target: Retail Pro Purchase Orders (ZSD_RPC03)

Source: Retail Pro Purchase Order Data (ZSD_RP03)

Click on details to edit Transformation (07PGC7GTY6HT2EG64UVM65KBMLTUQNMT)

Click on details to show code (See Program GP00O2THW8XCZ1V6H9SRX2QGCU0)

Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1V6H9SRX2QGCU0)

Click on details to run Code Inspector (GP00O2THW8XCZ1V6H9SRX2QGCU0)

Global Declarations: --- (00O2THW8XCZ1Z6RNMJHVXB7YO)

Global Implementations: --- (00O2THW8XCZ1Z6RNMJHVXBEA8)

End Routine: --- (00O2THW8XCZ1Z6RNMJHVXB1N4)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Process Variant: 6DB_RP_PRD_POS_DELTA_V / RPROODSPRD -> ZSD_RP01 (DTP_00O2THVXVZKSS5C95GPL7RDNS)

Data Transfer Process: No description (DTP_00O2THVXVZKSS5C95GPL7RDNS)

Target: Retail Pro POS Data (ZSD_RP01)

Source: Database: RPROODSPRD Table: RP_PRD_POS_DELTA_V (6DB_RP_PRD_POS_DELTA_V RPROODSPRD)

Click on details to edit Transformation (052WZ60O856D24TF2SN92ECAQSTLNCWM)

Click on details to show code (See Program GP00O2THVXVZKSS5C8D9B6QFHKH)

Click on details to run Ext. Syntax Check (GP00O2THVXVZKSS5C8D9B6QFHKH)

Click on details to run Code Inspector (GP00O2THVXVZKSS5C8D9B6QFHKH)

Global Declarations: --- (00O2THW8XCZ3PHWVDFFU14RIP)

Global Implementations: --- (00O2THW8XCZ3PHWVDFFU14XU9)

Start Routine: --- (00O2THW8XCZ3PHWVDFFU14L75)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Field Routine ZRPVOUTYP --- (00O2THW8XCZ3PHWVDFU15AHD)	
* ----- Begin of Routine -----	
No issues found	
* ----- End of Routine -----	
Field Routine 0CUSTOMER: --- (00O2THW8XCZ3PHWVDFU15GSX)	
* ----- Begin of Routine -----	
No issues found	
* ----- End of Routine -----	
>>>> Process Variant: 6DB_RP_PRD_ISS_STOCK_V / RPROODSPRD -> ZSD_RPC04 (DTP_00O2THVXVZKSS69785ACU5WEO)	
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSS69785ACU5WEO)	
>>>> Target: Retail Pro Store Stock Levels (ZSD_RPC04)	
>>> Source: Database: RPROODSPRD Table: RP_PRD_ISS_STOCK_V (6DB_RP_PRD_ISS_STOCK_V RPROODSPRD)	
Click on details to edit Transformation (053GAT24ZOYK5GN7Q274OQ70MT3DPVOL)	
Click on details to show code (See Program GP00O2THW8XCZ1V6HNBUEAN8B6LZ)	
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1V6HNBUEAN8B6LZ)	
Click on details to run Code Inspector (GP00O2THW8XCZ1V6HNBUEAN8B6LZ)	
Global Declarations: --- (00O2THW8XCZ1Z6RNPI93DIYVP)	
Global Implementations: --- (00O2THW8XCZ1Z6RNPI93DJ579)	
Start Routine: --- (00O2THW8XCZ1Z6RNPI93DIM8L)	
* ----- Begin of Routine -----	
No issues found	
* ----- End of Routine -----	
Field Routine 0CUSTOMER: --- (00O2THW8XCZ1Z6RNPI93DJO5X)	
* ----- Begin of Routine -----	
No issues found	
* ----- End of Routine -----	
Field Routine ZRPVOUTYP: --- (00O2THW8XCZ1Z6RNPI93DJUHH)	
* ----- Begin of Routine -----	
No issues found	
* ----- End of Routine -----	
End Routine: --- (00O2THW8XCZ1Z6RNPI93DISK5)	
* ----- Begin of Routine -----	
No issues found	
* ----- End of Routine -----	
>>>> Process Variant: 6DB_RP_PRD_VOU_DELTA_V / RPROODSPRD -> ZSD_RP03 (DTP_00O2THVXVZKSS6WDPGQSSUI92)	
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSS6WDPGQSSUI92)	
>>>> Target: Retail Pro Purchase Order Data (ZSD_RP03)	
>>> Source: Database: RPROODSPRD Table: RP_PRD_VOU_DELTA_V (6DB_RP_PRD_VOU_DELTA_V RPROODSPRD)	
Click on details to edit Transformation (0NXZT2BQEFTT9AZP8L117MIR0EPIJQJ9)	
Click on details to show code (See Program GP00O2THW8XCZ1V6HLL9EX7TR5U)	
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1V6HLL9EX7TR5U)	
Click on details to run Code Inspector (GP00O2THW8XCZ1V6HLL9EX7TR5U)	
Global Declarations: --- (00O2THW8XCZ1Z6RNMNPLFCF0W)	
Global Implementations: --- (00O2THW8XCZ1Z6RNMNPLFCLCG)	
Field Routine 0CUSTOMER: --- (00O2THW8XCZ1Z6RNMNPLFCXZK)	
* ----- Begin of Routine -----	
No issues found	
* ----- End of Routine -----	
>>>> Process Variant: 6DB_RP_PRD_REC_STOCK_V / RPROODSPRD -> ZSD_RPC04 (DTP_00O2THVXVZKSS6WHGBCCOC3J5)	
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSS6WHGBCCOC3J5)	
>>>> Target: Retail Pro Store Stock Levels (ZSD_RPC04)	
>>> Source: Database: RPROODSPRD Table: RP_PRD_REC_STOCK_V (6DB_RP_PRD_REC_STOCK_V RPROODSPRD)	
Click on details to edit Transformation (0RS2M2WI7CNX3L5ZD4L0EYNJOAW0XQQU)	
Click on details to show code (See Program GP00O2THW8XCZ1V6HRP3N0TWWUF)	
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1V6HRP3N0TWWUF)	
Click on details to run Code Inspector (GP00O2THW8XCZ1V6HRP3N0TWWUF)	
Global Declarations: --- (00O2THW8XCZ1Z6RNPK9QYRTW5)	
Global Implementations: --- (00O2THW8XCZ1Z6RNPK9QYS07P)	
Field Routine 0CUSTOMER: --- (00O2THW8XCZ1Z6RNPK9QYSPHX)	
* ----- Begin of Routine -----	
No issues found	
* ----- End of Routine -----	
End Routine: --- (00O2THW8XCZ1Z6RNPK9QYRNKL)	
* ----- Begin of Routine -----	
No issues found	
* ----- End of Routine -----	
>>>> Process Variant: 6DB_RP_PRD_RRICE_V / RPROODSPRD -> ZRP_PRCNG (DTP_00O2THVXVZKSSLOCIWSF1LO05)	
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSSLOCIWSF1LO05)	
>>>> Process Variant: 6DB_RP_PRD_SLIP_DELTA_V / RPROODSPRD -> ZSD_RP03 (DTP_00O2THVXVZKSSVX9S1QGRH296)	
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSSVX9S1QGRH296)	
>>>> Target: Retail Pro Purchase Order Data (ZSD_RP03)	
>>> Source: Database: RPROODSPRD Table: RP_PRD_SLIP_DELTA_V (6DB_RP_PRD_SLIP_DELTA_V RPROODSPRD)	
Click on details to edit Transformation (00HDT7DE79KK1NI8JAM6OQ9VWGS44YHF)	
Click on details to show code (See Program GP00O2THW8XCZ1VVHXLJZOCAJ5B)	
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1VVHXLJZOCAJ5B)	
Click on details to run Code Inspector (GP00O2THW8XCZ1VVHXLJZOCAJ5B)	
Global Declarations: --- (00O2THW8XCZ1Z6RNMJHVX9ZPS)	
Global Implementations: --- (00O2THW8XCZ1Z6RNMJHVXA61C)	
Field Routine 0CUSTOMER: --- (00O2THW8XCZ1Z6RNMJHVXAI0G)	
* ----- Begin of Routine -----	
No issues found	
* ----- End of Routine -----	
>>>> Process Variant: 6DB_RP_PRD_PORD_V / RPROODSPRD -> ZSD_RPC05 (DTP_00O2THVXVZKSSVZB0G0O5W7SU)	
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSSVZB0G0O5W7SU)	
>>>> Target: Retail Pro Open Orders (ZSD_RPC05)	
>>> Source: Database: RPROODSPRD Table: RP_PRD_PORD_V (6DB_RP_PRD_PORD_V RPROODSPRD)	
Click on details to edit Transformation (0ALFGVMB1H3LURZ72DXORXTTDDVYK1IR)	
Click on details to show code (See Program GP00O2THW8XCZ1VVHXM3JMTSX2Q)	

```
Click on details to run Ext. Syntax Check (GP0002THW8XCZ1VVHXM3JMTSX2Q)
Click on details to run Code Inspector (GP0002THW8XCZ1VVHXM3JMTSX2Q)
Global Declarations: --- (0002THW8XCZ1Z6RNUGT4YRLZY)
Global Implementations: --- (0002THW8XCZ1Z6RNUGT4YRSBI)
Field Routine 0CUSTOMER: --- (0002THW8XCZ1Z6RNUGT4YSBA6)
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
End Routine: --- (0002THW8XCZ1Z6RNUGT4YRFOE)
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
```

```
>>>>> Process Variant: ZIC_COPA -> ZSD_RPC01 (DTP_0002THVXVZKSVZ9Y85OMXGKAH)
>>>>> Data Transfer Process: No description (DTP_0002THVXVZKSVZ9Y85OMXGKAH)
>>>>> Target: Retail Pro Point of Sale (ZSD_RPC01)
>>>> Source: NEC COPA (ZIC_COPA)
```

```
Click on details to edit Transformation (047HR5L06F5AZJDJ4X2C54NEISWNBTFH)
Click on details to show code (See Program GP0002THW8XCZ3P90ZSBVVCTGCK)
Click on details to run Ext. Syntax Check (GP0002THW8XCZ3P90ZSBVVCTGCK)
Click on details to run Code Inspector (GP0002THW8XCZ3P90ZSBVVCTGCK)
Global Declarations: --- (0002THW8XCZ3PMWGWXD9GKSG7)
Global Implementations: --- (0002THW8XCZ3PMWGWXD9GKYRFR)
Field Routine ZSBS_NO: --- (0002THW8XCZ3PMWGWXD9GL53B)
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
Field Routine 0AF_GRDVAL: --- (0002THW8XCZ3PMWGWXD9GLBEV)
* ----- Begin of Routine -----
* -----
```

```
SELECT SINGLE BILL_NUM MATERIAL AF_GRDVAL BILL_ITEM FROM /BIC/AZSD_O0600 INTO (WA_ZSD_O06-BILL_NUM, WA_ZSD_O06-MATERIAL,
* Database SELECT: Reading DataStore Object table /BIC/AZSD_O0600
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* Database SELECT: Database access inside field routine
* Database SELECT: > Move statement to start routine
```

```
* ----- End of Routine -----
Field Routine ZRPVOUTYP: --- (0002THW8XCZ3PMWGWXD9GLHQF)
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
End Routine: --- (0002THW8XCZ3PMWGWXD9GKM4N)
* ----- Begin of Routine -----
* -----
```

```
CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-BASE_UOM MATERIAL = <RESULT_FIELDS>-MATERIA
Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD
```

```
* ----- End of Routine -----
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
* ----- End of Routine -----
```

```
>>>>> Process Variant: 6DB_RP_PRD_MAT_RECEIVED_DATES / RPROODSPRD -> ZMAT (DTP_0002THVXVZKSVZA1P8XAO9LEL)
>>>>> Data Transfer Process: No description (DTP_0002THVXVZKSVZA1P8XAO9LEL)
>>>>> Target: Material Sold-Received Dates (ZMAT_DATE)
>>>> Source: Database: RPROODSPRD Table: RP_PRD_MAT_RECEIVED_DA (6DB_RP_PRD_MAT_RECEIVED_DATES RPROODSPRD)
```

```
Click on details to edit Transformation (0KSKT2A2V1JRWUA220T9D3JDR7X11S5Z)
Click on details to show code (See Program GP0002THW8XCZ3P90ZBUQW0W7VO)
Click on details to run Ext. Syntax Check (GP0002THW8XCZ3P90ZBUQW0W7VO)
Click on details to run Code Inspector (GP0002THW8XCZ3P90ZBUQW0W7VO)
Global Declarations: --- (0002THW8XCZ1Z0SFACAZXBCU1)
Global Implementations: --- (0002THW8XCZ1Z0SFACAZXB5L)
Field Routine 0CUSTOMER: --- (0002THW8XCZ1Z0SFACAZBPH5)
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
```

```
>>>>> Process Variant: 6DB_RP_PRD_MAT_SOLD_DATE / RPROODSPRD -> ZMAT_DATE (DTP_0002THVXVZKSVZA1Q21GJOEXP)
>>>>> Data Transfer Process: No description (DTP_0002THVXVZKSVZA1Q21GJOEXP)
>>>>> Target: Material Sold-Received Dates (ZMAT_DATE)
>>>> Source: Database: RPROODSPRD Table: RP_PRD_MAT_SOLD_DATE (6DB_RP_PRD_MAT_SOLD_DATE RPROODSPRD)
```

```
Click on details to edit Transformation (0KACHES4HRR18YBNUZLTHXV7JWYXQJF)
Click on details to show code (See Program GP0002THW8XCZ3P90ZBPT7HZX7O)
Click on details to run Ext. Syntax Check (GP0002THW8XCZ3P90ZBPT7HZX7O)
Click on details to run Code Inspector (GP0002THW8XCZ3P90ZBPT7HZX7O)
Global Declarations: --- (0002THW8XCZ1Z0SFAAFKP25RT)
Global Implementations: --- (0002THW8XCZ1Z0SFAAFKP2C3D)
Field Routine 0CUSTOMER: --- (0002THW8XCZ1Z0SFAAFKP2IEX)
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
```

```
>>>>> Process Variant: 6DB_RP_PRD_REC_STOCK_SLIP_V / RPROODSPRD -> ZSD_RP (DTP_0002THVXVZKUJ5ZZJWF34SCXF)
>>>>> Data Transfer Process: No description (DTP_0002THVXVZKUJ5ZZJWF34SCXF)
>>>>> Target: Retail Pro Store Stock Levels (ZSD_RPC04)
>>>> Source: Database: RPROODSPRD Table: RP_PRD_REC_STOCK_SLIP_ (6DB_RP_PRD_REC_STOCK_SLIP_V RPROODSPRD)
```

```
Click on details to edit Transformation (0D838MTHSC04MASEC3HYXDVOLSY4H8MD)
Click on details to show code (See Program GP0002THW8XCZ1VVHXM6TUEQPV6)
Click on details to run Ext. Syntax Check (GP0002THW8XCZ1VVHXM6TUEQPV6)
Click on details to run Code Inspector (GP0002THW8XCZ1VVHXM6TUEQPV6)
Global Declarations: --- (0002THW8XCZ1Z6RNPI93DK74L)
Global Implementations: --- (0002THW8XCZ1Z6RNPI93DKDG5)
Field Routine 0CUSTOMER: --- (0002THW8XCZ1Z6RNPI93DKWET)
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
End Routine: --- (0002THW8XCZ1Z6RNPI93DK0T1)
```

*-----	Begin of Routine -----
No issues found	
*-----	End of Routine -----
>>>> Summary	
Runtime: 3.86 sec	
** Process Chain: Process Chain to Start Retail Pro Delta Load (ZPC_RP_DELTA_START)	
>>>> Summary	
Runtime: 0.00 sec	
** Process Chain: Retail Pro Weekly Full Inventory Load (ZPC_RP_FULL_INVN_LOAD)	
>>>> Process Variant: 6DB_RP_PRD_OH_V / RPROODSPRD -> ZSD_RPC04 (DTP_00O2THVXVZKUJ5ZXJH6LZBJSC)	
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUJ5ZXJH6LZBJSC)	
>>>> Target: Retail Pro Store Stock Levels (ZSD_RPC04)	
>>> Source: Database: RPROODSPRD Table: RP_PRD_OH_V (6DB_RP_PRD_OH_V RPROODSPRD)	
Click on details to edit Transformation (0KEBF8WH72LSIBDHCAV8XOLGAS42URFT)	
Click on details to show code (See Program GP00O2THW8XCZ1VVHXMBKB1LOC2)	
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1VVHXMBKB1LOC2)	
Click on details to run Code Inspector (GP00O2THW8XCZ1VVHXMBKB1LOC2)	
Global Declarations: --- (00O2THW8XCZ1Z6RNPI93DMAZ9)	
Global Implementations: --- (00O2THW8XCZ1Z6RNPI93DMHAT)	
Field Routine 0CUSTOMER: --- (00O2THW8XCZ1Z6RNPI93DN09H)	
*-----	Begin of Routine -----
No issues found	
*-----	End of Routine -----
End Routine: --- (00O2THW8XCZ1Z6RNPI93DM4NP)	
*-----	Begin of Routine -----
No issues found	
*-----	End of Routine -----
>>>> Process Variant: FULL - 6DB_RP_PRD_OH_V (ZPAK_EQYSRKKLTXJG2WH787K3PJBD0)	
>>>> InfoPackage: FULL - 6DB_RP_PRD_OH_V (ZPAK_EQYSRKKLTXJG2WH787K3PJBD0)	
PSA load only	
>>>> Summary	
Runtime: 0.19 sec	
** Process Chain: Process Chain for Sales Order (ZPC_SALES_ORDER)	
>>>> Process Variant: IP_2LIS_13_VDITM_DELTA (ZPAK_6BFIL325XY2W78Y4ZP8KB6WJO)	
>>>> InfoPackage: IP_2LIS_13_VDITM_DELTA (ZPAK_6BFIL325XY2W78Y4ZP8KB6WJO)	
PSA load only	
>>>> Process Variant: 2LIS_12_VCITM_DELTA_ERP (0PAK_8MW2YTSJA8UA6Y1Z098FB76TG)	
>>>> InfoPackage: 2LIS_12_VCITM_DELTA_ERP (0PAK_8MW2YTSJA8UA6Y1Z098FB76TG)	
PSA load only	
>>>> Process Variant: 2LIS_11_V_SCL_DELTA_ERP (0PAK_87YZXI2DOKNL6QS1IN9REXOP0)	
>>>> InfoPackage: 2LIS_11_V_SCL_DELTA_ERP (0PAK_87YZXI2DOKNL6QS1IN9REXOP0)	
PSA load only	
>>>> Process Variant: 2LIS_11_VASCL_DELTA_ERP (0PAK_7XBD6U9ETNY8GVV8GCQ57BGW4)	
>>>> InfoPackage: 2LIS_11_VASCL_DELTA_ERP (0PAK_7XBD6U9ETNY8GVV8GCQ57BGW4)	
PSA load only	
>>>> Process Variant: 2LIS_12_VCITM / NEQ100 -> ZAFSDDS1 (DTP_00O2THVXVZKUEH86P640E5EQA)	
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUEH86P640E5EQA)	
>>>> Target: AFS Sales Orders (ZAFSDDS1)	
>>> Source: Delivery Item Data (2LIS_12_VCITM NEQ100)	
Click on details to edit Transformation (0KMLI9343YTS4JISEQBWR6ALU3NCJ7AJ)	
Click on details to show code (See Program GP00O2THW8XCZ3HJKZQ6LD3ESE8)	
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HJKZQ6LD3ESE8)	
Click on details to run Code Inspector (GP00O2THW8XCZ3HJKZQ6LD3ESE8)	
Global Declarations: --- (00O2THW8XCZ3I35PI4U4AN0X5)	
Global Implementations: --- (00O2THW8XCZ3I35PI4U4AN78P)	
Start Routine: --- (00O2THW8XCZ3I35PI4U4AMULL)	
*-----	Begin of Routine -----
No issues found	
*-----	End of Routine -----
Field Routine 0SCHED_LINE: --- (00O2THW8XCZ3I35PI4U4ANDK9)	
*-----	Begin of Routine -----
No issues found	
*-----	End of Routine -----
Field Routine 0CPTODEEXSU: --- (00O2THW8XCZ3I35PI4U4ANJVT)	
*-----	Begin of Routine -----
No issues found	
*-----	End of Routine -----
Field Routine 0CPREDEEXSU: --- (00O2THW8XCZ3I35PI4U4ANQ7D)	
*-----	Begin of Routine -----
No issues found	
*-----	End of Routine -----
Field Routine ZPGIQTY: --- (00O2THW8XCZ3I35PI4U4ANWIX)	
*-----	Begin of Routine -----
No issues found	
*-----	End of Routine -----
Field Routine ZOPNPGINV: --- (00O2THW8XCZ3I35PI4U4AO2UH)	
*-----	Begin of Routine -----
No issues found	
*-----	End of Routine -----
Field Routine ZDLVVAL: --- (00O2THW8XCZ3I35PI4U4AO961)	
*-----	Begin of Routine -----

No issues found	
*----- End of Routine -----	
Field Routine ZRTDLVSV: --- (00O2THW8XCZ3I35PI4U4AOFHL)	
*----- Begin of Routine -----	
No issues found	
*----- End of Routine -----	
Field Routine ZQTYPGIOT: --- (00O2THW8XCZ3I35PI4U4AOLT5)	
*----- Begin of Routine -----	
No issues found	
*----- End of Routine -----	
>>>>> Process Variant: 2LIS_13_VDITM / NEQ100 -> ZAFSDDS1 (DTP_00O2TGZDW7QEZ90LRL8TIUHQP)	
>>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QEZ90LRL8TIUHQP)	
>>>>> Target: AFS Sales Orders (ZAFSDDS1)	
>>>> Source: Billing Document Item Data (2LIS_13_VDITM NEQ100)	
Click on details to edit Transformation (0QE3BKFID5B0F6WVVHFQZNBOP5MEIXGS)	
Click on details to show code (See Program GP00O2THW8XCZ3HJKY19LV4P3GN)	
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HJKY19LV4P3GN)	
Click on details to run Code Inspector (GP00O2THW8XCZ3HJKY19LV4P3GN)	
Global Declarations: --- (00O2THW8XCZ3I35PI3KYRJZOP)	
Global Implementations: --- (00O2THW8XCZ3I35PI3KYRK609)	
Start Routine: --- (00O2THW8XCZ3I35PI3KYRJTD5)	
*----- Begin of Routine -----	
No issues found	
*----- End of Routine -----	
Field Routine 0SCHD_LINE: --- (00O2THW8XCZ3I35PI3KYRKCBT)	
*----- Begin of Routine -----	
No issues found	
*----- End of Routine -----	
Field Routine ZTASQTYB: --- (00O2THW8XCZ3I35PI3KYRKIND)	
*----- Begin of Routine -----	
No issues found	
*----- End of Routine -----	
Field Routine ZOPNTASB: --- (00O2THW8XCZ3I35PI3KYRKOYX)	
*----- Begin of Routine -----	
No issues found	
*----- End of Routine -----	
>>>>> Process Variant: 2LIS_11_V_SCL / NEQ100 -> ZAFSDDS1 (DTP_00O2TGZDW7QEZ90LK33T6RB5Z)	
>>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QEZ90LK33T6RB5Z)	
>>>>> Target: AFS Sales Orders (ZAFSDDS1)	
>>>> Source: Sales-Shipping Allocation Schedule Line (2LIS_11_V_SCL NEQ100)	
Click on details to edit Transformation (0KZW0HH0KA3VPC58YEJNL866X5LR664N)	
Click on details to show code (See Program GP00O2THW8XCZ3HJKY156EV9S5J)	
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HJKY156EV9S5J)	
Click on details to run Code Inspector (GP00O2THW8XCZ3HJKY156EV9S5J)	
Global Declarations: --- (00O2THW8XCZ3I35PHWEIFEFS9)	
Global Implementations: --- (00O2THW8XCZ3I35PHWEIFEM3T)	
Start Routine: --- (00O2THW8XCZ3I35PHWEIFE9GP)	
*----- Begin of Routine -----	
No issues found	
*----- End of Routine -----	
Field Routine 0OPEN_QTY: --- (00O2THW8XCZ3I35PHWEIFESFD)	
*----- Begin of Routine -----	
No issues found	
*----- End of Routine -----	
Field Routine ZOPENVAL: --- (00O2THW8XCZ3I35PHWEIFEYQX)	
*----- Begin of Routine -----	
No issues found	
*----- End of Routine -----	
>>>>> Process Variant: 2LIS_11_VASCL / NEQ100 -> ZAFSDDS1 (DTP_00O2TGZDW7QEZ90KV2F3B92CP)	
>>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QEZ90KV2F3B92CP)	
>>>>> Target: AFS Sales Orders (ZAFSDDS1)	
>>>> Source: Sales Document Schedule Line (2LIS_11_VASCL NEQ100)	
Click on details to edit Transformation (0SXQ659LSTA4O971ERHXHPW61LDXR82L)	
Click on details to show code (See Program GP00O2THW8XCZ3HJKZHORPUS2LQ)	
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HJKZHORPUS2LQ)	
Click on details to run Code Inspector (GP00O2THW8XCZ3HJKZHORPUS2LQ)	
Global Declarations: --- (00O2THW8XCZ1VW5DLSEQAE3T0)	
*----- Begin of Routine -----	
No issues found	
*----- End of Routine -----	
Global Implementations: --- (00O2THW8XCZ1VW5DLSEQAEA4K)	
Start Routine: --- (00O2THW8XCZ1VW5DLSEQADXHG)	
*----- Begin of Routine -----	
No issues found	
*----- End of Routine -----	
Field Routine 0ORDER_QTY: --- (00O2THW8XCZ1VW5DLTRRKU9QC)	
*----- Begin of Routine -----	
No issues found	
*----- End of Routine -----	
Field Routine 0PO_NUMBER: --- (00O2THW8XCZ1VW5DLTRRKUMDG)	
*----- Begin of Routine -----	
*----- End of Routine -----	
CALL FUNCTION 'SCP_REPLACE_STRANGE_CHARS' EXPORTING INTEXT = SOURCE_FIELDS-BSTNK IMPORTING OUTTEXT = RESULT EXCEPTIONS I	
* CALL FUNCTION: Object not in customer namespace: SCP_REPLACE_STRANGE_CHARS	
No issues found	
*----- End of Routine -----	
Field Routine ZTASQTYO: --- (00O2THW8XCZ1VW5DLTRRKUSP0)	
*----- Begin of Routine -----	
No issues found	
*----- End of Routine -----	
Field Routine ZREJQTY: --- (00O2THW8XCZ1VW5DLTRRKUZ0K)	

```
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZOPNTASO: --- (00O2THW8XCZ1VW5DLTRRKV5C4)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZORDVALDC: --- (00O2THW8XCZ1VW5DLTRRKVBNO)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZREJVAL: --- (00O2THW8XCZ1VW5DLTRRKVHZ8)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine OCONF_VAL: --- (00O2THW8XCZ1VW5DLTRRKVOAS)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZRTSLORSV: --- (00O2THW8XCZ1VW5DLTRRKVUMC)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine OCPRETORDSU: --- (00O2THW8XCZ1VW5DLTRRKW0XW)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine: Transfer Routine for Info Object0DOC_CATEG (CXEDHAYMVRSB5MMSDZD6MBIBR)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----

>>>> Summary
Runtime: 1.43 sec

** Process Chain: Process Chain for Shipped Orders (ZPC_SHIP)

>>>> Process Variant: 2LIS_12_VCITM / NEQ100 -> ZSD_SHIP (DTP_00O2TGZDW7QDBXVXWCLKJE62R)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QDBXVXWCLKJE62R)
>>>> Target: Shipped DSO (ZSD_SHIP)
>>> Source: Delivery Item Data (2LIS_12_VCITM NEQ100)
Click on details to edit Transformation (0QE0RBJJ2GV5IFLIQAOCORTKRDNJ3T27)
Click on details to show code (See Program GP00O2THW8XCZ3HKJKFDUMNTO71)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HKJKFDUMNTO71)
Click on details to run Code Inspector (GP00O2THW8XCZ3HKJKFDUMNTO71)
Global Declarations: --- (00O2THW8XCZ1YZ898W5474TER)
Global Implementations: --- (00O2THW8XCZ1YZ898W5474ZQB)
Start Routine: --- (00O2THW8XCZ1YZ898W5474N37)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine OSCHED_LINE: --- (00O2THW8XCZ1YZ898W547561V)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----

>>>> Process Variant: 2LIS_11_VASCL / NEQ100 -> ZSD_SHIP (DTP_00O2TGZDW7QDBXW0O2KZ4XBRY)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QDBXW0O2KZ4XBRY)
>>>> Target: Shipped DSO (ZSD_SHIP)
>>> Source: Sales Document Schedule Line (2LIS_11_VASCL NEQ100)
Click on details to edit Transformation (0LDDKALJCBFPP0CMM4Z9WEGP1KWHY6S5)
Click on details to show code (See Program GP00O2THW8XCZ3HKJKF41JYKA7X)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HKJKF41JYKA7X)
Click on details to run Code Inspector (GP00O2THW8XCZ3HKJKF41JYKA7X)
Global Declarations: --- (00O2THW8XCZ1YZ898U0ZE00YR)
Global Implementations: --- (00O2THW8XCZ1YZ898U0ZE07AB)
Field Routine OPO_NUMBER: --- (00O2THW8XCZ1YZ898W5474AG3)
* ----- Begin of Routine -----
CALL FUNCTION 'SCP_REPLACE_STRANGE_CHARS' EXPORTING INTEXT = SOURCE_FIELDS-BSTNK IMPORTING OUTTEXT = RESULT EXCEPTIONS I
* CALL FUNCTION: Object not in customer namespace: SCP_REPLACE_STRANGE_CHARS
No issues found
* ----- End of Routine -----

>>>> Process Variant: ZSD_SHIP -> ZIC_SHIP (DTP_00O2TGZDW7QDBXWACJ7R2NS25)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QDBXWACJ7R2NS25)
>>>> Target: Shipped Orders InfoCube (ZIC_SHIP)
>>> Source: Shipped DSO (ZSD_SHIP)
Click on details to edit Transformation (01QNF16EO6CDVR8IS386DO15JJVT81MU)
Click on details to show code (See Program GP00O2THW8XCZ3HKLMPYTC4KHIS)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HKLMPYTC4KHIS)
Click on details to run Code Inspector (GP00O2THW8XCZ3HKLMPYTC4KHIS)
Global Declarations: --- (00O2THW8XCZ1YZ898U0ZENOBN)
Global Implementations: --- (00O2THW8XCZ1YZ898U0ZENUN7)
End Routine: --- (00O2THW8XCZ1YZ898U0ZENI03)
* ----- Begin of Routine -----
CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-SALES_UNIT MATERIAL = <RESULT_FIELDS>-MATER
Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD
* ----- End of Routine -----
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
* ----- End of Routine -----

>>>> Process Variant: ZSD_INBD -> ZSD_SHIP (DTP_00O2THVXVZKSSM5H6LV5UV59N)
```

```
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSSM5H6LV5UV59N)

>>>> Summary
  Runtime: 0.74 sec

** Process Chain: Process Chain for Shipped - Emerging Americas (ZPC_SHIP_NA_EM)

>>>> Process Variant: ZSD_SHIP -> Z_SHIP02 (DTP_00O2THVXVZKUIN7NSRBTWH9QJ)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUIN7NSRBTWH9QJ)
>>>> Target: Z_SHIP_I (Z_SHIP_I)
>>>> Source: Shipped DSO (ZSD_SHIP)
  Click on details to edit Transformation (0GPVJ7PT1OHC FWD3FQ5UWUXX0DIMV0BY)
  Click on details to show code (See Program GP00O2THW8XCZ3LMW8RW5JYG0OH)
  Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3LMW8RW5JYG0OH)
  Click on details to run Code Inspector (GP00O2THW8XCZ3LMW8RW5JYG0OH)
  Global Declarations: --- (00O2THW8XCZ1YZ898W5475P0J)
  Global Implementations: --- (00O2THW8XCZ1YZ898W5475VC3)
  End Routine: --- (00O2THW8XCZ1YZ898W5475IOZ)
  * ----- Begin of Routine -----
  * -----
  CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-SALES_UNIT MATERIAL = <RESULT_FIELDS>-MATER
  Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD
  * -----
  DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
  * ----- End of Routine -----

>>>> Summary
  Runtime: 0.80 sec

** Process Chain: Process Chain for Sales Order - EMEA (ZPC_SALES_ORDER_EMEA)

>>>> Process Variant: IP_2LIS_13_VDITM_DELTA (ZPAK_6BFIL325XY2W78Y4ZP8KB6WJO)
>>>> InfoPackage: IP_2LIS_13_VDITM_DELTA (ZPAK_6BFIL325XY2W78Y4ZP8KB6WJO)
  PSA load only

>>>> Process Variant: 2LIS_12_VCITM_DELTA_ERP (0PAK_8MW2YTSJA8UA6Y1Z098FB76TG)
>>>> InfoPackage: 2LIS_12_VCITM_DELTA_ERP (0PAK_8MW2YTSJA8UA6Y1Z098FB76TG)
  PSA load only

>>>> Process Variant: 2LIS_11_V_SCL_DELTA_ERP (0PAK_87YZXI2DOKNL6QS1IN9REXOP0)
>>>> InfoPackage: 2LIS_11_V_SCL_DELTA_ERP (0PAK_87YZXI2DOKNL6QS1IN9REXOP0)
  PSA load only

>>>> Process Variant: 2LIS_11_VASCL_DELTA_ERP (0PAK_7XBD6U9ETNY8GVV8GCQ57BGW4)
>>>> InfoPackage: 2LIS_11_VASCL_DELTA_ERP (0PAK_7XBD6U9ETNY8GVV8GCQ57BGW4)
  PSA load only

>>>> Process Variant: 2LIS_12_VCITM / NEQ100 -> ZAFSDDS1 (DTP_00O2THVXVZKUEH86P640E5EQA)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUEH86P640E5EQA)
>>>> Target: AFS Sales Orders (ZAFSDDS1)
>>>> Source: Delivery Item Data (2LIS_12_VCITM NEQ100)
  Click on details to edit Transformation (0KMLI9343YTS4JISEQBWR6ALU3NCJ7AJ)
  Click on details to show code (See Program GP00O2THW8XCZ3HJKZQ6LD3ESE8)
  Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HJKZQ6LD3ESE8)
  Click on details to run Code Inspector (GP00O2THW8XCZ3HJKZQ6LD3ESE8)
  Global Declarations: --- (00O2THW8XCZ3I35PI4U4AN0X5)
  Global Implementations: --- (00O2THW8XCZ3I35PI4U4AN78P)
  Start Routine: --- (00O2THW8XCZ3I35PI4U4AMULL)
  * ----- Begin of Routine -----
  No issues found
  * ----- End of Routine -----
  Field Routine 0SCHED_LINE: --- (00O2THW8XCZ3I35PI4U4ANDK9)
  * ----- Begin of Routine -----
  No issues found
  * ----- End of Routine -----
  Field Routine 0CPTODEEXSU: --- (00O2THW8XCZ3I35PI4U4ANJVT)
  * ----- Begin of Routine -----
  No issues found
  * ----- End of Routine -----
  Field Routine 0CPREDEEXSU: --- (00O2THW8XCZ3I35PI4U4ANQ7D)
  * ----- Begin of Routine -----
  No issues found
  * ----- End of Routine -----
  Field Routine ZPGIPTY: --- (00O2THW8XCZ3I35PI4U4ANWIX)
  * ----- Begin of Routine -----
  No issues found
  * ----- End of Routine -----
  Field Routine ZOPNPGINV: --- (00O2THW8XCZ3I35PI4U4AO2UH)
  * ----- Begin of Routine -----
  No issues found
  * ----- End of Routine -----
  Field Routine ZDLVVAL: --- (00O2THW8XCZ3I35PI4U4AO961)
  * ----- Begin of Routine -----
  No issues found
  * ----- End of Routine -----
  Field Routine ZRTDLVSV: --- (00O2THW8XCZ3I35PI4U4AOFHL)
  * ----- Begin of Routine -----
  No issues found
  * ----- End of Routine -----
  Field Routine ZQTYPGIOT: --- (00O2THW8XCZ3I35PI4U4AOLT5)
  * ----- Begin of Routine -----
  No issues found
  * ----- End of Routine -----
```

```
>>>>> Process Variant: 2LIS_13_VDITM / NEQ100 -> ZAFSDDS1 (DTP_0002TGZDW7QEZ90LRL8TIUHQP)
>>>>> Data Transfer Process: No description (DTP_0002TGZDW7QEZ90LRL8TIUHQP)
>>>>> Target: AFS Sales Orders (ZAFSDDS1)
>>>>> Source: Billing Document Item Data (2LIS_13_VDITM NEQ100)
  Click on details to edit Transformation (0QE3BKFD5B0F6WVVFHFQZNBOP5MEIXGS)
  Click on details to show code (See Program GP0002THW8XCZ3HJKY19LV4P3GN)
  Click on details to run Ext. Syntax Check (GP0002THW8XCZ3HJKY19LV4P3GN)
  Click on details to run Code Inspector (GP0002THW8XCZ3HJKY19LV4P3GN)
  Global Declarations: --- (0002THW8XCZ3I35PI3KYRJZOP)
  Global Implementations: --- (0002THW8XCZ3I35PI3KYRK609)
  Start Routine: --- (0002THW8XCZ3I35PI3KYRJTD5)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  Field Routine 0SCHED_LINE: --- (0002THW8XCZ3I35PI3KYRKCBT)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  Field Routine ZTASQTYB: --- (0002THW8XCZ3I35PI3KYRKIND)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  Field Routine ZOPNTASB: --- (0002THW8XCZ3I35PI3KYRKOYX)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----

>>>>> Process Variant: 2LIS_11_V_SCL / NEQ100 -> ZAFSDDS1 (DTP_0002TGZDW7QEZ90LK33T6RB5Z)
>>>>> Data Transfer Process: No description (DTP_0002TGZDW7QEZ90LK33T6RB5Z)
>>>>> Target: AFS Sales Orders (ZAFSDDS1)
>>>>> Source: Sales-Shipping Allocation Schedule Line (2LIS_11_V_SCL NEQ100)
  Click on details to edit Transformation (0KZW0HH0KA3VPC58YEJNL866X5LR664N)
  Click on details to show code (See Program GP0002THW8XCZ3HJKY156EV9S5J)
  Click on details to run Ext. Syntax Check (GP0002THW8XCZ3HJKY156EV9S5J)
  Click on details to run Code Inspector (GP0002THW8XCZ3HJKY156EV9S5J)
  Global Declarations: --- (0002THW8XCZ3I35PHWEIFEFS9)
  Global Implementations: --- (0002THW8XCZ3I35PHWEIFEM3T)
  Start Routine: --- (0002THW8XCZ3I35PHWEIFE9GP)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  Field Routine 0OPEN_QTY: --- (0002THW8XCZ3I35PHWEIFESFD)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  Field Routine ZOPENVAL: --- (0002THW8XCZ3I35PHWEIFEYQX)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----

>>>>> Process Variant: 2LIS_11_VASCL / NEQ100 -> ZAFSDDS1 (DTP_0002TGZDW7QEZ90KV2F3B92CP)
>>>>> Data Transfer Process: No description (DTP_0002TGZDW7QEZ90KV2F3B92CP)
>>>>> Target: AFS Sales Orders (ZAFSDDS1)
>>>>> Source: Sales Document Schedule Line (2LIS_11_VASCL NEQ100)
  Click on details to edit Transformation (0SXQ659LSTA4O97IERHXHPW61LDXR82L)
  Click on details to show code (See Program GP0002THW8XCZ3HJKZHORPUS2LQ)
  Click on details to run Ext. Syntax Check (GP0002THW8XCZ3HJKZHORPUS2LQ)
  Click on details to run Code Inspector (GP0002THW8XCZ3HJKZHORPUS2LQ)
  Global Declarations: --- (0002THW8XCZ1VW5DLSEQAE3T0)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  Global Implementations: --- (0002THW8XCZ1VW5DLSEQAEA4K)
  Start Routine: --- (0002THW8XCZ1VW5DLSEQADXHG)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  Field Routine 0ORDER_QTY: --- (0002THW8XCZ1VW5DLTRRKU9QC)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  Field Routine 0PO_NUMBER: --- (0002THW8XCZ1VW5DLTRRKUMDG)
  * ----- Begin of Routine -----
  * ----- End of Routine -----
  CALL FUNCTION 'SCP_REPLACE_STRANGE_CHARS' EXPORTING INTEXT = SOURCE_FIELDS-BSTNK IMPORTING OUTTEXT = RESULT EXCEPTIONS I
  * CALL FUNCTION: Object not in customer namespace: SCP_REPLACE_STRANGE_CHARS
No issues found
  * ----- End of Routine -----
  Field Routine ZTASQTYO: --- (0002THW8XCZ1VW5DLTRRKUSP0)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  Field Routine ZREJQTY: --- (0002THW8XCZ1VW5DLTRRKUZ0K)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  Field Routine ZOPNTASO: --- (0002THW8XCZ1VW5DLTRRKV5C4)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
  Field Routine ZORDVALDC: --- (0002THW8XCZ1VW5DLTRRKVBNO)
  * ----- Begin of Routine -----
No issues found
  * ----- End of Routine -----
```

```
Field Routine ZREJVAL: --- (00O2THW8XCZ1VW5DLTRRKVHZ8)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0CONF_VAL: --- (00O2THW8XCZ1VW5DLTRRKVOAS)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZRTSLOORSV: --- (00O2THW8XCZ1VW5DLTRRKVUMC)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0CPRETORDSU: --- (00O2THW8XCZ1VW5DLTRRKW0XW)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine: Transfer Routine for Info Object0DOC_CATEG (CXEDHAYMVR5B5MMSDZD6MBIBR)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----

>>>> Summary
Runtime: 0.27 sec

** Process Chain: Process Chain for Shipped Orders - EMEA (ZPC_SHIP_EMEA)

>>>> Process Variant: 2LIS_12_VCITM / NEQ100 -> ZSD_SHIP (DTP_00O2TGZDW7QDBXVXWCLKJE62R)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QDBXVXWCLKJE62R)
>>>> Target: Shipped DSO (ZSD_SHIP)
>>> Source: Delivery Item Data (2LIS_12_VCITM NEQ100)
Click on details to edit Transformation (0QE0RBJJ2GVSIFLIQAOCRTKRDNJ3T27)
Click on details to show code (See Program GP00O2THW8XCZ3HKJKFDUMNTO71)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HKJKFDUMNTO71)
Click on details to run Code Inspector (GP00O2THW8XCZ3HKJKFDUMNTO71)
Global Declarations: --- (00O2THW8XCZ1YZ898W5474TER)
Global Implementations: --- (00O2THW8XCZ1YZ898W5474ZQB)
Start Routine: --- (00O2THW8XCZ1YZ898W5474N37)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0SCHED_LINE: --- (00O2THW8XCZ1YZ898W547561V)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----

>>>> Process Variant: 2LIS_11_VASCL / NEQ100 -> ZSD_SHIP (DTP_00O2TGZDW7QDBXW0O2KZ4XBRY)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QDBXW0O2KZ4XBRY)
>>>> Target: Shipped DSO (ZSD_SHIP)
>>> Source: Sales Document Schedule Line (2LIS_11_VASCL NEQ100)
Click on details to edit Transformation (0LDDKALJCBFPP0CMM4Z9WEGP1KWHY6S5)
Click on details to show code (See Program GP00O2THW8XCZ3HKJKF41JYKA7X)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HKJKF41JYKA7X)
Click on details to run Code Inspector (GP00O2THW8XCZ3HKJKF41JYKA7X)
Global Declarations: --- (00O2THW8XCZ1YZ898U0ZE00YR)
Global Implementations: --- (00O2THW8XCZ1YZ898U0ZE07AB)
Field Routine 0PO_NUMBER: --- (00O2THW8XCZ1YZ898W5474AG3)
* ----- Begin of Routine -----
* -----
CALL FUNCTION 'SCP_REPLACE_STRANGE_CHARS' EXPORTING INTEXT = SOURCE_FIELDS-BSTNK IMPORTING OUTTEXT = RESULT EXCEPTIONS I
* CALL FUNCTION: Object not in customer namespace: SCP_REPLACE_STRANGE_CHARS
No issues found
* ----- End of Routine -----

>>>> Process Variant: ZSD_INBD -> ZSD_SHIP (DTP_00O2THVXVZKSSM5H6LV5UV59N)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSSM5H6LV5UV59N)

>>>> Process Variant: ZSD_SHIP -> Z_SHIP03 (DTP_00O2THVXVZKUIN7NSZCATVHJH)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUIN7NSZCATVHJH)
>>>> Target: Z_SHIP_I (Z_SHIP_I)
>>> Source: Shipped DSO (ZSD_SHIP)
Click on details to edit Transformation (0GPVJ7PT1OHC FWD3FQ5UWUXX0DIMV0BY)
Click on details to show code (See Program GP00O2THW8XCZ3LMW8RW5JYG0OH)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3LMW8RW5JYG0OH)
Click on details to run Code Inspector (GP00O2THW8XCZ3LMW8RW5JYG0OH)
Global Declarations: --- (00O2THW8XCZ1YZ898W5475P0J)
Global Implementations: --- (00O2THW8XCZ1YZ898W5475VC3)
End Routine: --- (00O2THW8XCZ1YZ898W5475IOZ)
* ----- Begin of Routine -----
* -----
CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-SALES_UNIT MATERIAL = <RESULT_FIELDS>-MATER
Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD
* -----
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
* ----- End of Routine -----

>>>> Summary
Runtime: 0.08 sec

** Process Chain: Process Chain for Sales Order - Japan & Emerging J (ZPC_SALES_ORDER_EM_JAPAC)

>>>> Process Variant: IP_2LIS_13_VDITM_DELTA (ZPAK_6BFIL325XY2W78Y4ZP8KB6WJO)
>>>> InfoPackage: IP_2LIS_13_VDITM_DELTA (ZPAK_6BFIL325XY2W78Y4ZP8KB6WJO)
PSA load only
```

>>>>> Process Variant: 2LIS_12_VCITM_DELTA_ERP (0PAK_8MW2YTSJA8UA6Y1Z098FB76TG)

>>>>> InfoPackage: 2LIS_12_VCITM_DELTA_ERP (0PAK_8MW2YTSJA8UA6Y1Z098FB76TG)

PSA load only

>>>>> Process Variant: 2LIS_11_V_SCL_DELTA_ERP (0PAK_87YZXI2DOKNL6QS1IN9REXOP0)

>>>>> InfoPackage: 2LIS_11_V_SCL_DELTA_ERP (0PAK_87YZXI2DOKNL6QS1IN9REXOP0)

PSA load only

>>>>> Process Variant: 2LIS_11_VASCL_DELTA_ERP (0PAK_7XBD6U9ETNY8GVV8GCQ57BGW4)

>>>>> InfoPackage: 2LIS_11_VASCL_DELTA_ERP (0PAK_7XBD6U9ETNY8GVV8GCQ57BGW4)

PSA load only

>>>>> Process Variant: 2LIS_12_VCITM / NEQ100 -> ZAFSDDSD1 (DTP_0002THVXVZKUEH86P640E5EQA)

>>>>> Data Transfer Process: No description (DTP_0002THVXVZKUEH86P640E5EQA)

>>>>> Target: AFS Sales Orders (ZAFSDDSD1)

>>>> Source: Delivery Item Data (2LIS_12_VCITM NEQ100)

Click on details to edit Transformation (0KMLI9343YTS4JISEQBWR6ALU3NCJ7AJ)

Click on details to show code (See Program GP0002THW8XCZ3HJKZQ6LD3ESE8)

Click on details to run Ext. Syntax Check (GP0002THW8XCZ3HJKZQ6LD3ESE8)

Click on details to run Code Inspector (GP0002THW8XCZ3HJKZQ6LD3ESE8)

Global Declarations: --- (0002THW8XCZ3I35PI4U4AN0X5)

Global Implementations: --- (0002THW8XCZ3I35PI4U4AN78P)

Start Routine: --- (0002THW8XCZ3I35PI4U4AMULL)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Field Routine 0SCHED_LINE: --- (0002THW8XCZ3I35PI4U4ANDK9)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Field Routine 0CPTODEEXSU: --- (0002THW8XCZ3I35PI4U4ANJVT)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Field Routine 0CPREDEEXSU: --- (0002THW8XCZ3I35PI4U4ANQ7D)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Field Routine ZPGIQTY: --- (0002THW8XCZ3I35PI4U4ANWIX)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Field Routine ZOPNPGINV: --- (0002THW8XCZ3I35PI4U4AO2UH)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Field Routine ZDLVVAL: --- (0002THW8XCZ3I35PI4U4AO961)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Field Routine ZRTDLVSV: --- (0002THW8XCZ3I35PI4U4AOFHL)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Field Routine ZQTYPGIOT: --- (0002THW8XCZ3I35PI4U4AOLT5)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

>>>>> Process Variant: 2LIS_13_VDITM / NEQ100 -> ZAFSDDSD1 (DTP_0002TGZDW7QEZ90LRL8TIUHQP)

>>>>> Data Transfer Process: No description (DTP_0002TGZDW7QEZ90LRL8TIUHQP)

>>>>> Target: AFS Sales Orders (ZAFSDDSD1)

>>>> Source: Billing Document Item Data (2LIS_13_VDITM NEQ100)

Click on details to edit Transformation (0QE3BKFID5B0F6VWVHFQZNBOP5MEIXGS)

Click on details to show code (See Program GP0002THW8XCZ3HJKY19LV4P3GN)

Click on details to run Ext. Syntax Check (GP0002THW8XCZ3HJKY19LV4P3GN)

Click on details to run Code Inspector (GP0002THW8XCZ3HJKY19LV4P3GN)

Global Declarations: --- (0002THW8XCZ3I35PI3KYRJZOP)

Global Implementations: --- (0002THW8XCZ3I35PI3KYRK609)

Start Routine: --- (0002THW8XCZ3I35PI3KYRJTD5)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Field Routine 0SCHED_LINE: --- (0002THW8XCZ3I35PI3KYRKCBT)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Field Routine ZTASQTYB: --- (0002THW8XCZ3I35PI3KYRKIND)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

Field Routine ZOPNTASB: --- (0002THW8XCZ3I35PI3KYRKOYX)

* ----- Begin of Routine -----

No issues found

* ----- End of Routine -----

>>>>> Process Variant: 2LIS_11_V_SCL / NEQ100 -> ZAFSDDSD1 (DTP_0002TGZDW7QEZ90LK33T6RB5Z)

>>>>> Data Transfer Process: No description (DTP_0002TGZDW7QEZ90LK33T6RB5Z)

>>>>> Target: AFS Sales Orders (ZAFSDDSD1)

>>>> Source: Sales-Shipping Allocation Schedule Line (2LIS_11_V_SCL NEQ100)

Click on details to edit Transformation (0KZW0HH0KA3VPC58YEJNL866X5LR664N)

Click on details to show code (See Program GP0002THW8XCZ3HJKY156EV9S5J)

Click on details to run Ext. Syntax Check (GP0002THW8XCZ3HJKY156EV9S5J)

Click on details to run Code Inspector (GP0002THW8XCZ3HJKY156EV9S5J)

```
Global Declarations: --- (00O2THW8XCZ3I35PHWEIFEFS9)
Global Implementations: --- (00O2THW8XCZ3I35PHWEIFEM3T)
Start Routine: --- (00O2THW8XCZ3I35PHWEIFE9GP)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0OPEN_QTY: --- (00O2THW8XCZ3I35PHWEIFESFD)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZOPENVAL: --- (00O2THW8XCZ3I35PHWEIFEYQX)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
```

```
>>>> Process Variant: 2LIS_11_VASCL / NEQ100 -> ZAFSDDS1 (DTP_00O2TGZDW7QEZ90KV2F3B92CP)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QEZ90KV2F3B92CP)
>>>> Target: AFS Sales Orders (ZAFSDDS1)
>>> Source: Sales Document Schedule Line (2LIS_11_VASCL NEQ100)
Click on details to edit Transformation (0SXQ659LSTA4O97IERHXHPW61LDXR82L)
Click on details to show code (See Program GP00O2THW8XCZ3HJKZHORPUS2LQ)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HJKZHORPUS2LQ)
Click on details to run Code Inspector (GP00O2THW8XCZ3HJKZHORPUS2LQ)
Global Declarations: --- (00O2THW8XCZ1VW5DLSEQAE3T0)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Global Implementations: --- (00O2THW8XCZ1VW5DLSEQAE4K)
Start Routine: --- (00O2THW8XCZ1VW5DLSEQADXHG)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0ORDER_QTY: --- (00O2THW8XCZ1VW5DLTRRKU9QC)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0PO_NUMBER: --- (00O2THW8XCZ1VW5DLTRRKUMDG)
* ----- Begin of Routine -----
CALL FUNCTION 'SCP_REPLACE_STRANGE_CHARS' EXPORTING INTEXT = SOURCE_FIELDS-BSTNK IMPORTING OUTTEXT = RESULT EXCEPTIONS I
* CALL FUNCTION: Object not in customer namespace: SCP_REPLACE_STRANGE_CHARS
No issues found
* ----- End of Routine -----
Field Routine ZTASQTYO: --- (00O2THW8XCZ1VW5DLTRRKUSP0)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZREJQTY: --- (00O2THW8XCZ1VW5DLTRRKUZ0K)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZOPNTASO: --- (00O2THW8XCZ1VW5DLTRRKV5C4)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZORDVALDC: --- (00O2THW8XCZ1VW5DLTRRKVBNO)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZREJVAL: --- (00O2THW8XCZ1VW5DLTRRKVHZ8)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0CONF_VAL: --- (00O2THW8XCZ1VW5DLTRRKVOAS)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine ZRTSLORSV: --- (00O2THW8XCZ1VW5DLTRRKVUMC)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0CPRETORDSU: --- (00O2THW8XCZ1VW5DLTRRKW0XW)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine: Transfer Routine for Info Object0DOC_CATEG (CXEDHAYMVR5B5MMSDZD6MBIBR)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
```

```
>>>> Summary
Runtime: 0.27 sec
```

```
** Process Chain: Process Chain for Shipped - Japan, Emerging JAPAC (ZPC_SHIP_JP_EMJAPAC)
```

```
>>>> Process Variant: 2LIS_12_VCITM / NEQ100 -> ZSD_SHIP (DTP_00O2TGZDW7QDBXVXWCLKJE62R)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QDBXVXWCLKJE62R)
>>>> Target: Shipped DSO (ZSD_SHIP)
>>> Source: Delivery Item Data (2LIS_12_VCITM NEQ100)
Click on details to edit Transformation (0QE0RBJJ2GVSIFLIQAOCRTKRDNU3T27)
Click on details to show code (See Program GP00O2THW8XCZ3HKJKFDUMNTO71)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HKJKFDUMNTO71)
Click on details to run Code Inspector (GP00O2THW8XCZ3HKJKFDUMNTO71)
Global Declarations: --- (00O2THW8XCZ1Y289W5474TER)
```

```
Global Implementations: --- (00O2THW8XCZ1YZ898W5474ZQB)
Start Routine: --- (00O2THW8XCZ1YZ898W5474N37)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0SCHED_LINE: --- (00O2THW8XCZ1YZ898W547561V)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----

>>>> Process Variant: 2LIS_11_VASCL / NEQ100 -> ZSD_SHIP (DTP_00O2TGZDW7QDBXW0O2KZ4XBRY)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QDBXW0O2KZ4XBRY)
>>>> Target: Shipped DSO (ZSD_SHIP)
>>> Source: Sales Document Schedule Line (2LIS_11_VASCL NEQ100)
Click on details to edit Transformation (0LDDKALJCBFPP0CMM4Z9WEGP1KWHY6S5)
Click on details to show code (See Program GP00O2THW8XCZ3HKJKF41JYKA7X)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HKJKF41JYKA7X)
Click on details to run Code Inspector (GP00O2THW8XCZ3HKJKF41JYKA7X)
Global Declarations: --- (00O2THW8XCZ1YZ898U0ZEO0YR)
Global Implementations: --- (00O2THW8XCZ1YZ898U0ZEO7AB)
Field Routine 0PO_NUMBER: --- (00O2THW8XCZ1YZ898W5474AG3)
* ----- Begin of Routine -----
* -----
CALL FUNCTION 'SCP_REPLACE_STRANGE_CHARS' EXPORTING INTEXT = SOURCE_FIELDS-BSTNK IMPORTING OUTTEXT = RESULT EXCEPTIONS I
* CALL FUNCTION: Object not in customer namespace: SCP_REPLACE_STRANGE_CHARS
No issues found
* ----- End of Routine -----

>>>> Process Variant: ZSD_INBD -> ZSD_SHIP (DTP_00O2THVXVZKSSM5H6LV5UV59N)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSSM5H6LV5UV59N)

>>>> Process Variant: ZSD_SHIP -> Z_SHIP04 (DTP_00O2THVXVZKUIN7NT9V7J9EA6)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUIN7NT9V7J9EA6)
>>>> Target: Z_SHIP_I (Z_SHIP_I)
>>> Source: Shipped DSO (ZSD_SHIP)
Click on details to edit Transformation (0GPVJ7PT1OHC FWD3FQ5UWUXX0DIMV0BY)
Click on details to show code (See Program GP00O2THW8XCZ3LMW8RW5JYG0OH)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3LMW8RW5JYG0OH)
Click on details to run Code Inspector (GP00O2THW8XCZ3LMW8RW5JYG0OH)
Global Declarations: --- (00O2THW8XCZ1YZ898W5475P0J)
Global Implementations: --- (00O2THW8XCZ1YZ898W5475VC3)
End Routine: --- (00O2THW8XCZ1YZ898W5475IOZ)
* ----- Begin of Routine -----
* -----
CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-SALES_UNIT MATERIAL = <RESULT_FIELDS>-MATER
Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD
* -----
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
* ----- End of Routine -----

>>>> Process Variant: ZSD_SHIP -> Z_SHIP05 (DTP_00O2THVXVZKUIN7TMAP611ME8)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUIN7TMAP611ME8)
>>>> Target: Z_SHIP_I (Z_SHIP_I)
>>> Source: Shipped DSO (ZSD_SHIP)
Click on details to edit Transformation (0GPVJ7PT1OHC FWD3FQ5UWUXX0DIMV0BY)
Click on details to show code (See Program GP00O2THW8XCZ3LMW8RW5JYG0OH)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3LMW8RW5JYG0OH)
Click on details to run Code Inspector (GP00O2THW8XCZ3LMW8RW5JYG0OH)
Global Declarations: --- (00O2THW8XCZ1YZ898W5475P0J)
Global Implementations: --- (00O2THW8XCZ1YZ898W5475VC3)
End Routine: --- (00O2THW8XCZ1YZ898W5475IOZ)
* ----- Begin of Routine -----
* -----
CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-SALES_UNIT MATERIAL = <RESULT_FIELDS>-MATER
Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD
* -----
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
* ----- End of Routine -----

>>>> Summary
Runtime: 0.08 sec

** Process Chain: Process Chain for SAP R/3 (ZPC_SAPR3)

>>>> Process Variant: 0COUNTRY_TEXT / NEQ100 -> 0COUNTRY (DTP_00O2TGZDW7QD8VW53GU7961Y8)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8VW53GU7961Y8)

>>>> Process Variant: 0CURTYPE_TEXT / NEQ100 -> 0CURTYPE (DTP_00O2TGZDW7QD8VW5CM0E164BW)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8VW5CM0E164BW)

>>>> Process Variant: 0VTYPE_TEXT / NEQ100 -> 0VTYPE (DTP_00O2TGZDW7QD8VW5JO2L5SF3Q)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8VW5JO2L5SF3Q)

>>>> Process Variant: 0VERSION_TEXT / NEQ100 -> 0VERSION (DTP_00O2TGZDW7QD8VW5KJ8YZD1MH)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8VW5KJ8YZD1MH)

>>>> Process Variant: 0REGION_TEXT / NEQ100 -> 0REGION (DTP_00O2TGZDW7QD8WZA7GQ61XLPV)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8WZA7GQ61XLPV)

>>>> Process Variant: 0COUNTRY_TEXT_FULL_ME_R3 (0PAK_2NLIUK8LJ68KFIQJBVBH4ONK4)
>>>> InfoPackage: 0COUNTRY_TEXT_FULL_ME_R3 (0PAK_2NLIUK8LJ68KFIQJBVBH4ONK4)
PSA load only

>>>> Process Variant: 0VERSION_TEXT_ME_FULL_R3 (0PAK_6OK42V2Y0NE5GA1FZIU5IYIS)
```

```
>>>> InfoPackage: 0VTYPE_TEXT_ME_FULL_R3 (0PAK_60K42V2Y0NE5GA1FZIU5IYIS)
PSA load only

>>>> Process Variant: 0VTYPE_TEXT_ME_FULL_R3 (0PAK_6QOU871JE14TLG8076JOCULOK)
>>>> InfoPackage: 0VTYPE_TEXT_ME_FULL_R3 (0PAK_6QOU871JE14TLG8076JOCULOK)
PSA load only

>>>> Process Variant: 0REGION_TEXT_FULL_ME_R3 (0PAK_CPXLLWCIBTKKH96CL9HZVLAV8)
>>>> InfoPackage: 0REGION_TEXT_FULL_ME_R3 (0PAK_CPXLLWCIBTKKH96CL9HZVLAV8)
PSA load only

>>>> Process Variant: 0CURTYPE_TEXT_ME_FULL_R3 (0PAK_CU7COZN6VGQWKV9NKAQTC7878)
>>>> InfoPackage: 0CURTYPE_TEXT_ME_FULL_R3 (0PAK_CU7COZN6VGQWKV9NKAQTC7878)
PSA load only

>>>> Summary
>>>> Runtime: 0.27 sec

** Process Chain: Process Chain for Sales & Distribution (ZPC_SD)

>>>> Process Variant: IP_0AF_CONV_ATTR_FULL (ZPAK_EC1QM3AZ4580Y17J1EHL33I2S)
>>>> InfoPackage: IP_0AF_CONV_ATTR_FULL (ZPAK_EC1QM3AZ4580Y17J1EHL33I2S)
PSA load only

>>>> Process Variant: IP_0SALES_OFF_TEXT_FULL (ZPAK_E6CWP077Q5NY7HCSL4PWH6IPW)
>>>> InfoPackage: IP_0SALES_OFF_TEXT_FULL (ZPAK_E6CWP077Q5NY7HCSL4PWH6IPW)
PSA load only

>>>> Process Variant: IP_0REASON_REJ_TEXT_FULL (ZPAK_E56NNEU0P2E6P8O19OSR4T9HG)
>>>> InfoPackage: IP_0REASON_REJ_TEXT_FULL (ZPAK_E56NNEU0P2E6P8O19OSR4T9HG)
PSA load only

>>>> Process Variant: IP_0DOC_CATEG_TEXT_FULL (ZPAK_AZ9ZTMN3IL17E8Y7P4Q6OW2MC)
>>>> InfoPackage: IP_0DOC_CATEG_TEXT_FULL (ZPAK_AZ9ZTMN3IL17E8Y7P4Q6OW2MC)
PSA load only

>>>> Process Variant: IP_0SALES_DIST_TEXT_FULL (ZPAK_7YKXIDJU0HZWCVLKS4D7AM7GK)
>>>> InfoPackage: IP_0SALES_DIST_TEXT_FULL (ZPAK_7YKXIDJU0HZWCVLKS4D7AM7GK)
PSA load only

>>>> Process Variant: IP_0BILL_TYPE_TEXT_FULL (ZPAK_74XYH0C8LK0Q5KBPSMZ80UBES)
>>>> InfoPackage: IP_0BILL_TYPE_TEXT_FULL (ZPAK_74XYH0C8LK0Q5KBPSMZ80UBES)
PSA load only

>>>> Process Variant: IP_0AF_SIZE_TEXT_FULL (ZPAK_72TYNZMOWK61EOTXR3R9JH744)
>>>> InfoPackage: IP_0AF_SIZE_TEXT_FULL (ZPAK_72TYNZMOWK61EOTXR3R9JH744)
PSA load only

>>>> Process Variant: FULL - ZLABOFF_TEXT (ZPAK_71ZHD9UCFV7F9V11OBKJNUKAS)
>>>> InfoPackage: FULL - ZLABOFF_TEXT (ZPAK_71ZHD9UCFV7F9V11OBKJNUKAS)
PSA load only

>>>> Process Variant: IP_0AF_SEAN_TEXT_FULL (ZPAK_6UJ0C405SIHKYIHPBTNJKUO4)
>>>> InfoPackage: IP_0AF_SEAN_TEXT_FULL (ZPAK_6UJ0C405SIHKYIHPBTNJKUO4)
PSA load only

>>>> Process Variant: IP_0REPR_GROUP_TEXT_FULL (ZPAK_3Y8U4V4TEV01SXPCDC225B0P0)
>>>> InfoPackage: IP_0REPR_GROUP_TEXT_FULL (ZPAK_3Y8U4V4TEV01SXPCDC225B0P0)
PSA load only

>>>> Process Variant: IP_0DOC_TYPE_TEXT_FULL (ZPAK_1EHEPLKD74FA8RONJYZR1XEMC)
>>>> InfoPackage: IP_0DOC_TYPE_TEXT_FULL (ZPAK_1EHEPLKD74FA8RONJYZR1XEMC)
PSA load only

>>>> Process Variant: IP_ZSD_GRD_SEQ_FULL (ZPAK_13JX0ALL0NQNVABWUSJ888I10)
>>>> InfoPackage: IP_ZSD_GRD_SEQ_FULL (ZPAK_13JX0ALL0NQNVABWUSJ888I10)
PSA load only

>>>> Process Variant: 0SALES_GRP_TEXT_ME_FULL_R3 (0PAK_4O3F1KERDO7CKFUCR4QCVJ32C)
>>>> InfoPackage: 0SALES_GRP_TEXT_ME_FULL_R3 (0PAK_4O3F1KERDO7CKFUCR4QCVJ32C)
PSA load only

>>>> Process Variant: 0SALESORG_TEXT_ME_FULL_R3 (0PAK_4LYOW8G60AGOF9NSJH0U17FWK)
>>>> InfoPackage: 0SALESORG_TEXT_ME_FULL_R3 (0PAK_4LYOW8G60AGOF9NSJH0U17FWK)
PSA load only

>>>> Process Variant: 0SALESORG_ATTR_ME_FULL_R3 (0PAK_4JTYQWHKMWWQ0A3H8BTBB6VSQS)
>>>> InfoPackage: 0SALESORG_ATTR_ME_FULL_R3 (0PAK_4JTYQWHKMWWQ0A3H8BTBB6VSQS)
PSA load only

>>>> Process Variant: 0DIVISION_TEXT_ME_FULL_R3 (0PAK_0EN4DN80M6V282PXFPOO88RIC)
>>>> InfoPackage: 0DIVISION_TEXT_ME_FULL_R3 (0PAK_0EN4DN80M6V282PXFPOO88RIC)
PSA load only

>>>> Process Variant: 0DISTR_CHAN_TEXT_ME_FULL_R3 (0PAK_0CIE8B9F8T4E2WJD81Z5DX4CK)
>>>> InfoPackage: 0DISTR_CHAN_TEXT_ME_FULL_R3 (0PAK_0CIE8B9F8T4E2WJD81Z5DX4CK)
PSA load only

>>>> Process Variant: ZLABOFF_TEXT / NEQ100 -> ZLABOFF (DTP_00O2THVXVZKUITAR419NMRKRZ)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUITAR419NMRKRZ)

>>>> Process Variant: 0AF_SIZE_TEXT / NEQ100 -> 0AF_SIZE (DTP_00O2THVXVZKUEJYAA6I6VGRPD)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUEJYAA6I6VGRPD)
>>>> Target: AFS Elementary Field "Size" - Texts (0AF_SIZE_TXT)
```

```
>>>> Source: Text Extractor for Table J_4KBWEFT_L (Elem. Field (0AF_SIZE_TEXT NEQ100)
  Click on details to edit Transformation (0LB68AYG9551QXES6JUZZRJ303SRIG87)
  Click on details to show code (See Program GP00O2THW8XCZ1R8L73T48PINGQ)
  Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R8L73T48PINGQ)
  Click on details to run Code Inspector (GP00O2THW8XCZ1R8L73T48PINGQ)
  Global Declarations: --- (00O2THW8XCZ3HJ3BQ5FTR06O0)
  Global Implementations: --- (00O2THW8XCZ3HJ3BQ5FTR0CZK)
  *----- Begin of Routine -----
No issues found
  *----- End of Routine -----
  Field Routine 0AF_SIZE: 0AF_SIZE (00O2THW8XCZ3HJ3BQ5FTR0JB4)
  *----- Begin of Routine -----
No issues found
  *----- End of Routine -----

>>>>> Process Variant: 0AF_CONV_ATTR / NEQ100 -> 0AF_SIZE (DTP_00O2THVXVZKUEJYA3MG4QJNED)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUEJYA3MG4QJNED)
>>>> Target: AFS Conversion (0AFCONV)
>>> Source: AFS Conversion (0AF_CONV_ATTR NEQ100)
  Click on details to edit Transformation (01FM9ONUA2D8P8VY6A78IL2XHLP4QAS)
  Click on details to show code (See Program GP00O2THW8XCZ1R8OUV38Q8F078)
  Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R8OUV38Q8F078)
  Click on details to run Code Inspector (GP00O2THW8XCZ1R8OUV38Q8F078)
  Global Declarations: --- (00O2THW8XCZ3HJ3BQ5FTQZNPC)
  Global Implementations: --- (00O2THW8XCZ3HJ3BQ5FTQZU0W)
  *----- Begin of Routine -----
No issues found
  *----- End of Routine -----
  Field Routine 0AF_SIZE: AFS: Size (00O2THW8XCZ3HJ3BQ5FTR00CG)
  *----- Begin of Routine -----
No issues found
  *----- End of Routine -----

>>>>> Target: AFS Elementary Field "Size" (0AF_SIZE)
>>> Source: AFS Conversion (0AFCONV)
  Click on details to edit Transformation (05CMF2G0CA63VIZLAGLMXY1JVH2X1E86)
  Click on details to show code (See Program GP00O2THW8XCZ1R8L7374D1YNGQ)
  Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R8L7374D1YNGQ)
  Click on details to run Code Inspector (GP00O2THW8XCZ1R8L7374D1YNGQ)
  Global Declarations: --- (00O2THW8XCZ3HJ3BQ3K92R0E7)
  Global Implementations: --- (00O2THW8XCZ3HJ3BQ3K92R6PR)
  *----- Begin of Routine -----
  *-----
  CALL FUNCTION 'UNIT_CONVERSION_WITH_FACTOR' EXPORTING ADD_CONST = 0 DENOMINATOR = QC_UMREN INPUT = QC_SOURCE_VALUE NUMER
  * CALL FUNCTION: Object not in customer namespace: UNIT_CONVERSION_WITH_FACTOR
  *-----
  CALL FUNCTION 'CONVERT_TO_LOCAL_CURRENCY' EXPORTING DATE = LC_DATE FOREIGN_AMOUNT = LC_DOCUMENT_VALUE FOREIGN_CURRENCY =
  * CALL FUNCTION: Object not in customer namespace: CONVERT_TO_LOCAL_CURRENCY
  *-----
  CALL FUNCTION 'DATE_GET_WEEK' EXPORTING DATE = H_DATE IMPORTING WEEK = WEEK
  * CALL FUNCTION: Object not in customer namespace: DATE_GET_WEEK
  *-----
  CALL FUNCTION 'DATE_COMPUTE_DAY' EXPORTING DATE = DATE IMPORTING DAY = HLP_DAY
  * CALL FUNCTION: Object not in customer namespace: DATE_COMPUTE_DAY
No issues found
  *----- End of Routine -----
  Field Routine 0AFCONV_D: Germany (00O2THW8XCZ3HJ3BQ5FTQY94W)
  *----- Begin of Routine -----
No issues found
  *----- End of Routine -----
  Field Routine 0AFCONV_CA: Canada (00O2THW8XCZ3HJ3BQ5FTQYFQG)
  *----- Begin of Routine -----
No issues found
  *----- End of Routine -----
  Field Routine 0AFCONV_ES: Spain (00O2THW8XCZ3HJ3BQ5FTQYLS0)
  *----- Begin of Routine -----
No issues found
  *----- End of Routine -----
  Field Routine 0AFCONV_F: France (00O2THW8XCZ3HJ3BQ5FTQYS3K)
  *----- Begin of Routine -----
No issues found
  *----- End of Routine -----
  Field Routine 0AFCONV_I: Italy (00O2THW8XCZ3HJ3BQ5FTQYF4)
  *----- Begin of Routine -----
No issues found
  *----- End of Routine -----
  Field Routine 0AFCONV_J: Japan (00O2THW8XCZ3HJ3BQ5FTQZ4QO)
  *----- Begin of Routine -----
No issues found
  *----- End of Routine -----
  Field Routine 0AFCONV_UK: UK (00O2THW8XCZ3HJ3BQ5FTQZB28)
  *----- Begin of Routine -----
No issues found
  *----- End of Routine -----
  Field Routine 0AFCONV_US: USA (00O2THW8XCZ3HJ3BQ5FTQZHDS)
  *----- Begin of Routine -----
No issues found
  *----- End of Routine -----

>>>>> Process Variant: 0DOC_CATEG_TEXT / NEQ100 -> 0DOC_CATEG (DTP_00O2TGZDW7QEZ7RFPC7C52LWE)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QEZ7RFPC7C52LWE)
>>>> Target: Sales Document Category (0DOC_CATEG)
>>> Source: SD Document Category (0DOC_CATEG_TEXT NEQ100)
  Click on details to edit Transformation (00KPL0Z9R4H9BQ2U3C4UHE0EG00RT07I)
  Click on details to show code (See Program GP00O2THW8XCZ1R8L73AKSLH07E)
```

```
Click on details to run Ext Syntax Check (GP00O2THW8XCZ1R8L73AKSLH07E)
Click on details to run Code Inspector (GP00O2THW8XCZ1R8L73AKSLH07E)
Field Routine: Transfer Routine for Info Object0DOC_CATEG (CXEDHAYMVRBS5MMSDZD6MBIBR)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
```

```
>>>> Process Variant: 0SALES_OFF_TEXT / NEQ100 -> 0SALES_OFF (DTP_00O2TGZDW7QEZ6TW764Y5JNA2)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QEZ6TW764Y5JNA2)
```

```
>>>> Process Variant: ZSD_GRD_SEQ / NEQ100 -> 0AF_GRDVAL (DTP_00O2TGZDW7QD8ZH08CNPAC3ZD)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8ZH08CNPAC3ZD)
```

```
>>>> Process Variant: 0REPR_GROUP_TEXT / NEQ100 -> 0REPR_GROUP (DTP_00O2TGZDW7QD8X9K15Z8A7GBM)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8X9K15Z8A7GBM)
```

```
>>>> Process Variant: 0REASON_REJ_ATTR / NED100 -> 0REASON_REJ (DTP_00O2TGZDW7QD8X9JK16LJ7QDM)
>>>> Data Transfer Process: 0REASON_REJ_ATTR / NED100 -> 0REASON_REJ (DTP_00O2TGZDW7QD8X9JK16LJ7QDM)
```

```
>>>> Process Variant: 0DOC_TYPE_TEXT / NEQ100 -> 0DOC_TYPE (DTP_00O2TGZDW7QD8WZG8XD8KHE9P)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8WZG8XD8KHE9P)
```

```
>>>> Process Variant: 0DIVISION_TEXT / NEQ100 -> 0DIVISION (DTP_00O2TGZDW7QD8WBWY9SRQI9OK)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8WBWY9SRQI9OK)
```

```
>>>> Process Variant: 0DISTR_CHAN_TEXT / NEQ100 -> 0DISTR_CHAN (DTP_00O2TGZDW7QD8WBWMG7UXRDRL)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8WBWMG7UXRDRL)
```

```
>>>> Process Variant: 0SALES_DIST_TEXT / NEQ100 -> 0SALES_DIST (DTP_00O2TGZDW7QD8W6ECN9I9A4S6)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8W6ECN9I9A4S6)
```

```
>>>> Process Variant: 0SALES_GRP_TEXT / NEQ100 -> 0SALES_GRP (DTP_00O2TGZDW7QD8W6DRJ8GD1TAQ)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8W6DRJ8GD1TAQ)
```

```
>>>> Process Variant: 0SALESORG_TEXT / NEQ100 -> 0SALESORG (DTP_00O2TGZDW7QD8W6CGVOTBPXZA)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8W6CGVOTBPXZA)
```

```
>>>> Process Variant: 0SALESORG_ATTR / NEQ100 -> 0SALESORG (DTP_00O2TGZDW7QD8W6CB9VYKE3WF)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8W6CB9VYKE3WF)
>>>> Target: Sales Organization (0SALESORG)
```

```
>>> Source: Sales organization (0SALESORG_ATTR NEQ100)
```

```
Click on details to edit Transformation (0E59FXKKOGJ5Y1WGC9U597A9C9OQGJNL)
Click on details to show code (See Program GP00O2THW8XCZ1R8L73IPZGFDXM)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R8L73IPZGFDXM)
Click on details to run Code Inspector (GP00O2THW8XCZ1R8L73IPZGFDXM)
Global Declarations: --- (00O2THW8XCZ3HXSQU09UG6YNU)
Global Implementations: --- (00O2THW8XCZ3HXSQU09UG74ZE)
Field Routine: Transfer Routine for InfoObject 0LOGSYS (DCW82EH56X6IE17QMCP9L361)
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
End Routine: --- (00O2THW8XCZ3HXSQU09UG6SCA)
* ----- Begin of Routine -----
* -----
```

```
SELECT SINGLE /BIC/ZREGION FROM /BIC/PZSLSORG INTO WA_RESULT_FIELDS-/BIC/ZREGION WHERE /BIC/ZSLSORG = WA_RESULT_FIELDS-S
```

```
* Database SELECT: Reading master data table or view /BIC/PZSLSORG
* Database SELECT: > Try to replace with standard functionality using rule type "Read master data"
* Database SELECT: > or better, try using navigational attributes of the source object
```

```
* -----
MODIFY RESULT_PACKAGE FROM WA_RESULT_FIELDS
* -----
```

```
SELECT SINGLE /BIC/ZSUBREG FROM /BIC/PZSLSORG INTO WA_RESULT_FIELDS-/BIC/ZSUBREG WHERE /BIC/ZSLSORG = WA_RESULT_FIELDS-S
```

```
* Database SELECT: Reading master data table or view /BIC/PZSLSORG
* Database SELECT: > Try to replace with standard functionality using rule type "Read master data"
* Database SELECT: > or better, try using navigational attributes of the source object
```

```
* -----
MODIFY RESULT_PACKAGE FROM WA_RESULT_FIELDS
* ----- End of Routine -----
```

```
>>>> Process Variant: 0BILL_TYPE_TEXT / NEQ100 -> 0BILL_TYPE (DTP_00O2TGZDW7QD8VUC4DKRXB0EB)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8VUC4DKRXB0EB)
```

```
>>>> Process Variant: 0AF_SEAN_TEXT / NEQ100 -> 0AF_THEME (DTP_00O2TGZDW7QD8VUANG7VW57XN)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8VUANG7VW57XN)
>>>> Target: AFS Theme (0AF_THEME)
```

```
>>> Source: AFS Season, Collection, Theme (Text) (0AF_SEAN_TEXT)
```

```
Click on details to edit Transformation (0N4CZEDQI0Y4V68KJL7FMH19CWAOKR5U)
Click on details to show code (See Program GP00O2THW8XCZ1R8L73MOBOEQ8A)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R8L73MOBOEQ8A)
Click on details to run Code Inspector (GP00O2THW8XCZ1R8L73MOBOEQ8A)
Global Declarations: --- (00O2THW8XCZ3HJ3AN4JSUISTR)
Global Implementations: --- (00O2THW8XCZ3HJ3AN4JSUI5B)
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
Field Routine 0TXTSH: Theme Text (00O2THW8XCZ3HJ3AN4JSUI5GV)
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
```

```
>>>> Process Variant: 0AF_SEAN_TEXT / NEQ100 -> 0AF_SEAN (DTP_00O2TGZDW7QD8VUAKVA39Z0PZ)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8VUAKVA39Z0PZ)
>>>> Target: AFS Season (0AF_SEAN)
>>>> Source: AFS Season, Collection, Theme (Text) (0AF_SEAN_TEXT)
```

```
Click on details to edit Transformation (0NLF07EXPZXBP MF29RNM6J123N0ZKWZN)
Click on details to show code (See Program GP00O2THW8XCZ1R8L73PBTZL16Y)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R8L73PBTZL16Y)
Click on details to run Code Inspector (GP00O2THW8XCZ1R8L73PBTZL16Y)
Global Declarations: --- (00O2THW8XCZ3HJ3AN4JSUJBSF)
Global Implementations: --- (00O2THW8XCZ3HJ3AN4JSUJI3Z)
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
Field Routine 0TXTSH: Season Text (00O2THW8XCZ3HJ3AN4JSUJOFJ)
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
```

```
>>>> Process Variant: 0AF_SEAN_TEXT / NEQ100 -> 0AF_COLL (DTP_00O2TGZDW7QD8VU7SJ62ZLQ2)
```

```
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QD8VU7SJ62ZLQ2)
```

```
>>>> Target: AFS Collection (0AF_COLL)
```

```
>>> Source: AFS Season, Collection, Theme (Text) (0AF_SEAN_TEXT)
```

```
Click on details to edit Transformation (0Q9EW41RGNN04H1CWXASM98M KOJSMDBW)
Click on details to show code (See Program GP00O2THW8XCZ1R8L73T48PIH56)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1R8L73T48PIH56)
Click on details to run Code Inspector (GP00O2THW8XCZ1R8L73T48PIH56)
Global Declarations: --- (00O2THW8XCZ3HJ3AN6GWARC6N)
Global Implementations: --- (00O2THW8XCZ3HJ3AN6GWARII7)
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
Field Routine 0TXTSH: Collection Text (00O2THW8XCZ3HJ3AN6GWAROTR)
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
```

```
>>>> Summary
```

```
Runtime: 1.89 sec
```

```
** Process Chain: Process Chain for Sales Orders (ZPC_SD_ORDER)
```

```
>>>> Process Variant: ZAFSDDS1 -> ZSD_ORDER (DTP_00O2THVXVZKSWD9OPXHOBVVI5)
```

```
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSWD9OPXHOBVVI5)
```

```
>>>> Target: Sales Orders (ZSD_ORDER)
```

```
>>> Source: AFS Sales Orders (ZAFSDDS1)
```

```
Click on details to edit Transformation (07R2MONNMKZRG5UHZTP2MYLKFUFJFZ4B)
Click on details to show code (See Program GP00O2THW8XCZ3PNU9GDMXALU9Y)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3PNU9GDMXALU9Y)
Click on details to run Code Inspector (GP00O2THW8XCZ3PNU9GDMXALU9Y)
Global Declarations: --- (00O2THW8XCZ3PYY5T0L35YW56)
Global Implementations: --- (00O2THW8XCZ3PYY5T0L35Z2GQ)
Start Routine: --- (00O2THW8XCZ3PYY5T0L35YJ12)
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
Field Routine 0SALES_UNIT: --- (00O2THW8XCZ3PYY5T0L35Z8SA)
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
Field Routine ZCONCTEA: --- (00O2THW8XCZ3PYY5T0L35ZF3U)
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
Field Routine 0CURRENCY: --- (00O2THW8XCZ3PYY5T0L35ZLFE)
* ----- Begin of Routine -----
```

No issues found

```
* ----- End of Routine -----
End Routine: --- (00O2THW8XCZ3PYY5T0L35YPTM)
```

No keywords found

```
>>>> Summary
```

```
Runtime: 1.08 sec
```

```
** Process Chain: Season and Collection Determination (ZPC_SEA_COLL_DETER)
```

```
>>>> Process Variant: 0AF_SEAN_ATTR / NEQ100 -> 0AFIO_DS1 (DTP_00O2THVXVZKSS57TZ8FKFDLLM)
```

```
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSS57TZ8FKFDLLM)
```

```
>>>> Process Variant: ZAFS_DPRG_KOND / NEQ100 -> ZAFSCOND (DTP_00O2THVXVZKSS69FHHQ6Y37NL)
```

```
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSS69FHHQ6Y37NL)
```

```
>>>> Process Variant: IP_ZAFS_DPRG_KOND_FULL (ZPAK_4804QDQA6POAO3G97DJ0VVJUS)
```

```
>>>> InfoPackage: IP_ZAFS_DPRG_KOND_FULL (ZPAK_4804QDQA6POAO3G97DJ0VVJUS)
```

PSA load only

```
>>>> Process Variant: IP_0AF_SEAN_ATTR_FULL (ZPAK_4GJ1BPKNO8MZ8S6I20D4964HW)
```

```
>>>> InfoPackage: IP_0AF_SEAN_ATTR_FULL (ZPAK_4GJ1BPKNO8MZ8S6I20D4964HW)
```

PSA load only

```
>>>> Summary
```

```
Runtime: 0.05 sec
```

```
** Process Chain: Process Chain for Loading Sell Thru Data (ZPC_SELL_THRU)
```

```
>>>> Process Variant: ZSD_SELL_THRU_FILE / ZNECFI LE -> ZSD_OSEL (DTP_00O2THVXVZKSS55ZI6SWCFZ4S)
```

```
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSS55ZI6SWCFZ4S)
```

```
>>>> Target: Sell Thru Data DSO (ZSD_OSEL)
```

```
>>> Source: Sell Thru File Extractor (ZSD_SELL_THRU_FILE ZNECFI LE)
```

```
Click on details to edit Transformation (0SN8NWVFMWUK2SWOC5QMW9AYO335W57K)
Click on details to show code (See Program GP00O2THW8XCZ3LGAD5DHQJEJR72)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3LGAD5DHQJEJR72)
Click on details to run Code Inspector (GP00O2THW8XCZ3LGAD5DHQJEJR72)
Global Declarations: --- (00O2THW8XCZ1ZQK87T5DU4077)
Global Implementations: --- (00O2THW8XCZ1ZQK87T5DU46IR)
Start Routine: --- (00O2THW8XCZ1ZQK87T5DU3NK3)
* ----- Begin of Routine -----
* -----
SELECT AF_GRDVAL /BIC/ZMAT_GRID EANUPC FROM /BIC/PZMAT_GRID INTO TABLE LT_/BIC/PZMAT_GRID FOR ALL ENTRIES IN LT_SP WHERE
* Database SELECT: Reading with "FOR ALL ENTRIES"
* Database SELECT: > Specify database hint for SAP HANA
* Database SELECT: Reading master data table or view /BIC/PZMAT_GRID
* Database SELECT: > Try to replace with standard functionality using rule type "Read master data"
* Database SELECT: > or better, try using navigational attributes of the source object
* ----- End of Routine -----
Field Routine 0AF_CUSTID: --- (00O2THW8XCZ1ZQK87T5DU4CUB)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
End Routine: --- (00O2THW8XCZ1ZQK87T5DU3TVN)
* ----- Begin of Routine -----
* -----
SELECT * FROM /BIC/AZAFSCOND00 INTO TABLE LT_AFSCOND
* Database SELECT: Missing WHERE clause on big table
* Database SELECT: > Select only the data you need
* Database SELECT: Reading all columns (*) on big table
* Database SELECT: > Specify only the columns you need
* Database SELECT: Reading DataStore Object table /BIC/AZAFSCOND00
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* -----
SELECT CUSTOMER SHIP_TO_OI_PARVW FROM /BIC/AZSD_KNVP00 INTO TABLE IT_AZSD_KNVP00 FOR ALL ENTRIES IN RESULT_PACKAGE WHERE
* Database SELECT: Reading with "FOR ALL ENTRIES"
* Database SELECT: > Specify database hint for SAP HANA
* Database SELECT: Reading DataStore Object table /BIC/AZSD_KNVP00
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* -----
SELECT CUSTOMER AF_CUSTID FLGDELETED FROM /BI0/PCUSTOMER INTO TABLE IT_STORE FOR ALL ENTRIES IN RESULT_PACKAGE WHERE AF_
* Database SELECT: Reading with "FOR ALL ENTRIES"
* Database SELECT: > Specify database hint for SAP HANA
* Database SELECT: Reading master data table or view /BI0/PCUSTOMER
* Database SELECT: > Try to replace with standard functionality using rule type "Read master data"
* Database SELECT: > or better, try using navigational attributes of the source object
* -----
SELECT SINGLE SHIP_TO INTO SOLDTO FROM /BIC/AZSD_KNVP00 WHERE CUSTOMER = <RESULT_FIELDS> -CUSTOMER AND OI_PARVW = 'AG'
* Database SELECT: Reading DataStore Object table /BIC/AZSD_KNVP00
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* -----
SELECT MATERIAL AF_SEAN AF_COLL FROM /BI0/AAFIO_DS100 INTO TABLE LT_AFIO_DS1 WHERE MATERIAL = LV_MATNR
* Database SELECT: Reading DataStore Object table /BI0/AAFIO_DS100
* Database SELECT: > Try to replace with standard functionality using rule type "Read from DataStore Object"
* ----- End of Routine -----

>>>> Process Variant: ZSD_KNVP / NEQ100 -> ZSD_KNVP (DTP_00O2THVXVZKSS69F409ZYB9M3)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSS69F409ZYB9M3)

>>>> Process Variant: ZSD_SELL_THRU_FILE / ZNECFIL -> 0CUSTOMER (DTP_00O2THVXVZKSSWS3CFW6311IFN)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSSWS3CFW6311IFN)

>>>> Process Variant: ZSD_OSEL -> ZSD_SELT (DTP_00O2THVXVZKUES7FBUW2MQPNK)
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUES7FBUW2MQPNK)

>>>> Process Variant: IP_ZSD_SELL_THRU_FILE_FULL (ZPAK_AG5V9RDDX3A0AMVNJH14ABK90)
>>>> InfoPackage: IP_ZSD_SELL_THRU_FILE_FULL (ZPAK_AG5V9RDDX3A0AMVNJH14ABK90)
PSA load only

>>>> Process Variant: IP_ZSD_KNVP_FULL (ZPAK_ELR3YOXGE6ODA8U587Q4TECSK)
>>>> InfoPackage: IP_ZSD_KNVP_FULL (ZPAK_ELR3YOXGE6ODA8U587Q4TECSK)
PSA load only

>>>> Summary
Runtime: 0.63 sec

** Process Chain: Process Chain for Shipped Orders (ZPC_SHIP)

>>>> Process Variant: 2LIS_12_VCITM / NEQ100 -> ZSD_SHIP (DTP_00O2TGZDW7QDBXVXWCLKJE62R)
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QDBXVXWCLKJE62R)
>>>> Target: Shipped DSO (ZSD_SHIP)
>>> Source: Delivery Item Data (2LIS_12_VCITM NEQ100)
Click on details to edit Transformation (0QE0RBJJ2GVSIFLIQAOCRTKRDNJ3T27)
Click on details to show code (See Program GP00O2THW8XCZ3HKJKFDUMNTO71)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HKJKFDUMNTO71)
Click on details to run Code Inspector (GP00O2THW8XCZ3HKJKFDUMNTO71)
Global Declarations: --- (00O2THW8XCZ1YZ898W5474TER)
Global Implementations: --- (00O2THW8XCZ1YZ898W5474ZQB)
Start Routine: --- (00O2THW8XCZ1YZ898W5474N37)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
Field Routine 0SCHD_LINE: --- (00O2THW8XCZ1YZ898W547561V)
* ----- Begin of Routine -----
No issues found
* ----- End of Routine -----
```

```

>>>> Process Variant: 2LIS_11_VASCL / NEQ100 -> ZSD_SHIP (DTP_0002TGZDW7QDBXW002KZ4XBRY)
>>>> Data Transfer Process: No description (DTP_0002TGZDW7QDBXW002KZ4XBRY)
>>>> Target: Shipped DSO (ZSD_SHIP)
>>>> Source: Sales Document Schedule Line (2LIS_11_VASCL NEQ100)
    Click on details to edit Transformation (0LDDKALJCBFPP0CMM4Z9WEGP1KWHY6S5)
    Click on details to show code (See Program GP0002THW8XCZ3HKJKF41JYKA7X)
    Click on details to run Ext. Syntax Check (GP0002THW8XCZ3HKJKF41JYKA7X)
    Click on details to run Code Inspector (GP0002THW8XCZ3HKJKF41JYKA7X)
    Global Declarations: --- (0002THW8XCZ1YZ898U0ZEO0YR)
    Global Implementations: --- (0002THW8XCZ1YZ898U0ZEO7AB)
    Field Routine 0PO_NUMBER: --- (0002THW8XCZ1YZ898W5474AG3)
    *----- Begin of Routine -----
    *
    CALL FUNCTION 'SCP_REPLACE_STRANGE_CHARS' EXPORTING INTEXT = SOURCE_FIELDS-BSTNK IMPORTING OUTTEXT = RESULT EXCEPTIONS I
    * CALL FUNCTION: Object not in customer namespace: SCP_REPLACE_STRANGE_CHARS
No issues found
    *----- End of Routine -----

```

```

>>>> Process Variant: ZSD_SHIP -> ZIC_SHIP (DTP_0002TGZDW7QDBXWACJ7R2NS25)
>>>> Data Transfer Process: No description (DTP_0002TGZDW7QDBXWACJ7R2NS25)
>>>> Target: Shipped Orders InfoCube (ZIC_SHIP)
>>>> Source: Shipped DSO (ZSD_SHIP)
    Click on details to edit Transformation (01QNF16EO6CDVR8IS386DO15JJVT81MU)
    Click on details to show code (See Program GP0002THW8XCZ3HKLMPYTC4KHIS)
    Click on details to run Ext. Syntax Check (GP0002THW8XCZ3HKLMPYTC4KHIS)
    Click on details to run Code Inspector (GP0002THW8XCZ3HKLMPYTC4KHIS)
    Global Declarations: --- (0002THW8XCZ1YZ898U0ZENOBN)
    Global Implementations: --- (0002THW8XCZ1YZ898U0ZENUN7)
    End Routine: --- (0002THW8XCZ1YZ898U0ZENI03)
    *----- Begin of Routine -----
    *
    CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-SALES_UNIT MATERIAL = <RESULT_FIELDS>-MATER
Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD
    *----- End of Routine -----
    DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
    *----- End of Routine -----

```

```

>>>> Process Variant: ZSD_INBD -> ZSD_SHIP (DTP_0002THVXVZKSSM5H6LV5UV59N)
>>>> Data Transfer Process: No description (DTP_0002THVXVZKSSM5H6LV5UV59N)

```

```

>>>> Summary
    Runtime: 0.05 sec

```

```

** Process Chain: Process Chain for Shipped Orders - EMEA (ZPC_SHIP_EMEA)

```

```

>>>> Process Variant: 2LIS_12_VCITM / NEQ100 -> ZSD_SHIP (DTP_0002TGZDW7QDBXVXWCLKJE62R)
>>>> Data Transfer Process: No description (DTP_0002TGZDW7QDBXVXWCLKJE62R)
>>>> Target: Shipped DSO (ZSD_SHIP)
>>>> Source: Delivery Item Data (2LIS_12_VCITM NEQ100)
    Click on details to edit Transformation (0QE0RBJJ2GV5IFLIQAOCORCTKRDNJ3T27)
    Click on details to show code (See Program GP0002THW8XCZ3HKJKFDUMNTO71)
    Click on details to run Ext. Syntax Check (GP0002THW8XCZ3HKJKFDUMNTO71)
    Click on details to run Code Inspector (GP0002THW8XCZ3HKJKFDUMNTO71)
    Global Declarations: --- (0002THW8XCZ1YZ898W5474TER)
    Global Implementations: --- (0002THW8XCZ1YZ898W5474ZQB)
    Start Routine: --- (0002THW8XCZ1YZ898W5474N37)
    *----- Begin of Routine -----
No issues found
    *----- End of Routine -----
    Field Routine 0SCHED_LINE: --- (0002THW8XCZ1YZ898W547561V)
    *----- Begin of Routine -----
No issues found
    *----- End of Routine -----

```

```

>>>> Process Variant: 2LIS_11_VASCL / NEQ100 -> ZSD_SHIP (DTP_0002TGZDW7QDBXW002KZ4XBRY)
>>>> Data Transfer Process: No description (DTP_0002TGZDW7QDBXW002KZ4XBRY)
>>>> Target: Shipped DSO (ZSD_SHIP)
>>>> Source: Sales Document Schedule Line (2LIS_11_VASCL NEQ100)
    Click on details to edit Transformation (0LDDKALJCBFPP0CMM4Z9WEGP1KWHY6S5)
    Click on details to show code (See Program GP0002THW8XCZ3HKJKF41JYKA7X)
    Click on details to run Ext. Syntax Check (GP0002THW8XCZ3HKJKF41JYKA7X)
    Click on details to run Code Inspector (GP0002THW8XCZ3HKJKF41JYKA7X)
    Global Declarations: --- (0002THW8XCZ1YZ898U0ZEO0YR)
    Global Implementations: --- (0002THW8XCZ1YZ898U0ZEO7AB)
    Field Routine 0PO_NUMBER: --- (0002THW8XCZ1YZ898W5474AG3)
    *----- Begin of Routine -----
    *
    CALL FUNCTION 'SCP_REPLACE_STRANGE_CHARS' EXPORTING INTEXT = SOURCE_FIELDS-BSTNK IMPORTING OUTTEXT = RESULT EXCEPTIONS I
    * CALL FUNCTION: Object not in customer namespace: SCP_REPLACE_STRANGE_CHARS
No issues found
    *----- End of Routine -----

```

```

>>>> Process Variant: ZSD_INBD -> ZSD_SHIP (DTP_0002THVXVZKSSM5H6LV5UV59N)
>>>> Data Transfer Process: No description (DTP_0002THVXVZKSSM5H6LV5UV59N)

```

```

>>>> Process Variant: ZSD_SHIP -> Z_SHIP03 (DTP_0002THVXVZKUIN7NSZCATVHJH)
>>>> Data Transfer Process: No description (DTP_0002THVXVZKUIN7NSZCATVHJH)
>>>> Target: Z_SHIP_I (Z_SHIP_I)
>>>> Source: Shipped DSO (ZSD_SHIP)
    Click on details to edit Transformation (0GPVJ7PT1OHC FWD3FQ5UWUXX0DIMV0BY)
    Click on details to show code (See Program GP0002THW8XCZ3LMW8RW5JYG0OH)
    Click on details to run Ext. Syntax Check (GP0002THW8XCZ3LMW8RW5JYG0OH)
    Click on details to run Code Inspector (GP0002THW8XCZ3LMW8RW5JYG0OH)
    Global Declarations: --- (0002THW8XCZ1YZ898W5475P0J)

```

```
Global Implementations: --- (00O2THW8XCZ1YZ898W5475VC3)
End Routine: --- (00O2THW8XCZ1YZ898W5475IOZ)
* ----- Begin of Routine -----
* -----
CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-SALES_UNIT MATERIAL = <RESULT_FIELDS>-MATER
Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD
* -----
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
* ----- End of Routine -----
```

```
>>>> Summary
Runtime: 0.05 sec
```

```
** Process Chain: Process Chain for Shipped - Japan, Emerging JAPAC (ZPC_SHIP_JP_EMJAPAC)
```

```
>>>> Process Variant: 2LIS_12_VCITM / NEQ100 -> ZSD_SHIP (DTP_00O2TGZDW7QDBXVXWCLKJE62R)
```

```
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QDBXVXWCLKJE62R)
```

```
>>>> Target: Shipped DSO (ZSD_SHIP)
```

```
>>> Source: Delivery Item Data (2LIS_12_VCITM NEQ100)
```

```
Click on details to edit Transformation (0QE0RBJJ2GVSIFLIQAOCRTKRDNJ3T27)
Click on details to show code (See Program GP00O2THW8XCZ3HKJKFDUMNTO71)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HKJKFDUMNTO71)
Click on details to run Code Inspector (GP00O2THW8XCZ3HKJKFDUMNTO71)
Global Declarations: --- (00O2THW8XCZ1YZ898W5474TER)
Global Implementations: --- (00O2THW8XCZ1YZ898W5474ZQB)
Start Routine: --- (00O2THW8XCZ1YZ898W5474N37)
* ----- Begin of Routine -----
```

```
No issues found
```

```
* ----- End of Routine -----
Field Routine 0SCHD_LINE: --- (00O2THW8XCZ1YZ898W547561V)
* ----- Begin of Routine -----
```

```
No issues found
```

```
* ----- End of Routine -----
```

```
>>>> Process Variant: 2LIS_11_VASCL / NEQ100 -> ZSD_SHIP (DTP_00O2TGZDW7QDBXW0O2KZ4XBRY)
```

```
>>>> Data Transfer Process: No description (DTP_00O2TGZDW7QDBXW0O2KZ4XBRY)
```

```
>>>> Target: Shipped DSO (ZSD_SHIP)
```

```
>>> Source: Sales Document Schedule Line (2LIS_11_VASCL NEQ100)
```

```
Click on details to edit Transformation (0LDDKALJCBFPPOCMM4Z9WEGP1KWHY6S5)
Click on details to show code (See Program GP00O2THW8XCZ3HKJKF41JYKA7X)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3HKJKF41JYKA7X)
Click on details to run Code Inspector (GP00O2THW8XCZ3HKJKF41JYKA7X)
Global Declarations: --- (00O2THW8XCZ1YZ898U0ZEO0YR)
Global Implementations: --- (00O2THW8XCZ1YZ898U0ZEO7AB)
Field Routine 0PO_NUMBER: --- (00O2THW8XCZ1YZ898W5474AG3)
* ----- Begin of Routine -----
* -----
```

```
CALL FUNCTION 'SCP_REPLACE_STRANGE_CHARS' EXPORTING INTEXT = SOURCE_FIELDS-BSTNK IMPORTING OUTTEXT = RESULT_EXCEPTIONS I
* CALL FUNCTION: Object not in customer namespace: SCP_REPLACE_STRANGE_CHARS
```

```
No issues found
```

```
* ----- End of Routine -----
```

```
>>>> Process Variant: ZSD_INBD -> ZSD_SHIP (DTP_00O2THVXVZKSSM5H6LV5UV59N)
```

```
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSSM5H6LV5UV59N)
```

```
>>>> Process Variant: ZSD_SHIP -> Z_SHIP04 (DTP_00O2THVXVZKUIN7NT9V7J9EA6)
```

```
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUIN7NT9V7J9EA6)
```

```
>>>> Target: Z_SHIP_I (Z_SHIP_I)
```

```
>>> Source: Shipped DSO (ZSD_SHIP)
```

```
Click on details to edit Transformation (0GPVJ7PT1OHCFFWD3FQ5UWUXX0DIMV0BY)
Click on details to show code (See Program GP00O2THW8XCZ3LMW8RW5JYG0OH)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3LMW8RW5JYG0OH)
Click on details to run Code Inspector (GP00O2THW8XCZ3LMW8RW5JYG0OH)
Global Declarations: --- (00O2THW8XCZ1YZ898W5475P0J)
Global Implementations: --- (00O2THW8XCZ1YZ898W5475VC3)
End Routine: --- (00O2THW8XCZ1YZ898W5475IOZ)
* ----- Begin of Routine -----
* -----
```

```
CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-SALES_UNIT MATERIAL = <RESULT_FIELDS>-MATER
```

```
Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD
```

```
* -----
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
* ----- End of Routine -----
```

```
>>>> Process Variant: ZSD_SHIP -> Z_SHIP05 (DTP_00O2THVXVZKUIN7TMAP611ME8)
```

```
>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUIN7TMAP611ME8)
```

```
>>>> Target: Z_SHIP_I (Z_SHIP_I)
```

```
>>> Source: Shipped DSO (ZSD_SHIP)
```

```
Click on details to edit Transformation (0GPVJ7PT1OHCFFWD3FQ5UWUXX0DIMV0BY)
Click on details to show code (See Program GP00O2THW8XCZ3LMW8RW5JYG0OH)
Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3LMW8RW5JYG0OH)
Click on details to run Code Inspector (GP00O2THW8XCZ3LMW8RW5JYG0OH)
Global Declarations: --- (00O2THW8XCZ1YZ898W5475P0J)
Global Implementations: --- (00O2THW8XCZ1YZ898W5475VC3)
End Routine: --- (00O2THW8XCZ1YZ898W5475IOZ)
* ----- Begin of Routine -----
* -----
```

```
CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-SALES_UNIT MATERIAL = <RESULT_FIELDS>-MATER
```

```
Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD
```

```
* -----
DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>
* ----- End of Routine -----
```

```
>>>> Summary
```

Runtime: 0.06 sec

** Process Chain: Process Chain for Shipped - Emerging Americas (ZPC_SHIP_NA_EM)

>>>> Process Variant: ZSD_SHIP -> Z_SHIP02 (DTP_00O2THVXVZKUIN7NSRBTWH9QJ)

>>>> Data Transfer Process: No description (DTP_00O2THVXVZKUIN7NSRBTWH9QJ)

>>>> Target: Z_SHIP_I (Z_SHIP_I)

>>> Source: Shipped DSO (ZSD_SHIP)

Click on details to edit Transformation (0GPVJ7PT1OHC FWD3FQ5UWUXX0DIMV0BY)

Click on details to show code (See Program GP00O2THW8XCZ3LMW8RW5JYG0OH)

Click on details to run Ext. Syntax Check (GP00O2THW8XCZ3LMW8RW5JYG0OH)

Click on details to run Code Inspector (GP00O2THW8XCZ3LMW8RW5JYG0OH)

Global Declarations: --- (00O2THW8XCZ1YZ898W5475P0J)

Global Implementations: --- (00O2THW8XCZ1YZ898W5475VC3)

End Routine: --- (00O2THW8XCZ1YZ898W5475IOZ)

*----- Begin of Routine -----

CALL FUNCTION 'ZBI_QTY_CONV_EA' EXPORTING QUANTITY = 1 UOM = <RESULT_FIELDS>-SALES_UNIT MATERIAL = <RESULT_FIELDS>-MATER

Code already analyzed above. See 7.x Transformations: CUBE/ZIC_ATP/ODSO/ZDSOINVD

*-----

DELETE TABLE RESULT_PACKAGE FROM <RESULT_FIELDS>

*----- End of Routine -----

>>>> Summary

Runtime: 0.02 sec

** Process Chain: Monthly PC to Load Currency Exchange Rates to the (ZPC_ZTCURR_DSO_LOAD)

>>>> Process Variant: ZTCURR_W_RATIO / ZNECFIL -> ZTCURR (DTP_00O2THVXVZKSVX3DU3UARQX1K)

>>>> Data Transfer Process: No description (DTP_00O2THVXVZKSVX3DU3UARQX1K)

>>>> Target: Currency Exchange Rates (ZTCURR)

>>> Source: Currency Exchange Rates w/ Ratio (ZTCURR_W_RATIO ZNECFIL)

Click on details to edit Transformation (0REOSGWRIFY0DN1U4W86Z9F62Q6MM56FE)

Click on details to show code (See Program GP00O2THW8XCZ1YWE1Y90618TG7)

Click on details to run Ext. Syntax Check (GP00O2THW8XCZ1YWE1Y90618TG7)

Click on details to run Code Inspector (GP00O2THW8XCZ1YWE1Y90618TG7)

Global Declarations: --- (00O2THW8XCZ1YWE1Y6C8MLH5J)

Global Implementations: --- (00O2THW8XCZ1YWE1Y6C8MLNH3)

Field Routine 0FISCYEAR: --- (00O2THW8XCZ1YWE1Y6C8MLTSN)

*----- Begin of Routine -----

No issues found

*----- End of Routine -----

>>>> Process Variant: FULL - ZTCURR_W_RATIO (ZPAK_2S21XA8DMNQ35IX6P6BPVQ9FO)

>>>> InfoPackage: FULL - ZTCURR_W_RATIO (ZPAK_2S21XA8DMNQ35IX6P6BPVQ9FO)

PSA load only

>>>> Summary

Runtime: 0.62 sec

** 3.x Business Planning

>>>> Characteristic Relationships

>>>> Planning Area: CRM Marketing Plan Values (4CRM0001)

>>> Characteristic Relationship: Characteristic Relationship 01 (01)

>> ABAP Function Module: No description (UPX_EXEC_CHECK_DUMMY)

Click on details to show code (See Function UPX_EXEC_CHECK_DUMMY)

>> ABAP Function Module: No description (UPX_DATES_DERIVE)

Click on details to show code (See Function UPX_DATES_DERIVE)

>> ABAP Function Module: No description (UPX_DATES_DERIVE)

Click on details to show code (See Function UPX_DATES_DERIVE)

>>> Characteristic Relationship: Characteristic Relationship 02 (02)

>> ABAP Function Module: No description (UPX_EXEC_CHECK_DUMMY)

Click on details to show code (See Function UPX_EXEC_CHECK_DUMMY)

>> ABAP Function Module: No description (UPX_DATES_DERIVE)

Click on details to show code (See Function UPX_DATES_DERIVE)

>> ABAP Function Module: No description (UPX_DATES_DERIVE)

Click on details to show code (See Function UPX_DATES_DERIVE)

>>>> Planning Area: Sales Planning (4CRMSP01)

>>> Characteristic Relationship: Characteristic Relationship 01 (01)

>> ABAP Function Module: No description (UPX_EXEC_CHECK_DUMMY)

Click on details to show code (See Function UPX_EXEC_CHECK_DUMMY)

>> ABAP Function Module: No description (UPX_DATES_DERIVE)

Click on details to show code (See Function UPX_DATES_DERIVE)

>> ABAP Function Module: No description (UPX_DATES_DERIVE)

Click on details to show code (See Function UPX_DATES_DERIVE)

>>> Characteristic Relationship: Characteristic Relationship 02 (02)

>> ABAP Function Module: No description (UPX_EXEC_CHECK_DUMMY)

Click on details to show code (See Function UPX_EXEC_CHECK_DUMMY)

>> ABAP Function Module: No description (UPX_DATES_DERIVE)

Click on details to show code (See Function UPX_DATES_DERIVE)

>> ABAP Function Module: No description (UPX_DATES_DERIVE)

Click on details to show code (See Function UPX_DATES_DERIVE)

>>> Characteristic Relationship: Characteristic Relationship 06 (06)

>> ABAP Function Module: No description (UPX_EXEC_CHECK_DUMMY)

Click on details to show code (See Function UPX_EXEC_CHECK_DUMMY)

>> ABAP Function Module: No description (UPX_EXIT_HIERARCHY_DERIVE)

Click on details to show code (See Function UPX_EXIT_HIERARCHY_DERIVE)

>> ABAP Function Module: No description (UPX_EXIT_HIERARCHY_DERIVE)

Click on details to show code (See Function UPX_EXIT_HIERARCHY_DERIVE)

>>> Characteristic Relationship: Characteristic Relationship 07 (07)

>> ABAP Function Module: No description (UPX_EXEC_CHECK_DUMMY)

Click on details to show code (See Function UPX_EXEC_CHECK_DUMMY)

>> ABAP Function Module: No description (UPX_EXIT_HIERARCHY_DERIVE)

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Product (CRM_PR08)
ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Unit of Measure in which Product Is (CRM_SA01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:CRM Sales Organization (CRM_SA02)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:CRM Sales Office (CRM_SA03)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:CRM Sales Group (CRM_SA04)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Currency Key (CURREN01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Distribution Channel (DISTR_01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Division (DIVISI01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Posting Period (FISCPE01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Fiscal Year / Period (FISCPE02)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Fiscal Year Variant (FISCV01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Fiscal Year (FISCYE01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:OHT_ASYGUID (HT_ASY01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:OHT_ASYDESC (HT_ASY02)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:OHT_DRDESC (HT_DRD01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Design Registration GUID (HT_DRG01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:OHT_DRITGUI (HT_DRI01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:OHT_DRIDESC (HT_DRI02)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:OHT_PRJGUID (HT_PRJ01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:OHT_PRJDESC (HT_PRJ02)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Promotion Phase (PERIOD01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Product (PRODUC01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Product Category (PROD_C01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Region (State, County, Province) (REGION01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Unit of Measure (UNIT01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Version (VERSIO01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Value Type for Reporting (VTYPE01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Planning Area: Sales Planning (4UCCRM03)
>>> Variable: UEX:APO Location (APO_LO01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:APO Product (APO_PR01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: Base Unit of Measure (BASE_U01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: Business Partner (BPARTN01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)

Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Business Partner Group Level 1 (BP_GRP01)
ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Business Partner Group Level 2 (BP_GRP02)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Business Partner Group Level 3 (BP_GRP03)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Business Partner Group Level 4 (BP_GRP04)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Business Partner Group Level 5 (BP_GRP05)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Business Partner Group Level 6 (BP_GRP06)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Business Partner Group Level 7 (BP_GRP07)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:BP: Business Partner Group (frm Hier (BP_GRP08)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: Calendar Year / Month (CALMON01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: Calendar Month (CALMON02)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: Quarter (CALQUA01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: Calendar Year / Quarter (CALQUA02)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Calendar Year / Week (CALWEE01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: Calendar Year (CALYEA01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: No description (CALYEA02)
>> ABAP Function Module: Füllen der Variablen für die Zuständigkeiten (UPX_CURRENT_YEAR_VARIABLE_FILL)
Click on details to show code (See Function UPX_CURRENT_YEAR_VARIABLE_FILL)
>>> Variable: Country Key (COUNTR01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: Equivalence Unit (CP_EQV01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: CRM Product (CRMPROD)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:CRM Plan Version (CRMVER01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: Business Partner Hierarchy Level 1 (High (CRM_BP01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: Business Partner Hierarchy Level 2 (CRM_BP02)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: Business Partner Hierarchy Level 3 (CRM_BP03)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: Business Partner Hierarchy Level 4 (CRM_BP04)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: Business Partner Hierarchy Level 5 (CRM_BP05)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: Business Partner Hierarchy Level 6 (CRM_BP06)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: Business Partner Hierarchy Level 7 (CRM_BP07)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Currency for CRM Pricing (CRM_CU01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: CRM Marketing Element (Campaign and Mark (CRM_MK01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Item Number in Document (CRM_NU01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:0CRM_OPIGUI (CRM_OP01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:GUID of Opportunity (CRM_OP02)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)

[illegible]

>>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Variable: UEX:Customer Number (CUSTOM01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Variable: Distribution Channel (DISTR_01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Variable: Division (DIVISI01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Variable: Fiscal Year/Period (FISCPE01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Variable: Posting Period (FISCPE02)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Variable: Fiscal Year Variant (FISCVA01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Variable: Fiscal Year (FISCYE01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Variable: UEX:Material (MATERI01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Variable: Organizational Unit (ORGUNI01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Variable: UEX:Period Type (PERIOD01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Variable: UEX:Product Category (PROD_C02)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Variable: UEX:Region (State, County, Province) (REGION01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Variable: Sales Unit (SALES_01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Variable: Version (VERSIO01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Variable: Value Type for Reporting (VTYPE01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>>> Planning Area: Service Planning (4UCCRM03)
>>>> Variable: UEX:Base Unit of Measure (BASE_U01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Variable: UEX:Business Partner (BPARTN01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Variable: UEX:Business Partner Group Level 1 (BPGRP001)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Variable: UEX:Business Partner Group Level 7 (BP_GRP01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Variable: UEX:Business Partner Group Level 6 (BP_GRP02)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Variable: UEX:Business Partner Group Level 5 (BP_GRP03)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Variable: UEX:Business Partner Group Level 4 (BP_GRP04)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Variable: UEX:Business Partner Group Level 3 (BP_GRP05)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Variable: UEX:Business Partner Group Level 2 (BP_GRP06)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Variable: UEX:BP: Business Partner Group (frm Hier (BP_GRP07)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Variable: UEX:Calendar Month (CALMON01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Variable: UEX:Calendar Year / Month (CALMON02)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Variable: UEX:Calendar Year / Quarter (CALQUA01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Variable: UEX:Quarter (CALQUA02)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Variable: UEX:Calendar Year (CALYEA01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Variable: UEX: Organizational Level 1 (CRMOU001)

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

>>> Variable: Fiscal Year Variant (4MCBV003)
 >> ABAP Function Module: No description (UPA_MCB_EXITV_FISCVARNT)
 Click on details to show code (See Function UPA_MCB_EXITV_FISCVARNT)
>>> Variable: Controlling Area (4MCBV004)
 >> ABAP Function Module: No description (UPA_MCB_EXITV_CO_AREA)
 Click on details to show code (See Function UPA_MCB_EXITV_CO_AREA)
>>> Variable: Currency (4MCBV006)
 >> ABAP Function Module: No description (UPA_MCB_EXITV_CURRENCY)
 Click on details to show code (See Function UPA_MCB_EXITV_CURRENCY)
>>> Variable: Version: Initial (4MCBV011)
 >> ABAP Function Module: No description (UPA_MCB_EXITV_VERSION)
 Click on details to show code (See Function UPA_MCB_EXITV_VERSION)
>>> Variable: Version: General Maintenance Task Lists (4MCBV012)
 >> ABAP Function Module: No description (UPA_MCB_EXITV_VERSION)
 Click on details to show code (See Function UPA_MCB_EXITV_VERSION)
>>> Variable: Key Figure Category: Simulated Costs (4MCBV017)
 >> ABAP Function Module: No description (UPA_MCB_EXITV_KYF_TYPE)
 Click on details to show code (See Function UPA_MCB_EXITV_KYF_TYPE)
>>> Variable: Budget Year Copy: History-Based (4MCBV101)
 >> ABAP Function Module: No description (UPA_MCB_EXITV_FISCYEAR)
 Click on details to show code (See Function UPA_MCB_EXITV_FISCYEAR)
>>>> Planning Area: MCB: Budget Planning (4UCCRM03)
>>> Variable: Budget Year (4MCBV001)
 >> ABAP Function Module: No description (UPA_MCB_EXITV_FISCYEAR_BUD)
 Click on details to show code (See Function UPA_MCB_EXITV_FISCYEAR_BUD)
>>> Variable: Fiscal Year Variant (4MCBV003)
 >> ABAP Function Module: No description (UPA_MCB_EXITV_FISCVARNT)
 Click on details to show code (See Function UPA_MCB_EXITV_FISCVARNT)
>>> Variable: Controlling Area (4MCBV004)
 >> ABAP Function Module: No description (UPA_MCB_EXITV_CO_AREA)
 Click on details to show code (See Function UPA_MCB_EXITV_CO_AREA)
>>> Variable: Currency (4MCBV006)
 >> ABAP Function Module: No description (UPA_MCB_EXITV_CURRENCY)
 Click on details to show code (See Function UPA_MCB_EXITV_CURRENCY)
>>> Variable: Version (4MCBV007)
 >> ABAP Function Module: No description (UPA_MCB_EXITV_VERSION_PLAN)
 Click on details to show code (See Function UPA_MCB_EXITV_VERSION_PLAN)
>>> Variable: Version: Initial (4MCBV011)
 >> ABAP Function Module: No description (UPA_MCB_EXITV_VERSION)
 Click on details to show code (See Function UPA_MCB_EXITV_VERSION)
>>> Variable: Version: Cost Element Distribution (4MCBV012)
 >> ABAP Function Module: No description (UPA_MCB_EXITV_VERSION)
 Click on details to show code (See Function UPA_MCB_EXITV_VERSION)
>>> Variable: Person Responsible (4MCBV013)
 >> ABAP Function Module: No description (UPA_MCB_EXITV_REPORTGRP)
 Click on details to show code (See Function UPA_MCB_EXITV_REPORTGRP)
>>> Variable: Key Figure Category: Detailed Planning (4MCBV016)
 >> ABAP Function Module: No description (UPA_MCB_EXITV_KYF_TYPE)
 Click on details to show code (See Function UPA_MCB_EXITV_KYF_TYPE)
>>> Variable: Key Figure Category: Simulated Costs (4MCBV017)
 >> ABAP Function Module: No description (UPA_MCB_EXITV_KYF_TYPE)
 Click on details to show code (See Function UPA_MCB_EXITV_KYF_TYPE)
>>> Variable: Key Figure Category: Budget Specificat. (4MCBV018)
 >> ABAP Function Module: No description (UPA_MCB_EXITV_KYF_TYPE)
 Click on details to show code (See Function UPA_MCB_EXITV_KYF_TYPE)
>>> Variable: Copy Version Data: From Version (4MCBV021)
 >> ABAP Function Module: No description (UPA_MCB_EXITV_VERSION_PLAN)
 Click on details to show code (See Function UPA_MCB_EXITV_VERSION_PLAN)
>>> Variable: Version: Proposal (4MCBV031)
 >> ABAP Function Module: No description (UPA_MCB_EXITV_VERSION)
 Click on details to show code (See Function UPA_MCB_EXITV_VERSION)
>>> Variable: Version: Approved (4MCBV032)
 >> ABAP Function Module: No description (UPA_MCB_EXITV_VERSION)
 Click on details to show code (See Function UPA_MCB_EXITV_VERSION)
>>> Variable: Person Responsible (Assigned) (4MCBV034)
 >> ABAP Function Module: No description (UPA_MCB_EXITV_REPORTGRP)
 Click on details to show code (See Function UPA_MCB_EXITV_REPORTGRP)
>>> Variable: Version: Internal Period Distribution (4MCBV035)
 >> ABAP Function Module: No description (UPA_MCB_EXITV_VERSION)
 Click on details to show code (See Function UPA_MCB_EXITV_VERSION)
>>> Variable: Version: Internal without Distribution (4MCBV037)
 >> ABAP Function Module: No description (UPA_MCB_EXITV_VERSION)
 Click on details to show code (See Function UPA_MCB_EXITV_VERSION)
>>> Variable: Version: Rejected (4MCBV038)
 >> ABAP Function Module: No description (UPA_MCB_EXITV_VERSION)
 Click on details to show code (See Function UPA_MCB_EXITV_VERSION)
>>> Variable: Version: Planning (4MCBV039)
 >> ABAP Function Module: No description (UPA_MCB_EXITV_VERSION)
 Click on details to show code (See Function UPA_MCB_EXITV_VERSION)
>>> Variable: Version (4MCBV040)
 >> ABAP Function Module: No description (UPA_MCB_EXITV_VERSION_REPORT)
 Click on details to show code (See Function UPA_MCB_EXITV_VERSION_REPORT)
>>> Variable: Planning Scenario: Maintenance Plan (4MCBV041)
 >> ABAP Function Module: No description (UPA_MCB_EXITV_PLAN_SCEN)
 Click on details to show code (See Function UPA_MCB_EXITV_PLAN_SCEN)
>>> Variable: Planning Scenario: Work Plan (4MCBV042)
 >> ABAP Function Module: No description (UPA_MCB_EXITV_PLAN_SCEN)
 Click on details to show code (See Function UPA_MCB_EXITV_PLAN_SCEN)
>>> Variable: Planning Scenario: Ad Hoc (Plan) (4MCBV043)
 >> ABAP Function Module: No description (UPA_MCB_EXITV_PLAN_SCEN)
 Click on details to show code (See Function UPA_MCB_EXITV_PLAN_SCEN)
>>> Variable: Planning Scenario: History-Based (4MCBV044)
 >> ABAP Function Module: No description (UPA_MCB_EXITV_PLAN_SCEN)
 Click on details to show code (See Function UPA_MCB_EXITV_PLAN_SCEN)

o>>> Variable: Budget Category: Maintenance Plan (4MCBV045)
o>> ABAP Function Module: No description (UPA_MCB_EXITV_BUDGET_CAT)
o Click on details to show code (See Function UPA_MCB_EXITV_BUDGET_CAT)
o>>> Variable: Budget Category: Task List (4MCBV046)
o>> ABAP Function Module: No description (UPA_MCB_EXITV_BUDGET_CAT)
o Click on details to show code (See Function UPA_MCB_EXITV_BUDGET_CAT)
o>>> Variable: Budget Category: Ad Hoc (Plan) (4MCBV047)
o>> ABAP Function Module: No description (UPA_MCB_EXITV_BUDGET_CAT)
o Click on details to show code (See Function UPA_MCB_EXITV_BUDGET_CAT)
o>>> Variable: Budget Category: History-Based (4MCBV048)
o>> ABAP Function Module: No description (UPA_MCB_EXITV_BUDGET_CAT)
o Click on details to show code (See Function UPA_MCB_EXITV_BUDGET_CAT)
o>>> Variable: Budget Use: Maintenance Plan (4MCBV049)
o>> ABAP Function Module: No description (UPA_MCB_EXITV_BUSI_CAT)
o Click on details to show code (See Function UPA_MCB_EXITV_BUSI_CAT)
o>>> Variable: Budget Use: Task List (4MCBV050)
o>> ABAP Function Module: No description (UPA_MCB_EXITV_BUSI_CAT)
o Click on details to show code (See Function UPA_MCB_EXITV_BUSI_CAT)
o>>> Variable: Budget Use: Ad Hoc (Plan) (4MCBV051)
o>> ABAP Function Module: No description (UPA_MCB_EXITV_BUSI_CAT)
o Click on details to show code (See Function UPA_MCB_EXITV_BUSI_CAT)
o>>> Variable: Budget Use: History-Based (4MCBV052)
o>> ABAP Function Module: No description (UPA_MCB_EXITV_BUSI_CAT)
o Click on details to show code (See Function UPA_MCB_EXITV_BUSI_CAT)
o>>> Variable: Planning Scenario: Ad Hoc (Hist) (4MCBV053)
o>> ABAP Function Module: No description (UPA_MCB_EXITV_PLAN_SCEN)
o Click on details to show code (See Function UPA_MCB_EXITV_PLAN_SCEN)
o>>> Variable: Budget Category: Ad Hoc (Hist) (4MCBV054)
o>> ABAP Function Module: No description (UPA_MCB_EXITV_BUDGET_CAT)
o Click on details to show code (See Function UPA_MCB_EXITV_BUDGET_CAT)
o>>> Variable: Budget Use: Ad Hoc (Hist) (4MCBV055)
o>> ABAP Function Module: No description (UPA_MCB_EXITV_BUSI_CAT)
o Click on details to show code (See Function UPA_MCB_EXITV_BUSI_CAT)
o>>> Variable: Person Responsible (Superior) (4MCBV063)
o>> ABAP Function Module: No description (UPA_MCB_EXITV_REPORTGRP)
o Click on details to show code (See Function UPA_MCB_EXITV_REPORTGRP)
o>>> Variable: Report Year (4MCBV501)
o>> ABAP Function Module: No description (UPA_MCB_EXITV_FISCYEAR_REP)
o Click on details to show code (See Function UPA_MCB_EXITV_FISCYEAR_REP)
o>>> Variable: Reference Year (4MCBV505)
o>> ABAP Function Module: No description (UPA_MCB_EXITV_FISCYEAR_REF)
o Click on details to show code (See Function UPA_MCB_EXITV_FISCYEAR_REF)
o>>> Variable: STS Use: 0=No 1=Yes (4MCBV506)
o>> ABAP Function Module: No description (UPA_MCB_EXITV_NUMBER_STS)
o Click on details to show code (See Function UPA_MCB_EXITV_NUMBER_STS)
o>>>> Planning Area: FM Budget Forecast Multi-Planning Area (4UCCRM03)
o>>> Variable: Vaild Periods (PERI)
o>> ABAP Function Module: No description (PSM_BW_FORECAST_GET_PERIS)
o Click on details to show code (See Function PSM_BW_FORECAST_GET_PERIS)
o>>> Variable: Future Periods (PERIFUT)
o>> ABAP Function Module: No description (PSM_BW_FORECAST_GET_FUT_PERIS)
o Click on details to show code (See Function PSM_BW_FORECAST_GET_FUT_PERIS)
o>>>> Planning Area: Public Sector: Budget Planning HR (4UCCRM03)
o>>> Variable: Dynamic Employees (DYNPERNR)
o>> ABAP Function Module: No description (BPREP_BW_EMPLOYEE_USP_DERIVE)
o Click on details to show code (See Function BPREP_BW_EMPLOYEE_USP_DERIVE)
o>>> Variable: Dynamic Position (DYNPLSTE)
o>> ABAP Function Module: No description (BPREP_BW_POSITION_USP_DERIVE)
o Click on details to show code (See Function BPREP_BW_POSITION_USP_DERIVE)
o>>>> Planning Area: MAP: Merchandise Planning (4UCCRM03)
o>>> Variable: Category for Segment <CDT3001> (CDT1002)
o>> ABAP Function Module: No description (UPARA_VAR_PARENT_TO_CDT3)
o Click on details to show code (See Function UPARA_VAR_PARENT_TO_CDT3)
o>>> Variable: Subcategory for Segment <CDT3001> (CDT2002)
o>> ABAP Function Module: No description (UPARA_VAR_PARENT_TO_CDT3)
o Click on details to show code (See Function UPARA_VAR_PARENT_TO_CDT3)
o>>> Variable: Industry for Segment <CDT3001> (CDTD002)
o>> ABAP Function Module: No description (UPARA_VAR_PARENT_TO_CDT3)
o Click on details to show code (See Function UPARA_VAR_PARENT_TO_CDT3)
o>>> Variable: Past Weeks (FIP3001)
o>> ABAP Function Module: No description (UPARA_VAR_PAST_WEEKS)
o Click on details to show code (See Function UPARA_VAR_PAST_WEEKS)
o>>> Variable: Future Weeks (FIP3002)
o>> ABAP Function Module: No description (UPARA_VAR_FUTURE_WEEKS)
o Click on details to show code (See Function UPARA_VAR_FUTURE_WEEKS)
o>>> Variable: Last Week of Year <FSCY001>-1 (FIP3003)
o>> ABAP Function Module: No description (UPARA_VAR_LAST_WEEK_PREV_YEAR)
o Click on details to show code (See Function UPARA_VAR_LAST_WEEK_PREV_YEAR)
o>>> Variable: Current Week / Year (Posting Period) (FIP7003)
o>> ABAP Function Module: No description (UPARA_VAR_CURRENT_WEEK)
o Click on details to show code (See Function UPARA_VAR_CURRENT_WEEK)
o>>> Variable: Forecast Period for Month (FIP7FC01)
o>> ABAP Function Module: No description (UPARA_VAR_FC_PERIODS)
o Click on details to show code (See Function UPARA_VAR_FC_PERIODS)
o>>> Variable: Forecast Month: Period Reference Data (FIP7FC02)
o>> ABAP Function Module: No description (UPARA_VAR_FC_PERIODS)
o Click on details to show code (See Function UPARA_VAR_FC_PERIODS)
o>>> Variable: Forecast Period for Week (FIP7FC03)
o>> ABAP Function Module: No description (UPARA_VAR_FC_PERIODS)
o Click on details to show code (See Function UPARA_VAR_FC_PERIODS)
o>>> Variable: Forecast Week: Period Reference Data (FIP7FC04)
o>> ABAP Function Module: No description (UPARA_VAR_FC_PERIODS)
o Click on details to show code (See Function UPARA_VAR_FC_PERIODS)
o>>> Variable: Fiscal Year Minus 1 (FSCY002)

⌘ >>> ABAP Function Module: No description (UPARA_VAR_FISCYEAR_MINUS_1)
⌘ Click on details to show code (See Function UPARA_VAR_FISCYEAR_MINUS_1)

⌘ >>> Variable: Fiscal Year Variant "Month" (FYVRMON)
⌘ >> ABAP Function Module: No description (UPARA_VAR_FISCVARNT_MONTH)
⌘ Click on details to show code (See Function UPARA_VAR_FISCVARNT_MONTH)

⌘ >>> Variable: Fiscal Year Variant "Week" (FYVRWEEK)
⌘ >> ABAP Function Module: No description (UPARA_VAR_FISCVARNT_WEEK)
⌘ Click on details to show code (See Function UPARA_VAR_FISCVARNT_WEEK)

⌘ >>> Variable: Hierarchy ID for Segment <CDT3001> (HIID002)
⌘ >> ABAP Function Module: No description (UPARA_VAR_HIEID_FROM_DST_CHAIN)
⌘ Click on details to show code (See Function UPARA_VAR_HIEID_FROM_DST_CHAIN)

⌘ >>> Variable: Pre-Season Year (SEAY002)
⌘ >> ABAP Function Module: No description (UPARA_VAR_SEASONYEAR_MINUS_1)
⌘ Click on details to show code (See Function UPARA_VAR_SEASONYEAR_MINUS_1)

⌘ >>> Variable: Season Year = Fiscal Year (SEAY003)
⌘ >> ABAP Function Module: No description (UPARA_VAR_SEASONYEAR_GJ)
⌘ Click on details to show code (See Function UPARA_VAR_SEASONYEAR_GJ)

⌘ >>> Variable: Pre-Season Year (Based on Fiscal Year) (SEAY004)
⌘ >> ABAP Function Module: No description (UPARA_VAR_SEASONYEAR_MINUS_1_3)
⌘ Click on details to show code (See Function UPARA_VAR_SEASONYEAR_MINUS_1_3)

⌘ >>>> Planning Area: MAP: Store Planning (4UCCRM03)
⌘ >>> Variable: Past Weeks (FIP3001)
⌘ >> ABAP Function Module: No description (UPARA_VAR_PAST_WEEKS)
⌘ Click on details to show code (See Function UPARA_VAR_PAST_WEEKS)

⌘ >>> Variable: Future Weeks (FIP3002)
⌘ >> ABAP Function Module: No description (UPARA_VAR_FUTURE_WEEKS)
⌘ Click on details to show code (See Function UPARA_VAR_FUTURE_WEEKS)

⌘ >>> Variable: Last Week Last Year (FIP3003)
⌘ >> ABAP Function Module: No description (UPARA_VAR_LAST_WEEK_PREV_YEAR)
⌘ Click on details to show code (See Function UPARA_VAR_LAST_WEEK_PREV_YEAR)

⌘ >>> Variable: Current Week / Year (Posting Period) (FIP7003)
⌘ >> ABAP Function Module: No description (UPARA_VAR_CURRENT_WEEK)
⌘ Click on details to show code (See Function UPARA_VAR_CURRENT_WEEK)

⌘ >>> Variable: Forecast Period for Month (FIP7FC01)
⌘ >> ABAP Function Module: No description (UPARA_VAR_FC_PERIODS)
⌘ Click on details to show code (See Function UPARA_VAR_FC_PERIODS)

⌘ >>> Variable: Forecast Month: Period Reference Data (FIP7FC02)
⌘ >> ABAP Function Module: No description (UPARA_VAR_FC_PERIODS)
⌘ Click on details to show code (See Function UPARA_VAR_FC_PERIODS)

⌘ >>> Variable: Forecast Period for Week (FIP7FC03)
⌘ >> ABAP Function Module: No description (UPARA_VAR_FC_PERIODS)
⌘ Click on details to show code (See Function UPARA_VAR_FC_PERIODS)

⌘ >>> Variable: Forecast Week: Period Reference Data (FIP7FC04)
⌘ >> ABAP Function Module: No description (UPARA_VAR_FC_PERIODS)
⌘ Click on details to show code (See Function UPARA_VAR_FC_PERIODS)

⌘ >>> Variable: Fiscal Year - 1 (FSCY002)
⌘ >> ABAP Function Module: No description (UPARA_VAR_FISCYEAR_MINUS_1)
⌘ Click on details to show code (See Function UPARA_VAR_FISCYEAR_MINUS_1)

⌘ >>> Variable: Fiscal Year Variant "Month" (FYVRMON)
⌘ >> ABAP Function Module: No description (UPARA_VAR_FISCVARNT_MONTH)
⌘ Click on details to show code (See Function UPARA_VAR_FISCVARNT_MONTH)

⌘ >>> Variable: Fiscal Year Variant "Week" (FYVRWEEK)
⌘ >> ABAP Function Module: No description (UPARA_VAR_FISCVARNT_WEEK)
⌘ Click on details to show code (See Function UPARA_VAR_FISCVARNT_WEEK)

⌘ >>>> Planning Area: MAP: Assortment Planning (4UCCRM03)
⌘ >>> Variable: Assortment Version for Rollout (ASVR001)
⌘ >> ABAP Function Module: No description (UPARA_VAR_ASRTVRS_TO_ROLLOUT)
⌘ Click on details to show code (See Function UPARA_VAR_ASRTVRS_TO_ROLLOUT)

⌘ >>> Variable: Old Assortment Version (ASVR003)
⌘ >> ABAP Function Module: No description (UPARA_VAR_ASRTVRS_TO_PREV)
⌘ Click on details to show code (See Function UPARA_VAR_ASRTVRS_TO_PREV)

⌘ >>> Variable: Category for Segment (CDT1002)
⌘ >> ABAP Function Module: No description (UPARA_VAR_PARENT_TO_CDT3)
⌘ Click on details to show code (See Function UPARA_VAR_PARENT_TO_CDT3)

⌘ >>> Variable: Subcategory for Segment (CDT2002)
⌘ >> ABAP Function Module: No description (UPARA_VAR_PARENT_TO_CDT3)
⌘ Click on details to show code (See Function UPARA_VAR_PARENT_TO_CDT3)

⌘ >>> Variable: Industry for Segment (CDTD002)
⌘ >> ABAP Function Module: No description (UPARA_VAR_PARENT_TO_CDT3)
⌘ Click on details to show code (See Function UPARA_VAR_PARENT_TO_CDT3)

⌘ >>> Variable: Interval of Posting Periods (FIP7INT)
⌘ >> ABAP Function Module: No description (UPARA_VAR_FIP7INT)
⌘ Click on details to show code (See Function UPARA_VAR_FIP7INT)

⌘ >>> Variable: Fiscal Year - 1 (FSCY002)
⌘ >> ABAP Function Module: No description (UPARA_VAR_FISCYEAR_MINUS_1)
⌘ Click on details to show code (See Function UPARA_VAR_FISCYEAR_MINUS_1)

⌘ >>> Variable: Fiscal Year Variant "Week" (FYVRWEEK)
⌘ >> ABAP Function Module: No description (UPARA_VAR_FISCVARNT_WEEK)
⌘ Click on details to show code (See Function UPARA_VAR_FISCVARNT_WEEK)

⌘ >>> Variable: Hierarchy ID for Segment (HIID002)
⌘ >> ABAP Function Module: No description (UPARA_VAR_HIEID_FROM_DST_CHAIN)
⌘ Click on details to show code (See Function UPARA_VAR_HIEID_FROM_DST_CHAIN)

⌘ >>> Variable: Pre-Season Year (SEAY002)
⌘ >> ABAP Function Module: No description (UPARA_VAR_SEASONYEAR_MINUS_1)
⌘ Click on details to show code (See Function UPARA_VAR_SEASONYEAR_MINUS_1)

⌘ >>>> Planning Area: MAP: Transfer Merch. <-> Assort. Plan (4UCCRM03)
⌘ >>> Variable: Segment (CDT3001)
⌘ >> ABAP Function Module: No description (UPARA_VAR_REF_AREA_4RTMM003)
⌘ Click on details to show code (See Function UPARA_VAR_REF_AREA_4RTMM003)

⌘ >>> Variable: Distribution Channel (DSTC001)
⌘ >> ABAP Function Module: No description (UPARA_VAR_REF_AREA_4RTMM003)
⌘ Click on details to show code (See Function UPARA_VAR_REF_AREA_4RTMM003)

⌘ >>> Variable: Fiscal Year (FSCY001)
⌘ >> ABAP Function Module: No description (UPARA_VAR_REF_AREA_4RTMM003)

Click on details to show code (See Function UPARA_VAR_REF_AREA_4RTMM003)

>>> Variable: Fiscal Year - 1 (FSCY002)

>> ABAP Function Module: No description (UPARA_VAR_FISCYEAR_MINUS_1)

Click on details to show code (See Function UPARA_VAR_FISCYEAR_MINUS_1)

>>> Variable: Fiscal Year Variant "Month" (FYVRMON)

>> ABAP Function Module: No description (UPARA_VAR_FISCVARNT_MONTH)

Click on details to show code (See Function UPARA_VAR_FISCVARNT_MONTH)

>>> Variable: Fiscal Year Variant "Week" (FYVRWEEK)

>> ABAP Function Module: No description (UPARA_VAR_FISCVARNT_WEEK)

Click on details to show code (See Function UPARA_VAR_FISCVARNT_WEEK)

>>> Variable: Rollout (ROLL001)

>> ABAP Function Module: No description (UPARA_VAR_REF_AREA_4RTMM003)

Click on details to show code (See Function UPARA_VAR_REF_AREA_4RTMM003)

>>> Variable: Season (SEAS001)

>> ABAP Function Module: No description (UPARA_VAR_REF_AREA_4RTMM003)

Click on details to show code (See Function UPARA_VAR_REF_AREA_4RTMM003)

>>> Variable: Season Year (SEAY001)

>> ABAP Function Module: No description (UPARA_VAR_REF_AREA_4RTMM003)

Click on details to show code (See Function UPARA_VAR_REF_AREA_4RTMM003)

>>> Variable: Pre-Season Year (SEAY002)

>> ABAP Function Module: No description (UPARA_VAR_SEASONYEAR_MINUS_1)

Click on details to show code (See Function UPARA_VAR_SEASONYEAR_MINUS_1)

>>> Variable: Sales Organization (SLSO001)

>> ABAP Function Module: No description (UPARA_VAR_REF_AREA_4RTMM003)

Click on details to show code (See Function UPARA_VAR_REF_AREA_4RTMM003)

>>>> Planning Area: MAP: Transf. Strategic <-> Store Plan (4UCCRM03)

>>> Variable: Distribution Channel (DSTC001)

>> ABAP Function Module: No description (UPARA_VAR_REF_AREA_4RTMM001)

Click on details to show code (See Function UPARA_VAR_REF_AREA_4RTMM001)

>>> Variable: Fiscal Year (FSCY001)

>> ABAP Function Module: No description (UPARA_VAR_REF_AREA_4RTMM001)

Click on details to show code (See Function UPARA_VAR_REF_AREA_4RTMM001)

>>> Variable: Fiscal Year 1 (FSCY002)

>> ABAP Function Module: No description (UPARA_VAR_FISCYEAR_MINUS_1)

Click on details to show code (See Function UPARA_VAR_FISCYEAR_MINUS_1)

>>> Variable: Fiscal Year Variant "Month" (FYVRMON)

>> ABAP Function Module: No description (UPARA_VAR_FISCVARNT_MONTH)

Click on details to show code (See Function UPARA_VAR_FISCVARNT_MONTH)

>>> Variable: Fiscal Year Variant "Week" (FYVRWEEK)

>> ABAP Function Module: No description (UPARA_VAR_FISCVARNT_WEEK)

Click on details to show code (See Function UPARA_VAR_FISCVARNT_WEEK)

>>> Variable: Sales Organization (SLSO001)

>> ABAP Function Module: No description (UPARA_VAR_REF_AREA_4RTMM001)

Click on details to show code (See Function UPARA_VAR_REF_AREA_4RTMM001)

>>>> Planning Area: MAP: Profit Center Analys. -> Store Plan (4UCCRM03)

>>> Variable: District (CNTY001)

>> ABAP Function Module: No description (UPARA_VAR_REF_AREA_4RTMM002)

Click on details to show code (See Function UPARA_VAR_REF_AREA_4RTMM002)

>>> Variable: Country (CTRY001)

>> ABAP Function Module: No description (UPARA_VAR_REF_AREA_4RTMM002)

Click on details to show code (See Function UPARA_VAR_REF_AREA_4RTMM002)

>>> Variable: Fiscal Year (FSCY001)

>> ABAP Function Module: No description (UPARA_VAR_REF_AREA_4RTMM002)

Click on details to show code (See Function UPARA_VAR_REF_AREA_4RTMM002)

>>> Variable: Fiscal Year Variant "Month" (FYVRMON)

>> ABAP Function Module: No description (UPARA_VAR_FISCVARNT_MONTH)

Click on details to show code (See Function UPARA_VAR_FISCVARNT_MONTH)

>>> Variable: Fiscal Year Variant "Week" (FYVRWEEK)

>> ABAP Function Module: No description (UPARA_VAR_FISCVARNT_WEEK)

Click on details to show code (See Function UPARA_VAR_FISCVARNT_WEEK)

>>> Variable: Region (RGIO001)

>> ABAP Function Module: No description (UPARA_VAR_REF_AREA_4RTMM002)

Click on details to show code (See Function UPARA_VAR_REF_AREA_4RTMM002)

>>>> Planning Area: MAP: Actual Strategic / Merch. / Rollout (4UCCRM03)

>>> Variable: UEX:Base Unit of Measure (BASE_U01)

>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)

Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)

>>> Variable: UEX:Segment (CM_CDT01)

>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)

Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)

>>> Variable: UEX:Hierarchy ID (CM_HIE01)

>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)

Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)

>>> Variable: UEX:Industry (CM_MCA01)

>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)

Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)

>>> Variable: UEX:Distribution Channel (DISTR_01)

>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)

Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)

>>> Variable: UEX:Posting Period (FISCPE01)

>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)

Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)

>>> Variable: UEX:Fiscal Year Variant (FISCV01)

>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)

Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)

>>> Variable: UEX:Fiscal Year (FISCYE01)

>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)

Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)

>>> Variable: UEX:Local Currency (LOC_CU01)

>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)

Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)

>>> Variable: UEX:Season Year Referenced to Year (RT_SEA01)

>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)

Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)

Variable: UEX: Rollout (Compounded to Hierarchy) (RT_SKU01)
ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
Variable: UEX:Sales Organization (SALES001)
ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
Variable: UEX:Version (VERSIO01)
ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
Planning Area: Sales Planning for Provider Contract (4UCCRM03)
Variable: No description (4TESPBPUP)
ABAP Function Module: No description (RS_BCT_BP_CURRENT_USER)
Click on details to show code (See Function RS_BCT_BP_CURRENT_USER)
Variable: No description (4TESPCAL)
ABAP Function Module: No description (RS_BCT_CALMONTH_GET)
Click on details to show code (See Function RS_BCT_CALMONTH_GET)
Variable: No description (4TESPCCP)
ABAP Function Module: No description (RS_BCT_READ_CPP)
Click on details to show code (See Function RS_BCT_READ_CPP)
Variable: No description (4TESPCHP)
ABAP Function Module: No description (RS_BCT_CHANNEL_PARTNER)
Click on details to show code (See Function RS_BCT_CHANNEL_PARTNER)
Variable: No description (4TESPCMO)
ABAP Function Module: No description (RS_BCT_READ_PARTNER_ORGUNIT)
Click on details to show code (See Function RS_BCT_READ_PARTNER_ORGUNIT)
Variable: No description (4TESPDIS)
ABAP Function Module: No description (RS_BCT_READ_DISTR_CHAN)
Click on details to show code (See Function RS_BCT_READ_DISTR_CHAN)
Variable: No description (4TESPORG)
ABAP Function Module: No description (RS_BCT_READ_ORGUNIT)
Click on details to show code (See Function RS_BCT_READ_ORGUNIT)
Variable: No description (4TESPPRG)
ABAP Function Module: No description (RS_BCT_PRODUCT_GROUP)
Click on details to show code (See Function RS_BCT_PRODUCT_GROUP)
Variable: No description (4TESPPRO)
ABAP Function Module: No description (RS_BCT_READ_PRODUCTS)
Click on details to show code (See Function RS_BCT_READ_PRODUCTS)
Variable: No description (4TESPPRS)
ABAP Function Module: No description (RS_BCT_SALES_PRODUCT)
Click on details to show code (See Function RS_BCT_SALES_PRODUCT)
Variable: No description (AREA_01)
ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
Variable: No description (BP_EMP01)
ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
Variable: No description (BP_RES01)
ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
Variable: No description (CALMON02)
ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
Variable: No description (CALQUA01)
ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
Variable: No description (CALWEE01)
ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
Variable: No description (CALYEA01)
ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
Variable: No description (CRMSA_01)
ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
Variable: No description (CRMSE_01)
ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
Variable: No description (CRM_BE01)
ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
Variable: No description (CRM_CA01)
ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
Variable: No description (CRM_CP01)
ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
Variable: No description (CRM_EN01)
ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
Variable: No description (CRM_IT01)
ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
Variable: No description (CRM_MK01)
ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
Variable: No description (CRM_PR01)
ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
Variable: No description (CRM_PR02)
ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
Variable: No description (CRM_PR03)
ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)

[illegible]

[illegible]

```
>>> Variable: No description (TE_PRO01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Planning Area: CP: Sales Planning with Promotions (4UCCRM03)
>>> Variable: UEX: AREA (AREA_01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Base Unit of Measure (BASE_U01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Business Partner (BPARTN01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Business Partner Group Level 7 (BP_GRP01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Business Partner Group Level 6 (BP_GRP02)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Business Partner Group Level 5 (BP_GRP03)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Business Partner Group Level 4 (BP_GRP04)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Business Partner Group Level 3 (BP_GRP05)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Business Partner Group Level 2 (BP_GRP06)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Business Partner Group Level 1 (High (BP_GRP07)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:BP: Business Partner Group (frm Hier (BP_GRP08)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:BP: Hierarchy Node ID (BP_GRP09)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Calendar Month (CALMON01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Calendar Year / Month (CALMON02)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Calendar Year / Quarter (CALQUA01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Quarter (CALQUA02)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Calendar Year / Week (CALWEE01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Calendar Year (CALYEA01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Country Key (COUNTR01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Article Group (CP_ART01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Brand (Referencing 0PROD_CATE (CP_BRN01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Category (CP_CAT01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Distribution Channel (CP_CHA01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Equivalence Unit (CP_EQV01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Subcategory (CP_SCA01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Product Segment (CP_SEG01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Product Subsegment (CP_SSE01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Campaign Type (CRMCAM01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:CRM Plan Version (CRMVER01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:CRM Account Plan (CRM_AC01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
```

>>> Variable: UEX:CRM Marketing Element (Campaign andM (CRM_MK01))
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Object Class from CRM Marketing Elem (CRM_MK02)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Objective (CRM_OB01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Product (CRM_PR01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Product Group 5 (CRM_PR02)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Product Group 4 (CRM_PR03)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Product Group 3 (CRM_PR04)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: No description (CRM_PR05)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: No description (CRM_PR06)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:CRM Sales Organization (CRM_SA01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Tactic (CRM_TA01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Currency Key (CURREN01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Distribution Channel (DISTR_01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Division (DIVISI01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Extraction Date (DM_EXD01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:European Article Numbers/Universal (EANUPC01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Unit of Measure (FG_BUO01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: Current Fiscal Year Period (FISCP01)
 >> ABAP Function Module: No description (UPRY_ACT_FISCPER)
 Click on details to show code (See Function UPRY_ACT_FISCPER)
>>> Variable: Last Fiscal Year Period(s) (Exit) (FISCP04)
 >> ABAP Function Module: No description (UPRY_LASTACT_FISCPER)
 Click on details to show code (See Function UPRY_LASTACT_FISCPER)
>>> Variable: UEX:Posting Period (FISCPE01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Fiscal Year / Period (FISCPE02)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Fiscal Year Variant (FISCV01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Fiscal Year (FISCYE01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Additional Product (FREE_G01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Additional Product BUoM (FRGO_B01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Additional Product Sales UoM (FRGO_S01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:ZFR_GOOD (FR_GOO01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Knowledge Base Version (KWLVER01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Knowledge Base Configuration (KWL_CO01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Promotion Phase (PERIOD01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Plant (PLANT01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Price Reduction (PRICE_01)

>>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
 >>>> Variable: UEX:CRM Product Hierarchy Node for Hiera (PROD_C01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
 >>>> Variable: UEX:CRM Product Hierarchy Node for Hiera (PROD_C02)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
 >>>> Variable: UEX:Duration of Promotion (PROMO_01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
 >>>> Variable: UEX:Sales Category (PR_CAT01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
 >>>> Variable: UEX:Transaction Type (REC_TY01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
 >>>> Variable: UEX:Region (State, County, Province) (REGION01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
 >>>> Variable: UEX:Sales Organization (SALESO01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
 >>>> Variable: UEX: Sales Unit (SALES_01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
 >>>> Variable: UEX:Ship-to-Party (SHIP_T01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
 >>>> Variable: UEX:Version (VERSIO01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
 >>>> Variable: UEX:Value Type for Reporting (VTYPE01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
 >>>>> Planning Area: CP: Sales and Promotions - Plan+Actual (4UCCRM03)
 >>>>> Variable: UEX:Base Unit of Measure (BASE_U01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
 >>>>> Variable: UEX:Business Partner (BPARTN01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
 >>>>> Variable: UEX:Business Partner Group Level 7 (BP_GRP01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
 >>>>> Variable: UEX:Business Partner Group Level 6 (BP_GRP02)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
 >>>>> Variable: UEX:Business Partner Group Level 5 (BP_GRP03)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
 >>>>> Variable: UEX:Business Partner Group Level 4 (BP_GRP04)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
 >>>>> Variable: UEX:Business Partner Group Level 3 (BP_GRP05)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
 >>>>> Variable: UEX:Business Partner Group Level 2 (BP_GRP06)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
 >>>>> Variable: UEX:Business Partner Group Level 1 (High (BP_GRP07)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
 >>>>> Variable: UEX:BP: Business Partner Group (frm Hier (BP_GRP08)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
 >>>>> Variable: No description (BP_GRP09)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
 >>>>> Variable: UEX:Calendar Month (CALMON01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
 >>>>> Variable: UEX:Calendar Year / Month (CALMON02)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
 >>>>> Variable: UEX:Calendar Year / Quarter (CALQUA01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
 >>>>> Variable: UEX:Quarter (CALQUA02)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
 >>>>> Variable: UEX:Calendar Year / Week (CALWEE01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
 >>>>> Variable: UEX:Calendar Year (CALYEA01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
 >>>>> Variable: UEX:Country Key (COUNTR01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
 >>>>> Variable: UEX:Article Group (CP_ART01)
 >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
 >>>>> Variable: UEX:Brand (Referencing 0PROD_CATE (CP_BRN01)

[illegible]

Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Sales Category (PR_CAT01)
ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Region (State, County, Province) (REGION01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX: Sales Unit (SALES_01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Ship-to-Party (SHIP_T01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Version (VERSIO01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Value Type for Reporting (VTTYPE01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Planning Area: CP: Sales and Promotions Plan/Actual (4UCCRM03)
>>> Variable: UEX:Base Unit of Measure (BASE_U01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Business Partner (BPARTN01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Business Partner Group Level 7 (BP_GRP01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Business Partner Group Level 6 (BP_GRP02)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Business Partner Group Level 5 (BP_GRP03)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Business Partner Group Level 4 (BP_GRP04)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Business Partner Group Level 3 (BP_GRP05)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Business Partner Group Level 2 (BP_GRP06)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Business Partner Group Level 1 (High (BP_GRP07)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:BP: Business Partner Group (frm Hier (BP_GRP08)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Calendar Month (CALMON01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Calendar Year / Month (CALMON02)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Calendar Year / Quarter (CALQUA01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Quarter (CALQUA02)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Calendar Year / Week (CALWEE01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Calendar Year (CALYEA01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Country Key (COUNTR01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Article Group (CP_ART01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Brand (Referencing 0PROD_CATE (CP_BRN01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Category (CP_CAT01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Subcategory (CP_SCA01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Product Segment (CP_SEG01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Product Subsegment (CP_SSE01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:CRM Plan Version (CRMVER01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:CRM Account Plan (CRM_AC01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)

Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:CRM Marketing Element (Campaign andM (CRM_MK01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Product (CRM_PR01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Product Group 5 (CRM_PR02)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Product Group 4 (CRM_PR03)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Product Group 3 (CRM_PR04)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Product Group 2 (CRM_PR05)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Product Group 1 (CRM_PR06)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:CRM Sales Organization (CRM_SA01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Tactic (CRM_TA01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Currency Key (CURREN01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Distribution Channel (DISTR_01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Division (DIVISI01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: Current Fiscal Period (Exit) (FISCBP01)
 >> ABAP Function Module: No description (UPRY_ACT_FISCPER3)
 Click on details to show code (See Function UPRY_ACT_FISCPER3)
>>> Variable: Remaining Fiscal Periods (FISCBP02)
 >> ABAP Function Module: No description (UPRY_PTG_FISCPER3)
 Click on details to show code (See Function UPRY_PTG_FISCPER3)
>>> Variable: Current Fiscal Year Period (Exit) (FISCP01)
 >> ABAP Function Module: No description (UPRY_ACT_FISCPER)
 Click on details to show code (See Function UPRY_ACT_FISCPER)
>>> Variable: Forecast:Ref. Fiscal Year Periods (Exit) (FISCP02)
 >> ABAP Function Module: No description (UPRY_REF_FISCPER)
 Click on details to show code (See Function UPRY_REF_FISCPER)
>>> Variable: Forecast:What-If Fiscal Yr Periods(Exit) (FISCP03)
 >> ABAP Function Module: No description (UPRY_PRED_FISCPER)
 Click on details to show code (See Function UPRY_PRED_FISCPER)
>>> Variable: Last Fiscal Year Period(s) (Exit) (FISCP04)
 >> ABAP Function Module: No description (UPRY_LASTACT_FISCPER)
 Click on details to show code (See Function UPRY_LASTACT_FISCPER)
>>> Variable: UEX:Posting Period (FISCPE01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Fiscal Year / Period (FISCPE02)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Fiscal Year Variant (FISCVA01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: Current Fiscal Year (Exit) (FISCY01)
 >> ABAP Function Module: No description (UPRY_ACT_FISCYEAR)
 Click on details to show code (See Function UPRY_ACT_FISCYEAR)
>>> Variable: UEX:Fiscal Year (FISCYE01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Additional Product (FREE_G01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Additional Product BUoM (FRGO_B01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Additional Product Sales UoM (FRGO_S01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Promotion Phase (PERIOD01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Plant (PLANT01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:CRM Product Hierarchy Node for Hiera (PROD_C01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:CRM Product Hierarchy Node for Hiera (PROD_C02)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Sales Category (PR_CAT01)
 >> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
 Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)

>>> Variable: UEX: Sales Unit (SALES_01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Ship-to-Party (SHIP_T01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX: Target Group (TGGRP_01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Version (VERSIO01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Value Type for Reporting (VTYP01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>>> Planning Area: CP: Sales Planning with Promotions (VM) (4UCCRM03)
>>> Variable: UEX: AREA____(AREA_01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Base Unit of Measure (BASE_U01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Business Partner (BPARTN01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Business Partner Group Level 7 (BP_GRP01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Business Partner Group Level 6 (BP_GRP02)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Business Partner Group Level 5 (BP_GRP03)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Business Partner Group Level 4 (BP_GRP04)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Business Partner Group Level 3 (BP_GRP05)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Business Partner Group Level 2 (BP_GRP06)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Business Partner Group Level 1 (High (BP_GRP07)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:BP: Business Partner Group (frm Hier (BP_GRP08)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:BP: Hierarchy Node ID (BP_GRP09)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:0CALDAY (CALDAY01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Calendar Month (CALMON01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Calendar Year / Month (CALMON02)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Calendar Year / Quarter (CALQUA01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Quarter (CALQUA02)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Calendar Year / Week (CALWEE01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Calendar Year (CALYEA01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Country Key (COUNTR01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Article Group (CP_ART01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Brand (Referencing 0PROD_CATE (CP_BRN01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Category (CP_CAT01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Distribution Channel (CP_CHA01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Equivalence Unit (CP_EQV01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Subcategory (CP_SCA01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)

```
>>> Variable: UEX:Product Segment (CP_SEG01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Product Subsegment (CP_SSE01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Campaign Type (CRMCAM01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:CRM Plan Version (CRMVER01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:CRM Account Plan (CRM_AC01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:CRM Marketing Element (Campaign andM (CRM_MK01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Object Class from CRM Marketing Elem (CRM_MK02)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:0CRM_MKTAGR (CRM_MK03)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Objective (CRM_OB01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Product (CRM_PR01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Product Group 5 (CRM_PR02)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Product Group 4 (CRM_PR03)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Product Group 3 (CRM_PR04)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: No description (CRM_PR05)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: No description (CRM_PR06)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:CRM Sales Organization (CRM_SA01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Tactic (CRM_TA01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Currency Key (CURREN01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Distribution Channel (DISTR_01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Division (DIVISI01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Extraction Date (DM_EXD01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:European Article Numbers/Universal (EANUPC01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Unit of Measure (FG_BUO01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: Current Posting Period (Exit) (FISCBP01)
>> ABAP Function Module: No description (UPRY_ACT_FISCPER3)
  Click on details to show code (See Function UPRY_ACT_FISCPER3)
>>> Variable: Remaining Fiscal Periods (FISCBP02)
>> ABAP Function Module: No description (UPRY_PTG_FISCPER3)
  Click on details to show code (See Function UPRY_PTG_FISCPER3)
>>> Variable: Current Fiscal Year Period (FISCP01)
>> ABAP Function Module: No description (UPRY_ACT_FISCPER)
  Click on details to show code (See Function UPRY_ACT_FISCPER)
>>> Variable: Last Fiscal Year Period(s) (Exit) (FISCP04)
>> ABAP Function Module: No description (UPRY_LASTACT_FISCPER)
  Click on details to show code (See Function UPRY_LASTACT_FISCPER)
>>> Variable: UEX:Posting Period (FISCPE01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Fiscal Year / Period (FISCPE02)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: UEX:Fiscal Year Variant (FISCV01)
>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
  Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
>>> Variable: Current Fiscal Year (Exit) (FISCY01)
>> ABAP Function Module: No description (UPRY_ACT_FISCYEAR)
  Click on details to show code (See Function UPRY_ACT_FISCYEAR)
>>> Variable: UEX:Fiscal Year (FISCYE01)
```

▮ >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
▮ Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
▮ >>>> Variable: UEX:Additional Product (FREE_G01)
▮ >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
▮ Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
▮ >>>> Variable: UEX:Additional Product BUoM (FRGO_B01)
▮ >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
▮ Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
▮ >>>> Variable: UEX:Additional Product Sales UoM (FRGO_S01)
▮ >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
▮ Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
▮ >>>> Variable: UEX:ZFR_GOOD (FR_GOO01)
▮ >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
▮ Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
▮ >>>> Variable: UEX:Knowledge Base Version (KWLVER01)
▮ >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
▮ Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
▮ >>>> Variable: UEX:Knowledge Base Configuration (KWL_CO01)
▮ >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
▮ Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
▮ >>>> Variable: UEX:Promotion Phase (PERIOD01)
▮ >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
▮ Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
▮ >>>> Variable: UEX:Plant (PLANT01)
▮ >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
▮ Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
▮ >>>> Variable: UEX:Price Reduction (PRICE_01)
▮ >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
▮ Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
▮ >>>> Variable: UEX:CRM Product Hierarchy Node for Hiera (PROD_C01)
▮ >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
▮ Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
▮ >>>> Variable: UEX:CRM Product Hierarchy Node for Hiera (PROD_C02)
▮ >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
▮ Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
▮ >>>> Variable: UEX:OPROD_H (PROD_H01)
▮ >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
▮ Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
▮ >>>> Variable: UEX:Duration of Promotion (PROMO_01)
▮ >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
▮ Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
▮ >>>> Variable: UEX:Sales Category (PR_CAT01)
▮ >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
▮ Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
▮ >>>> Variable: UEX:Transaction Type (REC_TY01)
▮ >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
▮ Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
▮ >>>> Variable: UEX:Region (State, County, Province) (REGION01)
▮ >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
▮ Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
▮ >>>> Variable: UEX:Sales Organization (SALESO01)
▮ >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
▮ Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
▮ >>>> Variable: UEX: Sales Unit (SALES_01)
▮ >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
▮ Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
▮ >>>> Variable: UEX:Ship-to-Party (SHIP_T01)
▮ >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
▮ Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
▮ >>>> Variable: No description (TGGRP_01)
▮ >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
▮ Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
▮ >>>> Variable: UEX:Version (VERSIO01)
▮ >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
▮ Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
▮ >>>> Variable: UEX:Value Type for Reporting (VTYPE01)
▮ >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
▮ Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
▮ >>>> Variable: UEX:OWHOLESALER (WHOLES01)
▮ >>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
▮ Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
▮ >>>>> Planning Area: Rates Sales Costs (CRM) (4UCCRM03)
▮ >>>> Variable: Month of Contract Conclusion (CCRMON)
▮ >>>> ABAP Function Module: No description (UPX_EXEC_VARIABLE_FILL)
▮ Click on details to show code (See Function UPX_EXEC_VARIABLE_FILL)
▮ >>>>> Planning Area: Accrued Costs (CRM) (4UCCRM03)
▮ >>>> Variable: Month of Contract Conclusion (CRTMONTH)
▮ >>>> ABAP Function Module: No description (UPX_DATES_DERIVE)
▮ Click on details to show code (See Function UPX_DATES_DERIVE)

▮ >>>>> Planning Functions

▮ >>>>> Planning Area: CRM Marketing Plan Values (4CRM0001)
▮ >>>> Planning Level: Budget Transfer to ERP Project System (4MP23000)
▮ >>>> Planning Function: Budget Retraction (SPPF2300)
▮ >>>> ABAP Function Module: No description (UPB_CI_PUSHBACK_INIT)
▮ Click on details to show code (See Function UPB_CI_PUSHBACK_INIT)
▮ >>>> ABAP Function Module: Corporate IM: Pushback of Values to WBS Elements (UPB_CI_PUSHBACK_PR)
▮ Click on details to show code (See Function UPB_CI_PUSHBACK_PR)
▮ >>>>> Planning Area: Sales Planning (4CRMSP01)
▮ >>>> Planning Level: Data Adjustment: Plan->Actual (4SP07000)
▮ >>>> Planning Function: Transfer Actual Data into Plan Structure (4SPPF001)
▮ >>>> ABAP Function Module: No description (UPX_EXIT_HIERARCHY_COMPLETE)
▮ Click on details to show code (See Function UPX_EXIT_HIERARCHY_COMPLETE)
▮ >>>>> Planning Area: Live Rates Planning (4LR1100)

```

  >>> Planning Level: No description (4LR1101)
  >> Planning Function: No description (LRRDISTR)
    > ABAP Function Module: LiveRates-exit Plan.Func Init FM (RS_BW_BCT_LR_DISTR_PL_FUNC_INI)
      Click on details to show code (See Function RS_BW_BCT_LR_DISTR_PL_FUNC_INI)
    > ABAP Function Module: Live Rates - Rates Distribution Planning Function (RS_BW_BCT_LR_DISTR_PLAN_FUNC)
      Click on details to show code (See Function RS_BW_BCT_LR_DISTR_PLAN_FUNC)
  >>>> Planning Area: MCB: Provide Data Basis (4MCBA001)
  >>> Planning Level: MCB: Data Basis (Plan Data Based) (4MCBL020)
  >> Planning Function: Copy of Zero-Based Data (4MCBF020)
    > ABAP Function Module: No description (UPA_MCB_EXITF_CUBE_COPY_ZERO)
      Click on details to show code (See Function UPA_MCB_EXITF_CUBE_COPY_ZERO)
  >>> Planning Level: MCB: Data Basis (History-Based) (4MCBL030)
  >> Planning Function: Copy of History-Based Data (4MCBF030)
    > ABAP Function Module: No description (UPA_MCB_EXITF_CUBE_COPY_HIST)
      Click on details to show code (See Function UPA_MCB_EXITF_CUBE_COPY_HIST)
  >>>> Planning Area: MCB: Budget Planning (4MCBA004)
  >>> Planning Level: Submit for Approval Initial (4MCBL030)
  >> Planning Function: Submit for Approval Initial (4MCBF030)
    > ABAP Function Module: No description (UPA_MCB_EXITF_SEND_CHECK_INIT)
      Click on details to show code (See Function UPA_MCB_EXITF_SEND_CHECK_INIT)
    > ABAP Function Module: No description (UPA_MCB_EXITF_SEND_CHECK)
      Click on details to show code (See Function UPA_MCB_EXITF_SEND_CHECK)
  >>> Planning Level: Submit for Approval: II (4MCBL032)
  >> Planning Function: Submit for Approval II (4MCBF030)
    > ABAP Function Module: No description (UPA_MCB_EXITF_SEND_CHECK_INIT)
      Click on details to show code (See Function UPA_MCB_EXITF_SEND_CHECK_INIT)
    > ABAP Function Module: No description (UPA_MCB_EXITF_SEND_CHECK)
      Click on details to show code (See Function UPA_MCB_EXITF_SEND_CHECK)
  >> Planning Function: Submit for Approval: II (4MCBF032)
    > ABAP Function Module: No description (UPA_MCB_EXITF_SEND_UP_INIT)
      Click on details to show code (See Function UPA_MCB_EXITF_SEND_UP_INIT)
    > ABAP Function Module: No description (UPA_MCB_EXITF_SEND_UP)
      Click on details to show code (See Function UPA_MCB_EXITF_SEND_UP)
  >>> Planning Level: General Functions (4MCBM021)
  >> Planning Function: Distribute Data to Cost Elements (4MCBF092)
    > ABAP Function Module: No description (TEMPLATE_EXIT)
      Click on details to show code (See Function TEMPLATE_EXIT)
  >>> Planning Level: Retraction (4MCBM051)
  >> Planning Function: Retraction (4MCBF051)
    > ABAP Function Module: No description (UPA_MCB_EXITF_RETRACT)
      Click on details to show code (See Function UPA_MCB_EXITF_RETRACT)
  >>>> Planning Area: SEM BPS basic technical performance (4PERF001)
  >>> Planning Level: Bus.Vol. Calculation (4PERFS00)
  >> Planning Function: Calculate cogs exit (4PERFF02)
    > ABAP Function Module: No description (PRICE_CALCULATION)
      Click on details to show code (See Function PRICE_CALCULATION)
  >>>> Planning Area: SEM BPS trans. techn. performance (4PERF002)
  >>> Planning Level: Bus.Vol. Calculation (4PERFS00)
  >> Planning Function: Calculate cogs exit (4PERFF02)
    > ABAP Function Module: No description (PRICE_CALCULATION)
      Click on details to show code (See Function PRICE_CALCULATION)
  >>>> Planning Area: FM Budget Forecast Multi-Planning Area (4PSBFCMP)
  >>> Planning Level: Value Forecasting (FORECAST)
  >> Planning Function: Value Forecasting (with Exit) (FORECAST)
    > ABAP Function Module: No description (PSM_BW_FORECAST_BUDGET_INIT)
      Click on details to show code (See Function PSM_BW_FORECAST_BUDGET_INIT)
    > ABAP Function Module: No description (PSM_BW_FORECAST_BUDGET_CALC)
      Click on details to show code (See Function PSM_BW_FORECAST_BUDGET_CALC)
  >>>> Planning Area: Public Sector : BCS Budget Planning 3 (4PSBP13)
  >>> Planning Level: HR Integrated Planning (HRPLAN)
  >> Planning Function: Derivation of Posting Object (BCDERIVE)
    > ABAP Function Module: No description (BPREP_BW_CALC_INIT_BC_DERIVE)
      Click on details to show code (See Function BPREP_BW_CALC_INIT_BC_DERIVE)
    > ABAP Function Module: No description (BPREP_BW_CALC_DERIVE_BCARRIER)
      Click on details to show code (See Function BPREP_BW_CALC_DERIVE_BCARRIER)
  >>>> Planning Area: PS: Budget Planning HR Result (4PSBP24)
  >>> Planning Level: Calculation of Planning Results (HRRESULT)
  >> Planning Function: Calculation of HR Results (HRDERIVE)
    > ABAP Function Module: No description (BPREP_BW_CALC_INIT_DERIVE)
      Click on details to show code (See Function BPREP_BW_CALC_INIT_DERIVE)
    > ABAP Function Module: No description (BPREP_BW_CALC_DERIVE_FM)
      Click on details to show code (See Function BPREP_BW_CALC_DERIVE_FM)
  >>>> Planning Area: Public Sector: Budget Planning HR (4PSBP30)
  >>> Planning Level: Cost Distribution (COSTDIST)
  >> Planning Function: Initialization (CALCPBO)
    > ABAP Function Module: No description (BPREP_BW_CALC_INIT_PBO)
      Click on details to show code (See Function BPREP_BW_CALC_INIT_PBO)
    > ABAP Function Module: No description (BPREP_BW_CALC_DUMMY)
      Click on details to show code (See Function BPREP_BW_CALC_DUMMY)
  >>> Planning Level: Default Values (DEFVAL)
  >> Planning Function: Initialization (CALCPBO)
    > ABAP Function Module: No description (BPREP_BW_CALC_INIT_PBO)
      Click on details to show code (See Function BPREP_BW_CALC_INIT_PBO)
    > ABAP Function Module: No description (BPREP_BW_CALC_DUMMY)
      Click on details to show code (See Function BPREP_BW_CALC_DUMMY)
  >>> Planning Level: Capacities (FTEM)
  >> Planning Function: Maintain Capacities (CALCPAI)
    > ABAP Function Module: No description (BPREP_BW_CALC_INIT_PAI)
      Click on details to show code (See Function BPREP_BW_CALC_INIT_PAI)
    > ABAP Function Module: No description (BPREP_BW_CALC_DUMMY)
      Click on details to show code (See Function BPREP_BW_CALC_DUMMY)
  >> Planning Function: Initialization (CALCPBO)
    > ABAP Function Module: No description (BPREP_BW_CALC_INIT_PBO)
      Click on details to show code (See Function BPREP_BW_CALC_INIT_PBO)
```

```
> ABAP Function Module: No description (BPREP_BW_CALC_DUMMY)
  Click on details to show code (See Function BPREP_BW_CALC_DUMMY)
>>> Planning Level: HR Result (HRRESULT)
  >> Planning Function: Calculation of HR Budget (CALCHRBU)
    > ABAP Function Module: No description (BPREP_BW_CALC_CALC)
      Click on details to show code (See Function BPREP_BW_CALC_CALC)
    > ABAP Function Module: No description (BPREP_BW_CALC_DUMMY)
      Click on details to show code (See Function BPREP_BW_CALC_DUMMY)
  >> Planning Function: New Calculation of HR Budget (CALCINIT)
    > ABAP Function Module: No description (BPREP_BW_CALC_CALC_INIT)
      Click on details to show code (See Function BPREP_BW_CALC_CALC_INIT)
    > ABAP Function Module: No description (BPREP_BW_CALC_DUMMY)
      Click on details to show code (See Function BPREP_BW_CALC_DUMMY)
  >> Planning Function: Rest of Table Buffer (CLEANUP)
    > ABAP Function Module: No description (BPREP_BW_CALC_CLEAN_UP)
      Click on details to show code (See Function BPREP_BW_CALC_CLEAN_UP)
    > ABAP Function Module: No description (BPREP_BW_CALC_DUMMY)
      Click on details to show code (See Function BPREP_BW_CALC_DUMMY)
  >> Planning Function: Derivation of FM Dimensions (FMDERIVE)
    > ABAP Function Module: No description (BPREP_BW_CALC_INIT_DERIVE)
      Click on details to show code (See Function BPREP_BW_CALC_INIT_DERIVE)
    > ABAP Function Module: No description (BPREP_BW_CALC_DERIVE_FM)
      Click on details to show code (See Function BPREP_BW_CALC_DERIVE_FM)
  >> Planning Function: Read for Calculation of Required Data (READDATA)
    > ABAP Function Module: No description (BPREP_BW_CALC_READ)
      Click on details to show code (See Function BPREP_BW_CALC_READ)
    > ABAP Function Module: No description (BPREP_BW_CALC_DUMMY)
      Click on details to show code (See Function BPREP_BW_CALC_DUMMY)
  >> Planning Function: Reading Data for Initial Creation (READINIT)
    > ABAP Function Module: No description (BPREP_BW_CALC_READ_INITIAL)
      Click on details to show code (See Function BPREP_BW_CALC_READ_INITIAL)
    > ABAP Function Module: No description (BPREP_BW_CALC_DUMMY)
      Click on details to show code (See Function BPREP_BW_CALC_DUMMY)
>>> Planning Level: Simulation Values (REALVAL)
  >> Planning Function: Initialization (CALCPBO)
    > ABAP Function Module: No description (BPREP_BW_CALC_INIT_PBO)
      Click on details to show code (See Function BPREP_BW_CALC_INIT_PBO)
    > ABAP Function Module: No description (BPREP_BW_CALC_DUMMY)
      Click on details to show code (See Function BPREP_BW_CALC_DUMMY)
>>>> Planning Area: MAP: Long-Term Forecast (Example) (4RTFM001)
  >>> Planning Level: Cleanup to Explainable Portion (4RTFPL01)
    >> Planning Function: Clean Up (4RTFPF01)
      > ABAP Function Module: No description (/MAP/F_FCAST_INIT)
        Click on details to show code (See Function /MAP/F_FCAST_INIT)
      > ABAP Function Module: No description (/MAP/F_FCAST_EXEC)
        Click on details to show code (See Function /MAP/F_FCAST_EXEC)
  >>> Planning Level: Forecast into the Future (4RTFPL02)
    >> Planning Function: Enhance Explainable Portion (4RTFPF03)
      > ABAP Function Module: No description (/MAP/F_FCAST_INIT)
        Click on details to show code (See Function /MAP/F_FCAST_INIT)
      > ABAP Function Module: No description (/MAP/F_FCAST_EXEC)
        Click on details to show code (See Function /MAP/F_FCAST_EXEC)
>>>> Planning Area: MAP: Merchandise Planning (4RTMM001)
  >>> Planning Level: Read Actual Data for Month (4RTMPL30)
    >> Planning Function: Read Actual Data (4RTMPF01)
      > ABAP Function Module: No description (UPARA_EXIT_INIT_COPY_ACTUALS)
        Click on details to show code (See Function UPARA_EXIT_INIT_COPY_ACTUALS)
      > ABAP Function Module: No description (UPARA_EXIT_COPY_ACTUALS)
        Click on details to show code (See Function UPARA_EXIT_COPY_ACTUALS)
  >>> Planning Level: Read Actual Data for Weeks (4RTMPL31)
    >> Planning Function: Read Actual Data (4RTMPF01)
      > ABAP Function Module: No description (UPARA_EXIT_INIT_COPY_ACTUALS)
        Click on details to show code (See Function UPARA_EXIT_INIT_COPY_ACTUALS)
      > ABAP Function Module: No description (UPARA_EXIT_COPY_ACTUALS)
        Click on details to show code (See Function UPARA_EXIT_COPY_ACTUALS)
>>>> Planning Area: MAP: Store Planning (4RTMM002)
  >>> Planning Level: Read Actual Data for Month (4RTMPL30)
    >> Planning Function: Read Actual Data (4RTMPF01)
      > ABAP Function Module: No description (UPARA_EXIT_INIT_COPY_ACTUALS)
        Click on details to show code (See Function UPARA_EXIT_INIT_COPY_ACTUALS)
      > ABAP Function Module: No description (UPARA_EXIT_COPY_ACTUALS)
        Click on details to show code (See Function UPARA_EXIT_COPY_ACTUALS)
  >>> Planning Level: Read Actual Data for Weeks (4RTMPL31)
    >> Planning Function: Read Actual Data (4RTMPF01)
      > ABAP Function Module: No description (UPARA_EXIT_INIT_COPY_ACTUALS)
        Click on details to show code (See Function UPARA_EXIT_INIT_COPY_ACTUALS)
      > ABAP Function Module: No description (UPARA_EXIT_COPY_ACTUALS)
        Click on details to show code (See Function UPARA_EXIT_COPY_ACTUALS)
>>>> Planning Area: MAP: Assortment Planning (4RTMM003)
  >>> Planning Level: Product Mix (Periods), Apparel, Markdown (4RTMPL07)
    >> Planning Function: Distr. by Markdown Prof./Sales Pattern (4RTMPF01)
      > ABAP Function Module: No description (UPARS_SSM_DISTR_SLS_PAT_INIT)
        Click on details to show code (See Function UPARS_SSM_DISTR_SLS_PAT_INIT)
      > ABAP Function Module: No description (UPARS_SSM_DISTR_SLS_PATTERN)
        Click on details to show code (See Function UPARS_SSM_DISTR_SLS_PATTERN)
  >>> Planning Level: Actual Data for Assortment Planning/Week (4RTMPL10)
    >> Planning Function: Read Actual Data for Weeks (4RTMPF01)
      > ABAP Function Module: No description (UPARA_EXIT_INIT_COPY_ACTUALS)
        Click on details to show code (See Function UPARA_EXIT_INIT_COPY_ACTUALS)
      > ABAP Function Module: No description (UPARA_EXIT_COPY_ACTUALS)
        Click on details to show code (See Function UPARA_EXIT_COPY_ACTUALS)
  >>> Planning Level: Product per Assortment Version and Year (4RTMPL23)
    >> Planning Function: Proposal from Assortment Version (4RTPF02)
      > ABAP Function Module: No description (UPARA_EXIT_PRP_AVRSPRD)
```

```
Click on details to show code (See Function UPARA_EXIT_PRP_AVRSPRD)
>> Planning Function: Proposal from Preversion (4RTPF03)
  > ABAP Function Module: No description (UPARA_PLF_ASRTVRS_PRODUCT_INIT)
    Click on details to show code (See Function UPARA_PLF_ASRTVRS_PRODUCT_INIT)
  > ABAP Function Module: No description (UPARA_PLF_ASRTVRS_PRODUCT)
    Click on details to show code (See Function UPARA_PLF_ASRTVRS_PRODUCT)
>>> Planning Level: Read Actual Data for Basics (4RTMPL38)
  >> Planning Function: Read Actual Data (4RTMPF01)
    > ABAP Function Module: No description (UPARA_EXIT_INIT_COPY_ACTUALS)
      Click on details to show code (See Function UPARA_EXIT_INIT_COPY_ACTUALS)
    > ABAP Function Module: No description (UPARA_EXIT_COPY_ACTUALS)
      Click on details to show code (See Function UPARA_EXIT_COPY_ACTUALS)
>>>> Planning Area: MAP: Plan Strategic / Merch. / Rollout (4RTMP001)
  >>> Planning Level: OTB Level Segment Before the Season (4RTMPL01)
    >> Planning Function: Read OTB Plan Data (4RTMPF01)
      > ABAP Function Module: No description (UPARA_EXIT_READ_OTB)
        Click on details to show code (See Function UPARA_EXIT_READ_OTB)
  >>> Planning Level: OTB Level Segment in the Season (4RTMPL02)
    >> Planning Function: Read OTB Plan Data (4RTMPF01)
      > ABAP Function Module: No description (UPARA_EXIT_READ_OTB)
        Click on details to show code (See Function UPARA_EXIT_READ_OTB)
  >>> Planning Level: OTB Level Collection Before the Season (4RTMPL03)
    >> Planning Function: Read OTB Plan Data (4RTMPF01)
      > ABAP Function Module: No description (UPARA_EXIT_READ_OTB)
        Click on details to show code (See Function UPARA_EXIT_READ_OTB)
  >>> Planning Level: OTB Level Collection in the Season (4RTMPL04)
    >> Planning Function: Read OTB Plan Data (4RTMPF01)
      > ABAP Function Module: No description (UPARA_EXIT_READ_OTB)
        Click on details to show code (See Function UPARA_EXIT_READ_OTB)
>>>> Planning Area: MAP: Plan Data Stores (4RTMP003)
  >>> Planning Level: OTB Level AIS Store Plan before Season (4RTMPL01)
    >> Planning Function: Read OTB Plan Data (4RTMPF01)
      > ABAP Function Module: No description (UPARA_EXIT_READ_OTB)
        Click on details to show code (See Function UPARA_EXIT_READ_OTB)
  >>> Planning Level: OTB Level ATS Store Plan in the Season (4RTMPL02)
    >> Planning Function: Read OTB Plan Data (4RTMPF01)
      > ABAP Function Module: No description (UPARA_EXIT_READ_OTB)
        Click on details to show code (See Function UPARA_EXIT_READ_OTB)
>>>> Planning Area: Sales Planning for Provider Contract (4TESPMPA)
  >>> Planning Level: Distribution Level (4TESPPLV)
    >> Planning Function: Distribution to Partners (4TELPF1)
      > ABAP Function Module: No description (RS_BCT_DISTRIBUTE_CHPARTNER)
        Click on details to show code (See Function RS_BCT_DISTRIBUTE_CHPARTNER)
    >> Planning Function: Distribution to Products (4TELPF2)
      > ABAP Function Module: No description (RS_BCT_DISTRIBUTE_PRODUCT)
        Click on details to show code (See Function RS_BCT_DISTRIBUTE_PRODUCT)
>>>> Planning Area: CP: Sales Planning with Promotions (4TPM1000)
  >>> Planning Level: Account Mgr - Promotions (Simulation) (4TPM1500)
    >> Planning Function: Calculate Uplift Factor (4TPM1520)
      > ABAP Function Module: No description (UPX_KPI_MKT_PREDICT)
        Click on details to show code (See Function UPX_KPI_MKT_PREDICT)
    >> Planning Function: Get Calendar Factor (4TPM1525)
      > ABAP Function Module: No description (UPX_KPI_MKT_FACTOR)
        Click on details to show code (See Function UPX_KPI_MKT_FACTOR)
  >>> Planning Level: Time Period Conversion (4TPM1700)
    >> Planning Function: Weeks -> Fiscal Year Periods (4TPM1730)
      > ABAP Function Module: No description (UPX_EXIT_COMPLETE_TIME)
        Click on details to show code (See Function UPX_EXIT_COMPLETE_TIME)
  >>> Planning Level: Account Mgr - Free Goods (Simulation) (4TPM1800)
    >> Planning Function: Calculate Uplift Factor (4TPM1820)
      > ABAP Function Module: No description (UPX_KPI_MKT_PREDICT)
        Click on details to show code (See Function UPX_KPI_MKT_PREDICT)
    >> Planning Function: Get Calendar Factor (4TPM1825)
      > ABAP Function Module: No description (UPX_KPI_MKT_FACTOR)
        Click on details to show code (See Function UPX_KPI_MKT_FACTOR)
>>>> Planning Area: CP: Sales and Promotions Plan/Actual (4TPM8000)
  >>> Planning Level: Region: Fill 0BP_GRP Plan Year (4TPM8102)
    >> Planning Function: Fill 0BP_GRP (4TPM8102)
      > ABAP Function Module: No description (UPX_EXIT_DERIVE_LOWEST_NODE)
        Click on details to show code (See Function UPX_EXIT_DERIVE_LOWEST_NODE)
  >>> Planning Level: Region: 0BP_GRP Fill Current Year (4TPM8103)
    >> Planning Function: Fill 0BP_GRP (4TPM8103)
      > ABAP Function Module: No description (UPX_EXIT_DERIVE_LOWEST_NODE)
        Click on details to show code (See Function UPX_EXIT_DERIVE_LOWEST_NODE)
  >>> Planning Level: Forecast (4TPM8107)
    >> Planning Function: SV: Exp. Smooth. with Trend and Seasonal (4TPM8117)
      > ABAP Function Module: No description (UPF_FORECAST_EXIT_INIT)
        Click on details to show code (See Function UPF_FORECAST_EXIT_INIT)
      > ABAP Function Module: No description (UPF_FORECAST_EXIT_EXECUTE)
        Click on details to show code (See Function UPF_FORECAST_EXIT_EXECUTE)
    >> Planning Function: SV: Exp. Smooth. Automatic Model Selectn (4TPM8137)
      > ABAP Function Module: No description (UPF_FORECAST_EXIT_INIT)
        Click on details to show code (See Function UPF_FORECAST_EXIT_INIT)
      > ABAP Function Module: No description (UPF_FORECAST_EXIT_EXECUTE)
        Click on details to show code (See Function UPF_FORECAST_EXIT_EXECUTE)
    >> Planning Function: Log Display (4TPM8147)
      > ABAP Function Module: No description (UPF_FORECAST_LOG_DISPLAY_INIT)
        Click on details to show code (See Function UPF_FORECAST_LOG_DISPLAY_INIT)
      > ABAP Function Module: No description (UPF_FORECAST_LOG_DISPLAY)
        Click on details to show code (See Function UPF_FORECAST_LOG_DISPLAY)
    >> Planning Function: Sales Volume: Linear Regression (Trend) (4TPM8167)
      > ABAP Function Module: No description (UPF_FORECAST_EXIT_INIT)
        Click on details to show code (See Function UPF_FORECAST_EXIT_INIT)
      > ABAP Function Module: No description (UPF_FORECAST_EXIT_EXECUTE)
```

```
Click on details to show code (See Function UPF_FORECAST_EXIT_EXECUTE)
>>> Planning Level: Track: Fill 0BP_GRP (4TPM8112)
  >> Planning Function: Fill 0BP_GRP (4TPM8112)
    > ABAP Function Module: No description (UPX_EXIT_DERIVE_LOWEST_NODE)
    Click on details to show code (See Function UPX_EXIT_DERIVE_LOWEST_NODE)
>>> Planning Level: Sub-Accounts: Fill 0BP_GRP (4TPM8132)
  >> Planning Function: Fill 0BP_GRP (4TPM8132)
    > ABAP Function Module: No description (UPX_EXIT_DERIVE_LOWEST_NODE)
    Click on details to show code (See Function UPX_EXIT_DERIVE_LOWEST_NODE)
>>> Planning Level: Accounts: Fill 0BP_GRP (4TPM8152)
  >> Planning Function: Fill 0BP_GRP (4TPM8152)
    > ABAP Function Module: No description (UPX_EXIT_DERIVE_LOWEST_NODE)
    Click on details to show code (See Function UPX_EXIT_DERIVE_LOWEST_NODE)
>>> Planning Level: Conditions Contr. Prod.- Derivation (4TPM8161)
  >> Planning Function: Derivation form Prod. Hierarchy (4TPM8162)
    > ABAP Function Module: No description (UPX_EXIT_HIERARCHY_COMPLETE)
    Click on details to show code (See Function UPX_EXIT_HIERARCHY_COMPLETE)
>>> Planning Level: Account Group: Fill 0BP_GRP (4TPM8172)
  >> Planning Function: Fill 0BP_GRP (4TPM8172)
    > ABAP Function Module: No description (UPX_EXIT_DERIVE_LOWEST_NODE)
    Click on details to show code (See Function UPX_EXIT_DERIVE_LOWEST_NODE)
>>> Planning Level: All Customers: Fill 0BP_GRP (4TPM8192)
  >> Planning Function: Fill 0BP_GRP (4TPM8192)
    > ABAP Function Module: No description (UPX_EXIT_DERIVE_LOWEST_NODE)
    Click on details to show code (See Function UPX_EXIT_DERIVE_LOWEST_NODE)
>>>> Planning Area: CP: Sales Planning with Promotions (VM) (4TPM9000)
  >>> Planning Level: No description (4TPM9260)
    >> Planning Function: Fill 0BP_GRP (4TPM9261)
      > ABAP Function Module: No description (UPX_EXIT_DERIVE_LOWEST_NODE)
      Click on details to show code (See Function UPX_EXIT_DERIVE_LOWEST_NODE)
  >>> Planning Level: Key Account Planning: Fill 0BP_GRP (4TPM9290)
    >> Planning Function: Fill 0BP_GRP (4TPM9291)
      > ABAP Function Module: No description (UPX_EXIT_DERIVE_LOWEST_NODE)
      Click on details to show code (See Function UPX_EXIT_DERIVE_LOWEST_NODE)
  >>> Planning Level: Planning for Key Acc.: 0BP_GRP for RP (4TPM9295)
    >> Planning Function: 0BP_GRP fill RP (4TPM9296)
      > ABAP Function Module: No description (UPX_EXIT_DERIVE_LOWEST_NODE)
      Click on details to show code (See Function UPX_EXIT_DERIVE_LOWEST_NODE)
  >>> Planning Level: Account Mgr - Promotions (Simulation) (4TPM9500)
    >> Planning Function: Calculate Uplift Factor (4TPM9520)
      > ABAP Function Module: No description (UPX_KPI_MKT_PREDICT)
      Click on details to show code (See Function UPX_KPI_MKT_PREDICT)
    >> Planning Function: Get Calendar Factor (4TPM9525)
      > ABAP Function Module: No description (UPX_KPI_MKT_FACTOR)
      Click on details to show code (See Function UPX_KPI_MKT_FACTOR)
  >>> Planning Level: Time Period Conversion (4TPM9700)
    >> Planning Function: Weeks -> Fiscal Year Periods (4TPM9730)
      > ABAP Function Module: No description (UPX_EXIT_COMPLETE_TIME)
      Click on details to show code (See Function UPX_EXIT_COMPLETE_TIME)
  >>> Planning Level: Account Mgr - Free Goods (Simulation) (4TPM9800)
    >> Planning Function: Calculate Uplift Factor (4TPM9820)
      > ABAP Function Module: No description (UPX_KPI_MKT_PREDICT)
      Click on details to show code (See Function UPX_KPI_MKT_PREDICT)
    >> Planning Function: Get Calendar Factor (4TPM9825)
      > ABAP Function Module: No description (UPX_KPI_MKT_FACTOR)
      Click on details to show code (See Function UPX_KPI_MKT_FACTOR)
>>>> Planning Area: UC: Quotation Planning (4UCCRM01)
  >>> Planning Level: Level for Quotation Planning (4UCCRM02)
    >> Planning Function: Planned Cost Calculation (Exit) (UCCRMF01)
      > ABAP Function Module: No description (UPUC_QP_COST_INIT)
      Click on details to show code (See Function UPUC_QP_COST_INIT)
      > ABAP Function Module: No description (Z_UPUC_QP_COST_DETERMINE)
      Click on details to show code (See Function Z_UPUC_QP_COST_DETERMINE)
      * ----- Begin of Routine -----
      CALL FUNCTION 'Z_UPUC_QP_COST_DETERMINE'
      * ----- End of Routine -----
  * CALL FUNCTION: Function module not found: Z_UPUC_QP_COST_DETERMINE
  * ----- End of Routine -----
>>>> Planning Level: Quotation Planning with Costs (4UCCRM11)
  >> Planning Function: Planned Costs Initialization (Exit) (UCCRMF01)
    > ABAP Function Module: No description (UPUC_QP_COST_INIT)
    Click on details to show code (See Function UPUC_QP_COST_INIT)
    > ABAP Function Module: No description (UPUC_QP_COST_DETERMINE)
    Click on details to show code (See Function UPUC_QP_COST_DETERMINE)
  >> Planning Function: Distribution to Months (UCCRMF02)
    > ABAP Function Module: No description (UPUC_QP_COST_DISTRIBUTE)
    Click on details to show code (See Function UPUC_QP_COST_DISTRIBUTE)
>>>> Planning Area: Accrued Costs (CRM) (4UCCRM08)
  >>> Planning Level: Valuation General Contract Conclusion (4UCCRM19)
    >> Planning Function: Distribution to Months (UCCRMF02)
      > ABAP Function Module: No description (UPUC_QP_COST_DISTRIBUTE)
      Click on details to show code (See Function UPUC_QP_COST_DISTRIBUTE)
  >>> Planning Level: Valuation Settlements (4UCCRM20)
    >> Planning Function: Distribution to Months (UCCRMF02)
      > ABAP Function Module: No description (UPUC_QP_COST_DISTRIBUTE)
      Click on details to show code (See Function UPUC_QP_COST_DISTRIBUTE)
```

```
>>>>> Summary
  Runtime: 1.26 sec
```

```
> ** Analysis Processes
```

```
>>>>> Analysis Processes
  >>>>> APD Process: Last 3 Months Material from ZIS_SSL InfoSet (ZAPD_SSL)
    No ABAP routines found
```

>>>> Summary
Runtime: 1.61 sec

** Customer Enhancements

>>>> Customer Enhancements (Exits)
>>>> Enhancement: IM-BCT: Assignment of Actual Values to Budget Cate (AIBW0001)
No project found
>>>> Enhancement: Corporate IM: Settings for Group Currency (AIBW0002)
No project found
>>>> Enhancement: Customer function calls in the service API (RSAP0001)
No project found
>>>> Enhancement: BI: Enhancements for Global Variables in Reporting (RSR00001)

Project: ZBEX_VAR Status: Active

Enhancement is depreciated. Use corresponding BAdI instead.

>>> ABAP Function Module: Customer Exit Global Variables in Reporting (EXIT_SAPLRRS0_001)
Click on details to show code (See Function EXIT_SAPLRRS0_001)
>>>> Enhancement: BI: Virtual Characteristics and Key Figures in Rep (RSR00002)
No project found
>>>> Enhancement: BW: RRI Field Mapping (RSR00004)
No project found
>>>> Enhancement: Enhancement for checking characteristic value comb (SEMBPS01)
No project found
>>>> Enhancement: Enhancement for characteristic derivation (SEMBPS02)
No project found

>>>> Customer Enhancements (BAdIs)
>>>> Business Add-in: Business Add-In: BW BCT CO Cost Center Personaliza (BW_BCT_CO_CCTR_PERS)
>>>> Business Add-in: Open Hub: Add-In Transformation (OPENHUB_TRANSFORM)
>>>> Business Add-in: Response Prediction Models (RSAN_RESPONSE_MODEL)
>>>> Business Add-in: Customer-defined Functions in Formula Editor (RSAR_CONNECTOR)
>>> Business Add-in Implementation: CCMS BI: Formulas for Reading the Configuration (CCMSBI_PC_FILTER)
* BADI Implementation: Object not in customer namespace: CCMSBI_PC_FILTER
>>>> Business Add-in: Change to Business Partner Data before Creation in (RSCRM_BUPA_CREATE)
>>> Business Add-in Implementation: Fills the Business Partner Parameters from D&B Dat (RSCRM_BUPA_FROM_DUNS)
* BADI Implementation: Object not in customer namespace: RSCRM_BUPA_FROM_DUNS
>>>> Business Add-in: DB Connect: BAdIs for DB SQL Statement (RSDBC_SQL_STATEMENT)
>>> Business Add-in Implementation: DB Connect: BAdIs for DB SQL Statement (RSDBC_SQL_STAT_IMPL)
* BADI Implementation: Object not in customer namespace: RSDBC_SQL_STAT_IMPL
>>>> Business Add-in: BADI for changing the BW-Exportfile for D&B Data (RSDBEXPORT_BADI01)
>>>> Business Add-in: BW: Enhancing InfoCubes (RSD_CUBE_BADI)
>>>> Business Add-in: Logging of Data Accesses (Data Protection) (RSEC_LEGAL_AUDITING)
>>> Business Add-in Implementation: SAP Implementation for LOPD Logging (RSEC_LEGAL_AUDIT_SAP)
* BADI Implementation: Object not in customer namespace: RSEC_LEGAL_AUDIT_SAP
>>>> Business Add-in: BAdI for Documents (RSOD_DOC_BADI)
>>>> Business Add-in: BaDI for Web Item 'Single Document' (RSOD_ITEM_DOC)
>>>> Business Add-in: BaDI for Web Item 'List of Documents' (RSOD_ITEM_DOC_LIST)
>>>> Business Add-in: BaDI for Maintenance of Text Documents in Web (RSOD_WWW_DOC_MAINT)
>>>> Business Add-in: Exits for Transporting a Process Chain (RSPC_CHAIN_TRANSPORT)
>>>> Business Add-in: BW Alert Export (RSRA_ALERT)
>>> Business Add-in Implementation: Posting of BW exceptions to basis alert framework (RSCRM_ALERT)
* BADI Implementation: Object not in customer namespace: RSCRM_ALERT
>>> Business Add-in Implementation: Posting of BW exceptions to basis alert framework (RSCRM_ALERT)
* BADI Implementation: Object not in customer namespace: RSCRM_ALERT
>>> Business Add-in Implementation: EBP-Alert Workflow BADI (RSRA_ALERT_BBP_CT)
* BADI Implementation: Object not in customer namespace: RSRA_ALERT_BBP_CT
>>>> Business Add-in: Generation of Authorizations: Create User (RSR_OLAP_AUTH_GEN)
>>>> Business Add-in: Virtual Characteristics and Key Figures in Reporti (RSR_OLAP_BADI)
>>> Business Add-in Implementation: HR BW: Virtual Characteristics and Key figures in (RS_BCT_PA)
* BADI Implementation: Object not in customer namespace: RS_BCT_PA
>>>> Business Add-in Implementation: Virutal Characteristics and Indicators for Mon. Ar (CCMSBI_MONIARCH_BADI)
* BADI Implementation: Object not in customer namespace: CCMSBI_MONIARCH_BADI
>>> Business Add-in Implementation: Fill Virtual Key Figures in CPH BI Reports (CPH_VIRTUAL)
* BADI Implementation: Object not in customer namespace: CPH_VIRTUAL
>>> Business Add-in Implementation: Fill Virtual Key Figures in CPH BI Reports (CPH_VIRTUAL)
* BADI Implementation: Object not in customer namespace: CPH_VIRTUAL
>>> Business Add-in Implementation: Fill Virtual Key Figures in CPH BI Reports (CPH_VIRTUAL)
* BADI Implementation: Object not in customer namespace: CPH_VIRTUAL
>>>> Business Add-in: BW Service APIs with Business Add-Ins (RSU5_SAPI_BADI)
>>> Business Add-in Implementation: SEM-BCS: Reporting Logic for Data Mart on Transact (RSSEM_BCS_VC_LOGIC)
* BADI Implementation: Object not in customer namespace: RSSEM_BCS_VC_LOGIC
>>>> Business Add-in: Own Report Type as Recipient (Jump Target) (RS_BBS_BADI)
>>> Business Add-in Implementation: RSBBS adoption for ILM Retention Warehouse (RSIWP_BBS)
* BADI Implementation: Object not in customer namespace: RSIWP_BBS
>>> Business Add-in Implementation: Implementation RS_BBS_BADI: Jump to CRM BSPs (RS_BBS_BADI_CRM)
* BADI Implementation: Object not in customer namespace: RS_BBS_BADI_CRM
>>> Business Add-in Implementation: Report Type for Overviews in E-Recruiting (RS_BBS_BADI_ERC_OVW)
* BADI Implementation: Object not in customer namespace: RS_BBS_BADI_ERC_OVW
>>> Business Add-in Implementation: Report Type for Oerviews in Succession Planning (RS_BBS_BADI_SCP_OVW)
* BADI Implementation: Object not in customer namespace: RS_BBS_BADI_SCP_OVW
>>> Business Add-in Implementation: Report Category for Overviews in Talent Management (RS_BBS_BADI_TCM_EOVR)
* BADI Implementation: Object not in customer namespace: RS_BBS_BADI_TCM_EOVR
>>> Business Add-in Implementation: Report-Report Interface - IQM Messages (IQM_BBS_MSG)
* BADI Implementation: Object not in customer namespace: IQM_BBS_MSG
>>>> Business Add-in: Export of association rules (RS_DME_EXP_ADRULES)
>>> Business Add-in Implementation: Export of association discovery rules to CRM (RS_DME_EXP_ADRULES)
* BADI Implementation: Object not in customer namespace: RS_DME_EXP_ADRULES
>>>> Business Add-in: BW: RRI Field Mapping (SMOD_RSR00004)

>>>> Customer Enhancements Spots
>>>> Enhancement Spot: No description (/SAPAPO/SCM_FCSTMAN)

- >>>> Enhancement Spot: No description (/SAPAPO/SCM_FCSTPARA)
- >>>> Enhancement Spot: No description (/SAPAPO/SCM_FORECAST)
- >>>> Enhancement Spot: Enhancement Spot for Graphic (ENHS_RS_CHART)
- >>>> Enhancement Spot: No description (RCRM_IMP)
- >>>> Enhancement Spot: No description (RCRM_IMP_EVENT_HANDLER)
- >>>> Enhancement Spot: In memory planning enhancement (RSCRM_IMP)
- >>>> Enhancement Spot: Virtual Analytics Security Objects (BI Analysis Au (RSEC_VIRTUAL_AUTHS)
- >>>> Enhancement Spot: Enhancements Spot for BI Health Checks (RSIM_HC_ENH_SPOT)
- >>>> Enhancement Spot: Semantic Partitioning: Business Add-In (BAdI) for (RSLPO_BADI_PARTITIONING)
- >>>> Enhancement Spot: BW Workspace BAdIs (RSL_WORKSPACE)
- >>>> Enhancement Spot: Oracle Exit for BI SQL Interface Hints (RSORA_HINT_EXIT)
- >>>> Enhancement Spot: BW Transport (RSO_TRANSPORT)
- >>>> Enhancement Spot: Enhancement: Save Planning Data for Integrated Pla (RSPLS_LOGGING_ON_SAVE)
- >>>> Enhancement Spot: Enhancements in Broadcasting (RSRDE_BROADCASTING)
- >>>> Enhancement Spot: OLAP Aggregation Engine (RSROA)
- >>>> Enhancement Spot: OLAP Variables Exit (RSROA_VARIABLES_EXIT)
- >>>> Enhancement Spot: Enhancement Spot for Transient Queries (RSR_TRANS_QUERY_ENHS)
- >>>> Enhancement Spot: F4 Option in Variable Screen (RSR_VARIABLE_F4_RESTRICT)
- >>>> Enhancement Spot: Special treatment of objects during content activa (RSXWB_ENH_CONTENT_ACTIVATION)
- >>>> Enhancement Spot: Objects Added to Queries During Generation (RSZ_QUERY_GENERATION)
- >>>> Enhancement Spot: No description (RS_BBS_DYNAMIC_ENHS)

- >>>> Summary
 - Runtime: 1.61 sec

** Additional Information

- >>> General Documentation
 - Routines in 7.x Transformations (See SAP Help 4a/489a4b826114d1e10000000a42189c)
 - Routines in 3.x Transformations (See SAP Help 4e/50fd7d968a4f4ae10000000a42189e)
 - Currency Conversion in Transformations (See SAP Help 4a/27af0d81661d10e10000000a42189b)
 - Unit of Measure Conversion in Transformations (See SAP Help 4a/27ac1481661d10e10000000a42189b)
 - Quick Reference: SAP NetWeaver Interface Overview (See SAP Help 4c/22135610cc5791e10000000a15822b)
- >>> Design Guidelines
 - Design rules: Adding records to the start routine (See SAP Note 1258089)
 - Design rules: Adding records to end routine (See SAP Note 1223532)
 - Design rules: Guidelines for expert routine (See SAP Note 1227667)
 - How to avoid "Package contains duplicate entries" error in DTP on SAP HANA (See SAP Note 2119480)
- >>> Compatibility
 - ABAP customer code migration for SAP HANA (See SAP Note 1912445)
 - BW 7.40 changes and customer-specific programs (See SAP Note 1823174)
 - Differences between SAP HANA and Oracle in SQL (See SAP Note 1969815)
- >>> Migration
 - Migration of 3.x Transfer and Update Rules (See SAP Help 4e/cf67e543403352e10000000a42189b)
 - Migration a Data Flows (See SAP Help 8d/6b1b58cc1744e1bce7898a50e19368)
 - Migrating Transfer Rules and Update Rules (See SAP Note 1052648)
 - ABAP code migration for SAP HANA - recommendations and Code Inspector variants for SAP HANA migration (See SAP Note 1912)
 - Runtime Check Monitor - FOR ALL ENTRIES/MISSING ORDER BY (See SAP Help /3b/2280619cbd4305bd14aeb3c8f71337)
 - SAP HANA: Parameter setting for SELECT FOR ALL ENTRIES (See SAP Note 1987132)
- >>> Optimizing
 - Best Practice Guide - Considerations for Custom ABAP Code During a Migration to SAP HANA (See <http://scn.sap.com/docs/DO>)
 - Optimizing Custom ABAP Code for SAP HANA - The New ABAP SQL Monitor (See <http://scn.sap.com/docs/DOC-47444>)
 - How to SELECT in SAP BW Transformations (See <http://scn.sap.com/docs/DOC-27601>)
 - Optimizing select with FOR ALL ENTRIES in SAP HANA (See SAP Note 1662726)
 - Interesting facts about RSDRI_INFOPROV_READ (See SAP Note 1828877)
 - SQL Performance Monitoring (See SAP Help /1e/c2329419b64f3992a9c342437d3a0f)
- >>> Communities
 - ABAP for SAP HANA Community (See <http://scn.sap.com/community/abap-for-hana>)
 - ABAP and developing on BW on SAP HANA (See <http://www.saphana.com/docs/DOC-2090>)
 - ABAP and SAP HANA (See <http://www.saphana.com/docs/DOC-2929>)

- ** Summary
 - Total runtime: 1 min 54.00 sec