

*** SAP BW Checklist for SAP HANA ***

** Version: 4.1 (July 2016)

>>>> Disclaimer

- The checks provided by this tool are not necessarily complete or intended to replace existing tools and checks (like ASU-Toolbox or EarlyWatch Report). Still the tool automates and combines various checks that would have to be performed manually otherwise.

>>>> General

>>> System Information

- System ID: BPQ
- BW Release: 731
- BW Support Package: 0006
- System host: NECBPQ
- System number: 02
- System date & time: 2016-07-27 10:26:18
- System time zone: EST
- Client: 100
- Client role: Training/Education
- Installation number: 0020287757
- License expiration: 9999-12-31
- Number of system users: 0
- Number of BW query users: 65
- Check Option - Long-running Checks: Yes
- Check Option - Connection Checks: Yes
- Check Option - Database Migration Option: No
- Check Option - Target Release: BW 7.30/7.31, powered by SAP HANA
- Runtime: 0.23 sec

>>> System Health Check

- (See Transaction SICK)
- Runtime: 0.02 sec

>>> Platform Check: Database Server

- Database type: Oracle
- Database release: 11.2.0.4.0
- DB is on version that is ready for migration to SAP HANA
- DBSL release: 720
- DBSL patch level: 327
- DBSL is on version that is ready for migration to SAP HANA
- Runtime: 0.00 sec

>>> Platform Check: Application Servers

>> Application Server: NECBPQ_BPQ_02

- Error reading HW/OS information: No XML (SAPOSCOL might not be in OS path)
- (See SAP Note 548699)

>> Summary

- (See <http://service.sap.com/pam>)
- Runtime: 5.70 sec

>>> Platform Check: LiveCache

- No LiveCache installed
- No APO InfoCubes found
- Runtime: 0.32 sec

>>>> Database - General

>>> Database Check: System Size

- Database size (in GB): 451.6
- Determine the sizing for SAP HANA (See Program /SDF/HANA_BW_SIZING)
- (See SAP Note 1736976)
- Runtime: 0.00 sec

>>> Database Check: Table Consistency

- Number of missing objects in database: 293
- Number of unknown objects in database: 4
- No inconsistent objects
- No issues with other checks
- (See Transaction DBACOCKPIT > Diagnosis > Missing Tables and Indexes)
- Runtime: 0.00 sec

>>> Database Check: Table Conversion

>>	Pending Table Conversion	
	No pending table conversions	
>>	Aborted Table Conversion	
	No aborted table conversions	
>>	Summary	
	Runtime: 0.08 sec	
>>>	Database Check: Large Tables	
	01. Application Log Tables : 208 MB	
	02. IDoc Tables : 17 MB	
	03. Tables for Linking IDocs : 4 MB	
	04. Work Item Tables : 0 MB	
	05. Tables with ALE Change Pointers : 0 MB	
	06. Tables with Change Logging : 0 MB	
	07. tRFC and qRFC Tables : 6 MB	
	08. Oracle BR*TOOLS Tables : 1 MB	
	09. Buffer Synchronization : 167 MB	
	10. Batch Input : 0 MB	
	11. TemSe Tables : 5 MB	
	12. XMI Interface Tables : 0 MB	
	13. Short Dump Table : 5,843 MB (1.3 % of Total DB Size)	
	15. Print Parameter Table : 0 MB	
	16. BW Monitor Tables : 74 MB	
	17. Update Tables : 0 MB	
	19. Workflow Event Trace : 0 MB	
	20. Table Analysis : 0 MB	
	21. qRFC Analysis Data : 0 MB	
	22. Dictionary Logs : 34 MB	
	23. Job Tables : 15 MB	
	24. MDM Feedback Tables : 0 MB	
	25. BW Workbook Tables : 5 MB	
	29. XI Integration Server Tables : 0 MB	
	30. XI ccBPM Tables : 0 MB	
	32. CRM-BDOC links : 2 MB	
	35. BW Statistics Data : 51 MB	
	36. BW PSA Error Logs : 0 MB	
	38. BW DTP Error Logs : 28 MB	
	39. Data which is packed in binary form : 19 MB	
	40. SAPoffice and Business Workplace Tables : 1 MB	
	41. Internet Communication Framework : 0 MB	
	43. BW Process Chain Instances : 0 MB	
	44. DBACOCKPIT Oracle Histories : 0 MB	
	46. BW Authorization Logs : 0 MB	
	47. BW Authorization Change Logs : 2 MB	
	48. BW Batch Runtime Data : 111 MB	
	49. BW BPS Statistics : 0 MB	
	50. BW 3.x Bookmarks : 0 MB	
	51. BW RSTT Traces : 0 MB	
	52. BW PSA and Change Log : 372,466 MB (80.5 % of Total DB Size)	
	53. BW 7.x Bookmarks : 2 MB	
	54. BW OLAP Cache : 165 MB	
	57. BW DSO Field Activation : 2 MB	
	58. Background RFC (bgRFC) : 0 MB	
	59. ABAP Screens : 76 MB	
	60. ABAP Repository : 1,692 MB	
	61. BW Metadata Object Versions : 0 MB	
	64. BW Status Manager Request Mapping : 0 MB	
	65. BW Processed Jobs Logs : 0 MB	
	66. BW Chain Run Logs : 0 MB	
	67. Workflow Notifications : 0 MB	
	68. Solution Manager Session Information : 342 MB	
	69. DBACOCKPIT SQL Editor Oracle : 0 MB	
	72. SAP Workload Collector : 21 MB	
	73. ODP Queues : 0 MB	
	75. Enhancement Log : 0 MB	
	76. SOAP Runtime : 5 MB	
	77. BPC Statistics : 13 MB	
	78. Event Management Log : 0 MB	
	Grand Total: 372.3 GB (82.4 % of Total DB Size)	
	(See Large Tables)	
	(See SAP Help 86/bd48813bba47ccbed3cd81c403a709)	
	(See SAP Note 706478)	
	Runtime: 0.94 sec	
>>>	Database Check: Database Statistics	
	No ignored BW tables	

Runtime: 0.04 sec

>>> Database Check: Data Classes

>> Data Classes

Standard data class: APPL0 STD
Standard data class: APPL1 STD
Standard data class: APPL2 STD
Pool/cluster data class: CLUST CPT
Standard data class: DDIM STD
Standard data class: DFACT STD
Standard data class: DODS STD
Pool/cluster data class: POOL CPT
System data class: SDIC SYS
System data class: SDOCU SYS
System data class: SLDEF SYS
System data class: SLEXC SYS
System data class: SLOAD SYS
System data class: SPROT SYS
System data class: SSDEF SYS
System data class: SSEX SYS
System data class: SSR SYS
Internal data class: TEMP INT
User-defined data class: USER USR
User-defined data class: USER1 USR
No inconsistent data classes found

>> InfoCubes

No inconsistent data classes found

>> DataStore Objects

No inconsistent data classes found

>> Summary

Runtime: 0.05 sec

>>> Database Check: Connections

>> Database Connection: RPROODSPRD

Database platform: Oracle

Connection is working

>> Summary

Certain platforms or DB releases might not be supported after upgrading to BW release 7.3
Check the platform availability matrix for compatibility (See SAP Note 955990)
(See <http://service.sap.com/pam>)
Runtime: 15.27 sec

>>>> Basis

>>> Basis Check: System Trace

Main Trace Switch: Off

Runtime: 0.00 sec

>>> Basis Check: Support Package Manager

SPAM Release: 731

SPAM Version: 0054

SPAM is not up-to-date

Update to version 0059 or higher

(See Downloads 01200615320100001425)

Number of parallel import processes: 01

Consider increasing number of processes to speed up support package updates

(See SAP Note 1309506)

Number of application servers: 1

System parameter rdisp/bufrefmode: sendon

It is recommended to set parameter to "sendoff,exeauto"

(See SAP Note 1597768)

Runtime: 0.22 sec

>>> Basis Check: ABAP/Java Stacks

No Java stack installed

Runtime: 0.00 sec

>>> Basis Check: Unicode

Unicode: yes

System is Unicode and ready for migration to SAP HANA

Runtime: 0.00 sec

>>> Basis Check: BW Release

BW Release: 731

BW Support Package: 0006

BW is on release and support package that is ready for SAP HANA

□ BW support package 17 is available. It is recommended to upgrade to SP 17 or higher for BW on SAP HANA
(See Downloads 01200314690200011844)

□ BI Content Release: 747

□ BI Content Support Package: 0003

□ BI Content is on release that is ready for SAP HANA

□ Runtime: 0.00 sec

□ >>> Basis Check: Add-on Releases

□ >> Add-on Information

□ Information of general add-on compatibility with SAP NetWeaver 7.3 (See SAP Note 1532805)

□ Information of general add-on compatibility with SAP EhP1 for SAP NetWeaver 7.3 (See SAP Note 1652738)

□ >> Add-on Versions

□ BPC Release: 801 0003

□ CPMBPC component is not up-to-date. Install support package 12

(See SAP Note 2177040)

(See Downloads 67838200100200018392)

□ BPC requires component HANABPC to be ready for SAP HANA

□ Product Component Matrix for SAP BPC (See SAP Note 2103585)

□ ST-A/PI Release: 01R_731

□ ST-A/PI add-on should be upgraded to release 01S_731 or higher

(See SAP Note 69455)

(See Downloads 01200615320100002528)

(See <http://support.sap.com/supporttools>)

□ ST-PI Release: 2008_1_710 0011

□ ST-PI component is not up-to-date. Install support package 12 or higher

(See SAP Note 539977)

(See Downloads 01200615320200012076)

(See <http://support.sap.com/supporttools>)

□ >> Add-on Usage

□ SEM: not installed

□ POS DM: not used

□ >> Summary

□ Runtime: 0.00 sec

□ >>> Basis Check: Support Package Equivalence

□ Target release below 7.4. Check skipped.

□ Runtime: 0.00 sec

□ >>> Basis Check: Logon Groups

□ Logon Group/Server: NECBPQ_BPQ_02

□ Logon groups configured properly

(See Transaction SMLG)

□ Runtime: 0.07 sec

□ >>> Basis Check: Standard Jobs

□ Job: SAP_CHECK_ACTIVE_JOBS (scheduled)

□ Job: SAP_DELETE_ORPHANED_IVARIS (scheduled)

□ Job: SAP_CCMS_MONI_BATCH_DP (scheduled)

□ Job: SAP_REORG_BATCHINPUT (scheduled)

□ Job: SAP_COLLECTOR_FOR_JOBSTATISTIC (scheduled)

□ Job: SAP_REORG_JOBSTATISTIC (scheduled)

□ Job: SAP_REORG_JOBS (scheduled)

□ Job: SAP_REORG_PRIPARAMS (scheduled)

□ Job: SAP_COLLECTOR_FOR_PERFMONITOR (scheduled)

□ Job: SAP_COLLECTOR_FOR_NONE_R3_STAT (scheduled)

□ Job: SAP_REORG_SPOOL (scheduled)

□ Job: SAP_SPOOL_CONSISTENCY_CHECK (scheduled)

□ Job: SAP_REORG_ABAPDUMPS (scheduled)

□ Job: SAP_REORG_ORPHANED_JOBLOGS (scheduled)

□ Job: SAP_REORG_ORPHANED_TEMSE_FILES (scheduled)

□ Job: SAP_SOAP_RUNTIME_MANAGEMENT (scheduled)

□ Job: SAP_SOA_ARCHIVE_PLAN (scheduled)

□ Job: SAP_SOA_DELETE_HISTORY (scheduled)

□ Job: SAP_SOA_DELETE_MESSAGES (scheduled)

□ Job: SAP_SOA_TABLE_SWITCH (scheduled)

□ Job: SAP_REORG_XMILOG (scheduled)

□ All standard jobs are scheduled

(See Transaction SM36 > Standard Jobs)

□ Runtime: 0.10 sec

□ >>> Basis Check: ABAP Coding

□ >> Inactive Objects

□ No inactive customer objects

□ No inactive SAP objects

□ >> Unicode Flag

□ Unicode flag is set for all custom ABAP code

Please check objects in custom namespaces >> Summary Runtime: 0.05 sec	
>>> Basis Check: ABAP Function Groups No inconsistent function groups Runtime: 0.78 sec	
>>> Basis Check: Background Jobs Number of released jobs: 602 (See Transaction SM37) Stop all background jobs using program BTCTRNS1 before migration/upgrade Restart all background jobs using program BTCTRNS2 after migration/upgrade Runtime: 0.10 sec	
>>> Basis Check: Secure Storage Secure storage tested successfully: Secure Storage ABAP/DB V5.1 Runtime: 0.26 sec	
>>> Basis Check: Trust Manager SAP Cryptolib is installed Application: SAPSYS.pse System PSE Certificate exists Application: SAPSNCS.pse SNC SAPCryptolib Certificate is missing Application: SAPSSL.S.pse SSL server Standard Certificate is missing Application: SAPSSLA.pse SSL system client SSL Client (Certificate is missing Application: SAPSSLC.pse SSL system client SSL Client (Certificate is missing Application: SAPSSLWSSE.pse SSL system client WSSE Web Ser Certificate is missing Application: SAPWSSE.pse WS Security Standard Certificate is missing Application: SAPWSSE_WSSCRT.pse WS Security Other System Encry Certificate is missing Application: SAPWSSE_WSSKEY.pse WS Security WS Security Keys Certificate is missing Errors when testing trust manager (See Transaction STRUST) Runtime: 0.19 sec	
>>> Basis Check: ALE Message Types Number of inactive message types: 21 Activate the ALE message types (See Program RBDCPMIG_ALL_WITHOUT_MIG_FLAG) (See SAP Note 1165059) Runtime: 0.08 sec	
>>> Basis Check: Search Engine Services No Search Engine Services found Runtime: 0.21 sec	
>>> Basis Check: Update Requests Number of update requests: 0 No update requests or records found Runtime: 0.03 sec	
>>> Basis Check: Transport Management System No errors found in local TMS setup Runtime: 1.50 sec	
>>> Basis Check: Transport Requests Number of unreleased repair requests: 2 (See Table TLOCK) Release repair request before upgrading release or support package (See Transaction SE01) Runtime: 0.02 sec	
>>> Basis Check: RFC Scheduler >> RFC Scheduler QRFC Version: 6.30.060 QRFC Supplement: 11 Status: INACTIVE >> RFC Destinations 100/BPQCLNT100, Status: INACTIVE 100/BPQCLNT100, Max. Connections: 2 100/NEP, Status: INACTIVE 100/NEP, Max. Connections: 10 100/NEQ, Status: INACTIVE	

100/NEQ, Max. Connections: 10

>> Summary

Maximum connections less than default (See Transaction SMQS)
(See SAP Note 1403974)
(See SAP Note 1163359)

Runtime: 0.01 sec

>>> Basis Check: Matchcode Objects

Number of matchcode IDs: 20 (See Table DD23L)
Number of matchcode objects: 17 (See Table DD20L)

Matchcodes are not supported in Unicode systems and should be replaced or deleted
(See SAP Note 24860)

Run detailed check (See Program TWTOOL01)
Runtime: 0.03 sec

>>> Basis Check: Screen Consistency

Number of obsolete screens (LOAD): 1,550
Number of obsolete screens (SOURCE): 1,601
Clean-up obsolete entries (See SAP Note 1953628)
(See Program RSDQ_DYNP_GP_CLEANUP)
Runtime: 3.59 sec

>>>> Corrections - General

>>> General Check: System Modifications

>> SPAU - Note Corrections

Objects to Be Compared:

Obsolete notes = 2

Post-processing required:

No objects found

>> SPAU - With Modification Assistant

Objects to Be Compared:

No objects found

Post-processing required:

No objects found

>> SPAU - Without Modification Assistant

Objects to Be Compared:

No objects found

Post-processing required:

No objects found

>> SPDD - With Modification Assistant

Objects to Be Compared:

No objects found

Post-processing required:

No objects found

> SPDD - Without Modification Assistant

Objects to Be Compared:

No objects found

Post-processing required:

No objects found

>> Summary

Runtime: 0.64 sec

>>> General Check: System Enhancements

All adjustments to enhancements are confirmed

Runtime: 0.03 sec

>>> General Check: SAP Notes

>> Implemented SAP Notes

Number of fully implemented SAP Notes: 21

>> Outdated SAP Notes

All SAP Notes have the latest version

>> Inconsistent SAP Notes

All SAP Notes are consistent

>> Pilot SAP Notes

No Pilot SAP Notes found

>> Summary

Runtime: 1.56 sec

>>>> Corrections - Basis

>>> Basis Check: Transactions SNOTE/SPAU/SPDD

(See SAP Note 1668882 Version 0020)
(See SAP Note 1679201 Version 0005 or implement SAP_BASIS 731 support pack 0016)
(See SAP Note 1720495 Version 0011 or implement SAP_BASIS 731 support pack 0010)
(See SAP Note 1855702 Version 0002 or implement SAP_BASIS 731 support pack 0009)

(See SAP Note 1910464 Version 0007 or implement SAP_BASIS 731 support pack 0016)
(See SAP Note 2067561 Version 0004 or implement SAP_BASIS 731 support pack 0015)
(See SAP Note 2073470 Version 0003 or implement SAP_BASIS 731 support pack 0015)
(See SAP Note 2077553 Version 0002 or implement SAP_BASIS 731 support pack 0015)
(See SAP Note 2077587 Version 0003 or implement SAP_BASIS 731 support pack 0015)
(See SAP Note 2087437 Version 0001 or implement SAP_BASIS 731 support pack 0015)
(See SAP Note 2088226 Version 0001 or implement SAP_BASIS 731 support pack 0015)
(See SAP Note 2092021 Version 0001 or implement SAP_BASIS 731 support pack 0015)
(See SAP Note 2099092 Version 0001 or implement SAP_BASIS 731 support pack 0015)
Transactions SNOTE/SPAU/SPDD are not up-to-date
Implement highest support package or all SAP Notes before applying other SAP Notes

Runtime: 0.00 sec

>>> Basis Check: GTADIR Connection

GTADIR connection check is up-to-date

Runtime: 0.00 sec

>>> Basis Check: Composite SAP Note for SAP Basis

SAP Basis is up-to-date

Runtime: 0.00 sec

>>> Basis Check: DDIC Activation

(See SAP Note 1963049 Version 0004 or implement SAP_BASIS 731 support pack 0012)

DDIC Activation is not up-to-date

Implement highest support package or all SAP Notes before beginning upgrade or migration to SAP HANA

(See SAP Note 1597765)

(See SAP Note 1597767)

Runtime: 0.00 sec

>>> Basis Check: Trigger Handling

Trigger handling is up-to-date

Runtime: 0.00 sec

>>> Basis Check: DBA Cockpit for SAP HANA

(See SAP Note 1791482 Version 0004 or implement SAP_BASIS 731 support pack 0007)

(See SAP Note 1901796 Version 0001 or implement SAP_BASIS 731 support pack 0010)

(See SAP Note 1902446 Version 0004 or implement SAP_BASIS 731 support pack 0010)

(See SAP Note 1925684 Version 0024 or implement SAP_BASIS 731 support pack 0011)

(See SAP Note 1979194 Version 0002 or implement SAP_BASIS 731 support pack 0012)

(See SAP Note 2084452 Version 0002 or implement SAP_BASIS 731 support pack 0015)

(See SAP Note 2131252 Version 0005 or implement SAP_BASIS 731 support pack 0013)

(See SAP Note 2164096 Version 0005 or implement SAP_BASIS 731 support pack 0016)

DBA Cockpit for SAP HANA is not up-to-date

Implement highest support package or all SAP Notes

Runtime: 0.00 sec

>>> Basis Check: HANA ABAP Interface SDB1FHDB/SDB2FHDB

(See SAP Note 1694157 Version 0005 or implement SAP_BASIS 731 support pack 0009)

(See SAP Note 1761135 Version 0002 or implement SAP_BASIS 731 support pack 0011)

(See SAP Note 1791482 Version 0004 or implement SAP_BASIS 731 support pack 0007)

(See SAP Note 1859684 Version 0004 or implement SAP_BASIS 731 support pack 0009)

(See SAP Note 1875602 Version 0001 or implement SAP_BASIS 731 support pack 0009)

(See SAP Note 1899200 Version 0005 or implement SAP_BASIS 731 support pack 0010)

(See SAP Note 1892492 Version 0023 or implement SAP_BASIS 731 support pack 0012)

(See SAP Note 1944647 Version 0002 or implement SAP_BASIS 731 support pack 0011)

(See SAP Note 1950693 Version 0002 or implement SAP_BASIS 731 support pack 0011)

(See SAP Note 2074714 Version 0001 or implement SAP_BASIS 731 support pack 0015)

(See SAP Note 2080398 Version 0001 or implement SAP_BASIS 731 support pack 0015)

(See SAP Note 2131640 Version 0001 or implement SAP_BASIS 731 support pack 0016)

(See SAP Note 2146309 Version 0001 or implement SAP_BASIS 731 support pack 0017)

(See SAP Note 2213476 Version 0006 or implement SAP_BASIS 731 support pack 0018)

HANA ABAP Interface is not up-to-date

Implement highest support package or all SAP Notes before beginning upgrade or migration to SAP HANA

Runtime: 0.00 sec

>>> Basis Check: HANA BW Interface

(See SAP Note 1710832 Version 0010 or implement SAP_BASIS 731 support pack 0011)

(See SAP Note 1769038 Version 0005 or implement SAP_BASIS 731 support pack 0007)

(See SAP Note 1776186 Version 0012 or implement SAP_BASIS 731 support pack 0009)

(See SAP Note 1784738 Version 0002 or implement SAP_BASIS 731 support pack 0008)

(See SAP Note 1786311 Version 0001 or implement SAP_BASIS 731 support pack 0007)

(See SAP Note 1792949 Version 0001 or implement SAP_BASIS 731 support pack 0007)

(See SAP Note 1794396 Version 0001 or implement SAP_BASIS 731 support pack 0007)

(See SAP Note 1798043 Version 0001 or implement SAP_BASIS 731 support pack 0007)

(See SAP Note 1800065 Version 0003 or implement SAP_BASIS 731 support pack 0009)

(See SAP Note 1810372 Version 0003 or implement SAP_BASIS 731 support pack 0007)

(See SAP Note 1816616 Version 0004 or implement SAP_BASIS 731 support pack 0010)
(See SAP Note 1820360 Version 0003 or implement SAP_BASIS 731 support pack 0008)
(See SAP Note 1825255 Version 0005 or implement SAP_BASIS 731 support pack 0008)
(See SAP Note 1826145 Version 0001 or implement SAP_BASIS 731 support pack 0008)
(See SAP Note 1832876 Version 0001 or implement SAP_BASIS 731 support pack 0008)
(See SAP Note 1838617 Version 0004 or implement SAP_BASIS 731 support pack 0009)
(See SAP Note 1839209 Version 0001 or implement SAP_BASIS 731 support pack 0008)
(See SAP Note 1842024 Version 0002 or implement SAP_BASIS 731 support pack 0008)
(See SAP Note 1846338 Version 0001 or implement SAP_BASIS 731 support pack 0008)
(See SAP Note 1846518 Version 0001 or implement SAP_BASIS 731 support pack 0008)
(See SAP Note 1846726 Version 0004 or implement SAP_BASIS 731 support pack 0011)
(See SAP Note 1851265 Version 0001 or implement SAP_BASIS 731 support pack 0009)
(See SAP Note 1860042 Version 0003 or implement SAP_BASIS 731 support pack 0009)
(See SAP Note 1862584 Version 0004 or implement SAP_BASIS 731 support pack 0009)
(See SAP Note 1867526 Version 0001 or implement SAP_BASIS 731 support pack 0009)
(See SAP Note 1875436 Version 0001 or implement SAP_BASIS 731 support pack 0009)
(See SAP Note 1879365 Version 0001 or implement SAP_BASIS 731 support pack 0009)
(See SAP Note 1879968 Version 0001 or implement SAP_BASIS 731 support pack 0009)
(See SAP Note 1898268 Version 0001 or implement SAP_BASIS 731 support pack 0010)
(See SAP Note 1906944 Version 0006 or implement SAP_BASIS 731 support pack 0017)
(See SAP Note 1919829 Version 0003 or implement SAP_BASIS 731 support pack 0011)
(See SAP Note 1925142 Version 0001 or implement SAP_BASIS 731 support pack 0011)
(See SAP Note 1925873 Version 0001 or implement SAP_BASIS 731 support pack 0011)
(See SAP Note 1929236 Version 0003 or implement SAP_BASIS 731 support pack 0011)
(See SAP Note 1930450 Version 0001 or implement SAP_BASIS 731 support pack 0011)
(See SAP Note 1931382 Version 0003 or implement SAP_BASIS 731 support pack 0011)
(See SAP Note 1932069 Version 0002 or implement SAP_BASIS 731 support pack 0011)
(See SAP Note 1952483 Version 0001 or implement SAP_BASIS 731 support pack 0011)
(See SAP Note 1963233 Version 0002 or implement SAP_BASIS 731 support pack 0012)
(See SAP Note 1979997 Version 0001 or implement SAP_BASIS 731 support pack 0012)
(See SAP Note 1981741 Version 0001 or implement SAP_BASIS 731 support pack 0013)
(See SAP Note 1993631 Version 0003 or implement SAP_BASIS 731 support pack 0013)
(See SAP Note 1993634 Version 0001 or implement SAP_BASIS 731 support pack 0013)
(See SAP Note 1997248 Version 0003 or implement SAP_BASIS 731 support pack 0013)
(See SAP Note 2022151 Version 0012 or implement SAP_BASIS 731 support pack 0013)
(See SAP Note 2047103 Version 0003 or implement SAP_BASIS 731 support pack 0014)
(See SAP Note 2049209 Version 0001 or implement SAP_BASIS 731 support pack 0014)
(See SAP Note 2056079 Version 0001 or implement SAP_BASIS 731 support pack 0014)
(See SAP Note 2074556 Version 0003 or implement SAP_BASIS 731 support pack 0015)

HANA BW Interface is not up-to-date

Implement highest support package or all SAP Notes before beginning upgrade or migration to SAP HANA

Runtime: 0.00 sec

>>> Basis Check: Program SMIGR_CREATE_DDL

(See SAP Note 1765533 Version 0008 or implement SAP_BASIS 731 support pack 0007)
(See SAP Note 1783238 Version 0004 or implement SAP_BASIS 731 support pack 0007)
(See SAP Note 1815547 Version 0005 or implement SAP_BASIS 731 support pack 0008)
(See SAP Note 1825665 Version 0016 or implement SAP_BASIS 731 support pack 0009)
(See SAP Note 1872391 Version 0013 or implement SAP_BASIS 731 support pack 0011)
(See SAP Note 1937166 Version 0007 or implement SAP_BASIS 731 support pack 0011)
(See SAP Note 1949117 Version 0003 or implement SAP_BASIS 731 support pack 0012)
(See SAP Note 1953493 Version 0026 or implement SAP_BASIS 731 support pack 0013)
(See SAP Note 1953984 Version 0034 or implement SAP_BASIS 731 support pack 0013)
(See SAP Note 1961016 Version 0002 or implement SAP_BASIS 731 support pack 0012)
(See SAP Note 1969523 Version 0002 or implement SAP_BASIS 731 support pack 0012)
(See SAP Note 1998267 Version 0005 or implement SAP_BASIS 731 support pack 0013)
(See SAP Note 2006236 Version 0002 or implement SAP_BASIS 731 support pack 0013)
(See SAP Note 2028549 Version 0005 or implement SAP_BASIS 731 support pack 0014)
(See SAP Note 2033982 Version 0001 or implement SAP_BASIS 731 support pack 0014)
(See SAP Note 2043632 Version 0003 or implement SAP_BASIS 731 support pack 0015)
(See SAP Note 2068569 Version 0001 or implement SAP_BASIS 731 support pack 0015)
(See SAP Note 2074685 Version 0011 or implement SAP_BASIS 731 support pack 0015)
(See SAP Note 2079242 Version 0001 or implement SAP_BASIS 731 support pack 0015)
(See SAP Note 2079769 Version 0001 or implement SAP_BASIS 731 support pack 0015)
(See SAP Note 2087001 Version 0003 or implement SAP_BASIS 731 support pack 0015)
(See SAP Note 2087007 Version 0002 or implement SAP_BASIS 731 support pack 0015)
(See SAP Note 2093836 Version 0007 or implement SAP_BASIS 731 support pack 0017)

Program SMIGR_CREATE_DDL is not up-to-date

Implement highest support package or all SAP Notes before beginning migration to SAP HANA

Missing index for table RSTSODS (See SAP Note 2079878)

Runtime: 0.02 sec

>>> Basis Check: Program SMIGR_BIG_ROW_STORE_TABS

(See SAP Note 1846153 Version 0004 or implement SAP_BASIS 731 support pack 0008)
(See SAP Note 1883487 Version 0003 or implement SAP_BASIS 731 support pack 0011)
(See SAP Note 1897535 Version 0003 or implement SAP_BASIS 731 support pack 0010)

Program SMIGR_BIG_ROW_STORE_TABS is not up-to-date

Implement highest support package or all SAP Notes

Runtime: 0.00 sec

>>> Basis Check: Program RADIXCHK

Program RADIXCHK is up-to-date

Runtime: 0.00 sec

>>>> Corrections - BW

>>> BW Check: HotNews Corrections

(See SAP Note 1684260 Version 0008 or implement SAP_BW 731 support pack 0008)

(See SAP Note 1947480 Version 0003 or implement SAP_BW 731 support pack 0011)

(See SAP Note 1965709 Version 0008 or implement SAP_BW 731 support pack 0012)

HotNews corrections are missing

Implement highest support package or all SAP Notes

>>> BW Check: HANA SQL Interface

(See SAP Note 1801000 Version 0002 or implement SAP_BW 731 support pack 0007)

(See SAP Note 1931671 Version 0006 or implement SAP_BW 731 support pack 0011)

(See SAP Note 1962214 Version 0004 or implement SAP_BW 731 support pack 0012)

(See SAP Note 1964053 Version 0001 or implement SAP_BW 731 support pack 0012)

(See SAP Note 2016000 Version 0001 or implement SAP_BW 731 support pack 0013)

(See SAP Note 2041643 Version 0001 or implement SAP_BW 731 support pack 0014)

HANA SQL Interface is not up-to-date

Implement highest support package or all SAP Notes

Runtime: 0.00 sec

>>> BW Check: Program RSUPGRCHECK

(See SAP Note 1872202 Version 0009 or implement SAP_BW 731 support pack 0009)

(See SAP Note 1908695 Version 0001 or implement SAP_BW 731 support pack 0010)

(See SAP Note 1966410 Version 0003 or implement SAP_BW 731 support pack 0012)

(See SAP Note 1998567 Version 0001 or implement SAP_BW 731 support pack 0013)

Program RSUPGRCHECK is not up-to-date

Implement highest support package or all SAP Notes before beginning upgrade or migration to SAP HANA

Runtime: 0.00 sec

>>> BW Check: Program RS_BW_PRE_MIGRATION

Program RS_BW_PRE_MIGRATION is up-to-date

Runtime: 0.00 sec

>>> BW Check: Program RS_BW_POST_MIGRATION

(See SAP Note 1801036 Version 0006 or implement SAP_BW 731 support pack 0007)

(See SAP Note 1808846 Version 0008 or implement SAP_BW 731 support pack 0007)

(See SAP Note 1813172 Version 0003 or implement SAP_BW 731 support pack 0007)

(See SAP Note 1815547 Version 0005 or implement SAP_BW 731 support pack 0008)

(See SAP Note 1825305 Version 0002 or implement SAP_BW 731 support pack 0008)

(See SAP Note 1884420 Version 0001 or implement SAP_BW 731 support pack 0010)

(See SAP Note 1891514 Version 0001 or implement SAP_BW 731 support pack 0010)

(See SAP Note 1940679 Version 0002 or implement SAP_BW 731 support pack 0011)

(See SAP Note 1949891 Version 0001 or implement SAP_BW 731 support pack 0011)

(See SAP Note 1952076 Version 0001 or implement SAP_BW 731 support pack 0011)

(See SAP Note 1969540 Version 0002 or implement SAP_BW 731 support pack 0012)

(See SAP Note 2006556 Version 0004 or implement SAP_BW 731 support pack 0013)

(See SAP Note 2017638 Version 0011 or implement SAP_BW 731 support pack 0014)

(See SAP Note 2047410 Version 0001 or implement SAP_BW 731 support pack 0014)

(See SAP Note 2049571 Version 0003 or implement SAP_BW 731 support pack 0099)

(See SAP Note 2067149 Version 0002 or implement SAP_BW 731 support pack 0015)

(See SAP Note 2074685 Version 0011 or implement SAP_BW 731 support pack 0015)

(See SAP Note 2084404 Version 0002 or implement SAP_BW 731 support pack 0099)

Program RS_BW_POST_MIGRATION is not up-to-date

Implement highest support package or all SAP Notes before beginning upgrade or migration to SAP HANA

Runtime: 0.00 sec

>>> BW Check: Transaction RSMIGRHANADB

(See SAP Note 1783330 Version 0007 or implement SAP_BW 731 support pack 0007)

(See SAP Note 1785210 Version 0002 or implement SAP_BW 731 support pack 0007)

(See SAP Note 1789992 Version 0002 or implement SAP_BW 731 support pack 0007)

(See SAP Note 1790134 Version 0004 or implement SAP_BW 731 support pack 0008)

(See SAP Note 1791833 Version 0002 or implement SAP_BW 731 support pack 0007)

(See SAP Note 1826943 Version 0001 or implement SAP_BW 731 support pack 0008)

(See SAP Note 1849497 Version 0006 or implement SAP_BW 731 support pack 0009)

(See SAP Note 1849498 Version 0002 or implement SAP_BW 731 support pack 0009)

(See SAP Note 1875601 Version 0001 or implement SAP_BW 731 support pack 0009)

(See SAP Note 1885081 Version 0002 or implement SAP_BW 731 support pack 0010)

(See SAP Note 1891529 Version 0001 or implement SAP_BW 731 support pack 0010)

(See SAP Note 1911059 Version 0001 or implement SAP_BW 731 support pack 0010)
(See SAP Note 1925568 Version 0002 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1925571 Version 0002 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1937898 Version 0001 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1947480 Version 0003 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1953984 Version 0034 or implement SAP_BW 731 support pack 0013)
(See SAP Note 1954617 Version 0003 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1962718 Version 0003 or implement SAP_BW 731 support pack 0012)
(See SAP Note 2025271 Version 0009 or implement SAP_BW 731 support pack 0014)
(See SAP Note 2029450 Version 0002 or implement SAP_BW 731 support pack 0013)
(See SAP Note 2031473 Version 0001 or implement SAP_BW 731 support pack 0014)
(See SAP Note 2043632 Version 0003 or implement SAP_BW 731 support pack 0015)
(See SAP Note 2048711 Version 0001 or implement SAP_BW 731 support pack 0014)
(See SAP Note 2056706 Version 0001 or implement SAP_BW 731 support pack 0014)

Transaction RSMIGRANADB is not up-to-date

Implement highest support package or all SAP Notes

Runtime: 0.00 sec

>>> BW Check: Transaction RSMIGRATE

(See SAP Note 1797436 Version 0001 or implement SAP_BW 731 support pack 0007)
(See SAP Note 1825711 Version 0001 or implement SAP_BW 731 support pack 0008)
(See SAP Note 1835563 Version 0003 or implement SAP_BW 731 support pack 0008)
(See SAP Note 2063664 Version 0001 or implement SAP_BW 731 support pack 0014)
(See SAP Note 2063686 Version 0002 or implement SAP_BW 731 support pack 0015)

Transaction RSMIGRATE is not up-to-date

Implement highest support package or all SAP Notes

Runtime: 0.00 sec

>>> BW Check: Program SAP_UPDATE_DBDIFF

(See SAP Note 2017638 Version 0011 or implement SAP_BW 731 support pack 0014)

Program SAP_UPDATE_DBDIFF is not up-to-date

Implement highest support package or all SAP Notes before beginning upgrade or migration to SAP HANA

Runtime: 0.00 sec

>>> BW Check: Program RSDU_TABLE_CONSISTENCY

(See SAP Note 1754729 Version 0011 or implement SAP_BW 731 support pack 0007)
(See SAP Note 1756099 Version 0016 or implement SAP_BW 731 support pack 0008)
(See SAP Note 1767014 Version 0006 or implement SAP_BW 731 support pack 0009)
(See SAP Note 1790134 Version 0004 or implement SAP_BW 731 support pack 0008)
(See SAP Note 1814097 Version 0018 or implement SAP_BW 731 support pack 0009)
(See SAP Note 1814339 Version 0017 or implement SAP_BW 731 support pack 0009)
(See SAP Note 1883791 Version 0002 or implement SAP_BW 731 support pack 0010)
(See SAP Note 1888511 Version 0015 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1889467 Version 0004 or implement SAP_BW 731 support pack 0010)
(See SAP Note 1892492 Version 0023 or implement SAP_BW 731 support pack 0012)
(See SAP Note 1908854 Version 0002 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1937166 Version 0007 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1953493 Version 0026 or implement SAP_BW 731 support pack 0013)
(See SAP Note 1953984 Version 0034 or implement SAP_BW 731 support pack 0013)
(See SAP Note 1979867 Version 0009 or implement SAP_BW 731 support pack 0012)
(See SAP Note 2025271 Version 0009 or implement SAP_BW 731 support pack 0014)
(See SAP Note 2079242 Version 0001 or implement SAP_BW 731 support pack 0015)
(See SAP Note 2099114 Version 0023 or implement SAP_BW 731 support pack 0016)

Program RSDU_TABLE_CONSISTENCY is not up-to-date

Implement highest support package or all SAP Notes

Runtime: 0.00 sec

>>> BW Check: Program RSDU_PSA_PARTNO_CHECK

(See SAP Note 1979867 Version 0009 or implement SAP_BW 731 support pack 0012)

(See SAP Note 2025271 Version 0009 or implement SAP_BW 731 support pack 0014)

Program RSDU_PSA_PARTNO_CHECK is not up-to-date

Implement highest support package or all SAP Notes before beginning upgrade or migration to SAP HANA

Runtime: 0.00 sec

>>> BW Check: Program RSAR_PSA_NEWDS_MAPPING_CHECK

(See SAP Note 2190948 Version 0003 or implement SAP_BW 731 support pack 0017)

Program RSAR_PSA_NEWDS_MAPPING_CHECK is not up-to-date

Implement highest support package or all SAP Notes

Runtime: 0.00 sec

>>> BW Check: Program RSDRX_REPAIR_XYTAB_ON_HANA

Program RSDRX_REPAIR_XYTAB_ON_HANA is up-to-date

Runtime: 0.00 sec

>>> BW Check: Program RSBKDPDELETESYS

Program RSBKDPDELETESYS is up-to-date

Runtime: 0.00 sec

>>> BW Check: Program RS_TCO_ACTIVATION_XPRA

Program RS_TCO_ACTIVATION_XPRA is up-to-date

Runtime: 0.00 sec

>>> BW Check: Other XPRA/Upgrade Programs

(See SAP Note 1918532 Version 0001 or implement SAP_BW 731 support pack 0011)

XPRA/Upgrade Programs are not up-to-date

Implement highest support package or all SAP Notes before upgrading BW (to avoid errors during upgrade)

Runtime: 0.00 sec

>>> BW Check: Function RS_AFTER_IMPORT_D

Function RS_AFTER_IMPORT_D is up-to-date

Runtime: 0.00 sec

>>> BW Check: Function RS_DTRF_AFTER_IMPORT

Function RS_DTRF_AFTER_IMPORT is up-to-date

Runtime: 0.00 sec

>>> BW Check: Function RS_DTPD_AFTER_IMPORT

(See SAP Note 2090827 Version 0003 or implement SAP_BW 731 support pack 0015)

Function RS_DTPD_AFTER_IMPORT is not up-to-date

Implement highest support package or all SAP Notes before upgrading BW

Runtime: 0.00 sec

>>> BW Check: Program RSDU_WODSO_REPART_HDB

(See SAP Note 1785116 Version 0001 or implement SAP_BW 731 support pack 0007)

(See SAP Note 1924115 Version 0002 or implement SAP_BW 731 support pack 0011)

Program RSDU_WODSO_REPART_HDB is not up-to-date

Implement highest support package or all SAP Notes

Runtime: 0.00 sec

>>> BW Check: Program RSDU_RECREATE_CHGLG_HDB

(See SAP Note 1817381 Version 0001 or implement SAP_BW 731 support pack 0008)

(See SAP Note 1825665 Version 0016 or implement SAP_BW 731 support pack 0010)

(See SAP Note 1846967 Version 0001 or implement SAP_BW 731 support pack 0008)

(See SAP Note 1897595 Version 0003 or implement SAP_BW 731 support pack 0010)

(See SAP Note 1905093 Version 0007 or implement SAP_BW 731 support pack 0010)

Program RSDU_RECREATE_CHGLG_HDB is not up-to-date

Implement highest support package or all SAP Notes

Runtime: 0.00 sec

>>> BW Check: Program /SDF/HANA_BW_SIZING

Program /SDF/HANA_BW_SIZING is up-to-date

Runtime: 0.00 sec

>>> BW Check: Function RSCDS_CONDENSE_CUBE

(See SAP Note 1780857 Version 0001 or implement SAP_BW 731 support pack 0007)

Function RSCDS_CONDENSE_CUBE is not up-to-date

Implement highest support package or all SAP Notes

Runtime: 0.00 sec

>>> BW Check: Incorrect Data in BW Queries

(See SAP Note 1778636 Version 0001 or implement SAP_BW 731 support pack 0007)

(See SAP Note 1786054 Version 0001 or implement SAP_BW 731 support pack 0007)

(See SAP Note 1798743 Version 0002 or implement SAP_BW 731 support pack 0007)

(See SAP Note 1805314 Version 0003 or implement SAP_BW 731 support pack 0007)

(See SAP Note 1806278 Version 0005 or implement SAP_BW 731 support pack 0008)

(See SAP Note 1811734 Version 0001 or implement SAP_BW 731 support pack 0008)

(See SAP Note 1812560 Version 0008 or implement SAP_BW 731 support pack 0009)

(See SAP Note 1814935 Version 0003 or implement SAP_BW 731 support pack 0008)

(See SAP Note 1824560 Version 0001 or implement SAP_BW 731 support pack 0008)

(See SAP Note 1825595 Version 0003 or implement SAP_BW 731 support pack 0008)

(See SAP Note 1827221 Version 0002 or implement SAP_BW 731 support pack 0008)

(See SAP Note 1828880 Version 0001 or implement SAP_BW 731 support pack 0008)

(See SAP Note 1839523 Version 0003 or implement SAP_BW 731 support pack 0008)

(See SAP Note 1839813 Version 0003 or implement SAP_BW 731 support pack 0008)

(See SAP Note 1841916 Version 0001 or implement SAP_BW 731 support pack 0008)

(See SAP Note 1844056 Version 0001 or implement SAP_BW 731 support pack 0008)

(See SAP Note 1846764 Version 0003 or implement SAP_BW 731 support pack 0008)

(See SAP Note 1850814 Version 0002 or implement SAP_BW 731 support pack 0009)

(See SAP Note 1851483 Version 0004 or implement SAP_BW 731 support pack 0009)

(See SAP Note 1858385 Version 0002 or implement SAP_BW 731 support pack 0009)

(See SAP Note 1858799 Version 0002 or implement SAP_BW 731 support pack 0009)

(See SAP Note 1862648 Version 0002 or implement SAP_BW 731 support pack 0009)

(See SAP Note 1864740 Version 0001 or implement SAP_BW 731 support pack 0009)
(See SAP Note 1867333 Version 0002 or implement SAP_BW 731 support pack 0009)
(See SAP Note 1868654 Version 0002 or implement SAP_BW 731 support pack 0009)
(See SAP Note 1871094 Version 0003 or implement SAP_BW 731 support pack 0009)
(See SAP Note 1873011 Version 0002 or implement SAP_BW 731 support pack 0009)
(See SAP Note 1876389 Version 0004 or implement SAP_BW 731 support pack 0009)
(See SAP Note 1877400 Version 0002 or implement SAP_BW 731 support pack 0009)
(See SAP Note 1879181 Version 0003 or implement SAP_BW 731 support pack 0010)
(See SAP Note 1881494 Version 0002 or implement SAP_BW 731 support pack 0009)
(See SAP Note 1883498 Version 0006 or implement SAP_BW 731 support pack 0010)
(See SAP Note 1884329 Version 0001 or implement SAP_BW 731 support pack 0010)
(See SAP Note 1893641 Version 0001 or implement SAP_BW 731 support pack 0010)
(See SAP Note 1895220 Version 0002 or implement SAP_BW 731 support pack 0010)
(See SAP Note 1897840 Version 0001 or implement SAP_BW 731 support pack 0010)
(See SAP Note 1899479 Version 0002 or implement SAP_BW 731 support pack 0010)
(See SAP Note 1905014 Version 0001 or implement SAP_BW 731 support pack 0010)
(See SAP Note 1907770 Version 0001 or implement SAP_BW 731 support pack 0010)
(See SAP Note 1910517 Version 0001 or implement SAP_BW 731 support pack 0010)
(See SAP Note 1911693 Version 0001 or implement SAP_BW 731 support pack 0010)
(See SAP Note 1921767 Version 0002 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1923031 Version 0002 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1926359 Version 0008 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1927089 Version 0005 or implement SAP_BW 731 support pack 0012)
(See SAP Note 1927574 Version 0003 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1927946 Version 0001 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1932524 Version 0002 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1934277 Version 0001 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1940866 Version 0005 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1942301 Version 0001 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1932524 Version 0002 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1934277 Version 0001 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1940815 Version 0004 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1940866 Version 0005 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1942301 Version 0001 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1946882 Version 0002 or implement SAP_BW 731 support pack 0012)
(See SAP Note 1949624 Version 0001 or implement SAP_BW 731 support pack 0012)
(See SAP Note 1954396 Version 0004 or implement SAP_BW 731 support pack 0012)
(See SAP Note 1968442 Version 0003 or implement SAP_BW 731 support pack 0012)
(See SAP Note 1973084 Version 0002 or implement SAP_BW 731 support pack 0012)
(See SAP Note 1973350 Version 0002 or implement SAP_BW 731 support pack 0012)
(See SAP Note 1974759 Version 0003 or implement SAP_BW 731 support pack 0012)
(See SAP Note 1976786 Version 0001 or implement SAP_BW 731 support pack 0012)
(See SAP Note 1988037 Version 0002 or implement SAP_BW 731 support pack 0012)
(See SAP Note 1991846 Version 0002 or implement SAP_BW 731 support pack 0012)
(See SAP Note 1993837 Version 0002 or implement SAP_BW 731 support pack 0013)
(See SAP Note 1997200 Version 0002 or implement SAP_BW 731 support pack 0013)
(See SAP Note 2007054 Version 0001 or implement SAP_BW 731 support pack 0013)
(See SAP Note 2008341 Version 0009 or implement SAP_BW 731 support pack 0013)
(See SAP Note 2009143 Version 0002 or implement SAP_BW 731 support pack 0013)
(See SAP Note 2011272 Version 0002 or implement SAP_BW 731 support pack 0013)
(See SAP Note 2011989 Version 0002 or implement SAP_BW 731 support pack 0013)
(See SAP Note 2018900 Version 0002 or implement SAP_BW 731 support pack 0013)
(See SAP Note 2022705 Version 0001 or implement SAP_BW 731 support pack 0013)
(See SAP Note 2037966 Version 0001 or implement SAP_BW 731 support pack 0014)
(See SAP Note 2038179 Version 0002 or implement SAP_BW 731 support pack 0014)
(See SAP Note 2039869 Version 0002 or implement SAP_BW 731 support pack 0014)
(See SAP Note 2040798 Version 0001 or implement SAP_BW 731 support pack 0014)
(See SAP Note 2040803 Version 0001 or implement SAP_BW 731 support pack 0014)
(See SAP Note 2041806 Version 0001 or implement SAP_BW 731 support pack 0014)
(See SAP Note 2043695 Version 0002 or implement SAP_BW 731 support pack 0014)
(See SAP Note 2044383 Version 0001 or implement SAP_BW 731 support pack 0014)
(See SAP Note 2044823 Version 0002 or implement SAP_BW 731 support pack 0014)
(See SAP Note 2047289 Version 0001 or implement SAP_BW 731 support pack 0014)
(See SAP Note 2049393 Version 0004 or implement SAP_BW 731 support pack 0014)
(See SAP Note 2050741 Version 0003 or implement SAP_BW 731 support pack 0014)
(See SAP Note 2053242 Version 0004 or implement SAP_BW 731 support pack 0015)
(See SAP Note 2053244 Version 0002 or implement SAP_BW 731 support pack 0014)
(See SAP Note 2054149 Version 0007 or implement SAP_BW 731 support pack 0016)
(See SAP Note 2087280 Version 0001 or implement SAP_BW 731 support pack 0015)

OLAP engine is not up-to-date

Implement highest support package or all SAP Notes

- Check the following SAP Note for latest corrections
- Wrong data after Support Package 4 for SAP BW 7.31 (See SAP Note 1831342)
- Runtime: 0.00 sec

(See SAP Note 1791902 Version 0002 or implement SAP_BW 731 support pack 0007)
(See SAP Note 1796436 Version 0001 or implement SAP_BW 731 support pack 0007)
(See SAP Note 1796795 Version 0001 or implement SAP_BW 731 support pack 0007)
(See SAP Note 1810183 Version 0001 or implement SAP_BW 731 support pack 0007)
(See SAP Note 1833366 Version 0001 or implement SAP_BW 731 support pack 0008)
(See SAP Note 1836814 Version 0002 or implement SAP_BW 731 support pack 0008)
(See SAP Note 1860876 Version 0003 or implement SAP_BW 731 support pack 0010)
(See SAP Note 1862792 Version 0001 or implement SAP_BW 731 support pack 0009)
(See SAP Note 1954696 Version 0002 or implement SAP_BW 731 support pack 0012)
(See SAP Note 2020498 Version 0003 or implement SAP_BW 731 support pack 0013)

Query pruning function is not up-to-date

Implement highest support package or all SAP Notes

Runtime: 0.00 sec

>>> BW Check: Housekeeping Task List

(See SAP Note 1767420 Version 0007 or implement SAP_BW 731 support pack 0008)
(See SAP Note 1810570 Version 0004 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1821566 Version 0003 or implement SAP_BW 731 support pack 0008)
(See SAP Note 1829728 Version 0022 or implement SAP_BW 731 support pack 0008)
(See SAP Note 1880465 Version 0001 or implement SAP_BW 731 support pack 0009)

Housekeeping Task List is not up-to-date

Implement highest support package or all SAP Notes before beginning migration to SAP HANA

Runtime: 0.00 sec

>>> BW Check: HANA Planning Engine API (PLE)

(See SAP Note 1802461 Version 0003 or implement SAP_BASIS 731 support pack 0007)
(See SAP Note 1809437 Version 0001 or implement SAP_BASIS 731 support pack 0007)
(See SAP Note 1820266 Version 0001 or implement SAP_BASIS 731 support pack 0008)
(See SAP Note 1852756 Version 0001 or implement SAP_BASIS 731 support pack 0009)
(See SAP Note 1861395 Version 0002 or implement SAP_BASIS 731 support pack 0009)
(See SAP Note 1870342 Version 0002 or implement SAP_BASIS 731 support pack 0009)
(See SAP Note 1877182 Version 0001 or implement SAP_BASIS 731 support pack 0009)
(See SAP Note 1870369 Version 0001 or implement SAP_BASIS 731 support pack 0009)
(See SAP Note 1911404 Version 0001 or implement SAP_BASIS 731 support pack 0010)
(See SAP Note 1957136 Version 0001 or implement SAP_BASIS 731 support pack 0012)
(See SAP Note 1962287 Version 0001 or implement SAP_BASIS 731 support pack 0012)
(See SAP Note 2009666 Version 0003 or implement SAP_BASIS 731 support pack 0013)
(See SAP Note 2056079 Version 0001 or implement SAP_BASIS 731 support pack 0014)
(See SAP Note 2074556 Version 0003 or implement SAP_BASIS 731 support pack 0015)

HANA Planning Engine API is not up-to-date

Implement highest support package or all SAP Notes

Runtime: 0.00 sec

>>> BW Check: Planning Application Kit (PAK)

(See SAP Note 1784130 Version 0003 or implement SAP_BW 731 support pack 0007)
(See SAP Note 1790754 Version 0004 or implement SAP_BW 731 support pack 0007)
(See SAP Note 1791673 Version 0004 or implement SAP_BW 731 support pack 0007)
(See SAP Note 1792690 Version 0002 or implement SAP_BW 731 support pack 0007)
(See SAP Note 1795480 Version 0002 or implement SAP_BW 731 support pack 0007)
(See SAP Note 1798946 Version 0001 or implement SAP_BW 731 support pack 0007)
(See SAP Note 1799168 Version 0006 or implement SAP_BW 731 support pack 0007)
(See SAP Note 1802658 Version 0003 or implement SAP_BW 731 support pack 0007)
(See SAP Note 1803016 Version 0001 or implement SAP_BW 731 support pack 0007)
(See SAP Note 1803622 Version 0002 or implement SAP_BW 731 support pack 0007)
(See SAP Note 1807474 Version 0001 or implement SAP_BW 731 support pack 0007)
(See SAP Note 1810701 Version 0001 or implement SAP_BW 731 support pack 0007)
(See SAP Note 1811271 Version 0002 or implement SAP_BW 731 support pack 0007)
(See SAP Note 1811329 Version 0001 or implement SAP_BW 731 support pack 0007)
(See SAP Note 1811363 Version 0001 or implement SAP_BW 731 support pack 0007)
(See SAP Note 1815785 Version 0002 or implement SAP_BW 731 support pack 0008)
(See SAP Note 1819994 Version 0001 or implement SAP_BW 731 support pack 0008)
(See SAP Note 1824679 Version 0001 or implement SAP_BW 731 support pack 0008)
(See SAP Note 1824823 Version 0002 or implement SAP_BW 731 support pack 0008)
(See SAP Note 1826005 Version 0003 or implement SAP_BW 731 support pack 0008)
(See SAP Note 1827009 Version 0001 or implement SAP_BW 731 support pack 0008)
(See SAP Note 1828147 Version 0001 or implement SAP_BW 731 support pack 0008)
(See SAP Note 1832172 Version 0001 or implement SAP_BW 731 support pack 0008)
(See SAP Note 1835516 Version 0003 or implement SAP_BW 731 support pack 0008)
(See SAP Note 1845601 Version 0001 or implement SAP_BW 731 support pack 0008)
(See SAP Note 1847968 Version 0001 or implement SAP_BW 731 support pack 0008)
(See SAP Note 1850363 Version 0003 or implement SAP_BW 731 support pack 0009)
(See SAP Note 1852092 Version 0003 or implement SAP_BW 731 support pack 0009)
(See SAP Note 1853016 Version 0001 or implement SAP_BW 731 support pack 0009)
(See SAP Note 1855788 Version 0001 or implement SAP_BW 731 support pack 0009)
(See SAP Note 1857053 Version 0001 or implement SAP_BW 731 support pack 0009)
(See SAP Note 1860654 Version 0002 or implement SAP_BW 731 support pack 0009)

(See SAP Note 1861803 Version 0001 or implement SAP_BW 731 support pack 0009)
(See SAP Note 1863488 Version 0001 or implement SAP_BW 731 support pack 0009)
(See SAP Note 1865944 Version 0002 or implement SAP_BW 731 support pack 0009)
(See SAP Note 1870045 Version 0001 or implement SAP_BW 731 support pack 0009)
(See SAP Note 1870342 Version 0002 or implement SAP_BW 731 support pack 0009)
(See SAP Note 1870404 Version 0001 or implement SAP_BW 731 support pack 0009)
(See SAP Note 1873275 Version 0001 or implement SAP_BW 731 support pack 0009)
(See SAP Note 1874309 Version 0001 or implement SAP_BW 731 support pack 0009)
(See SAP Note 1874412 Version 0002 or implement SAP_BW 731 support pack 0009)
(See SAP Note 1875716 Version 0001 or implement SAP_BW 731 support pack 0009)
(See SAP Note 1877182 Version 0001 or implement SAP_BW 731 support pack 0009)
(See SAP Note 1880522 Version 0001 or implement SAP_BW 731 support pack 0009)
(See SAP Note 1880573 Version 0001 or implement SAP_BW 731 support pack 0009)
(See SAP Note 1881471 Version 0001 or implement SAP_BW 731 support pack 0010)
(See SAP Note 1883592 Version 0001 or implement SAP_BW 731 support pack 0010)
(See SAP Note 1886277 Version 0001 or implement SAP_BW 731 support pack 0010)
(See SAP Note 1889147 Version 0005 or implement SAP_BW 731 support pack 0010)
(See SAP Note 1896217 Version 0002 or implement SAP_BW 731 support pack 0010)
(See SAP Note 1898785 Version 0001 or implement SAP_BW 731 support pack 0010)
(See SAP Note 1901121 Version 0001 or implement SAP_BW 731 support pack 0010)
(See SAP Note 1905973 Version 0003 or implement SAP_BW 731 support pack 0010)
(See SAP Note 1907937 Version 0001 or implement SAP_BW 731 support pack 0010)
(See SAP Note 1908127 Version 0001 or implement SAP_BW 731 support pack 0010)
(See SAP Note 1908554 Version 0001 or implement SAP_BW 731 support pack 0010)
(See SAP Note 1914251 Version 0001 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1915559 Version 0001 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1916153 Version 0001 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1920154 Version 0001 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1922606 Version 0001 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1927096 Version 0003 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1927308 Version 0002 or implement SAP_BW 731 support pack 0012)
(See SAP Note 1927309 Version 0004 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1929130 Version 0003 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1930335 Version 0001 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1930337 Version 0002 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1931179 Version 0003 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1933984 Version 0001 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1937640 Version 0002 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1943799 Version 0001 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1944055 Version 0001 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1945169 Version 0001 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1955302 Version 0004 or implement SAP_BW 731 support pack 0012)
(See SAP Note 1956085 Version 0001 or implement SAP_BW 731 support pack 0012)
(See SAP Note 1964724 Version 0002 or implement SAP_BW 731 support pack 0012)
(See SAP Note 1970460 Version 0001 or implement SAP_BW 731 support pack 0012)
(See SAP Note 1974341 Version 0001 or implement SAP_BW 731 support pack 0012)
(See SAP Note 1975272 Version 0002 or implement SAP_BW 731 support pack 0012)
(See SAP Note 1976825 Version 0001 or implement SAP_BW 731 support pack 0012)
(See SAP Note 1979159 Version 0001 or implement SAP_BW 731 support pack 0012)
(See SAP Note 1981193 Version 0001 or implement SAP_BW 731 support pack 0012)
(See SAP Note 1983659 Version 0001 or implement SAP_BW 731 support pack 0012)
(See SAP Note 1984344 Version 0001 or implement SAP_BW 731 support pack 0012)
(See SAP Note 1992184 Version 0002 or implement SAP_BW 731 support pack 0013)
(See SAP Note 1992580 Version 0003 or implement SAP_BW 731 support pack 0013)
(See SAP Note 1998475 Version 0001 or implement SAP_BW 731 support pack 0013)
(See SAP Note 1998719 Version 0002 or implement SAP_BW 731 support pack 0013)
(See SAP Note 2011847 Version 0001 or implement SAP_BW 731 support pack 0013)
(See SAP Note 2015236 Version 0001 or implement SAP_BW 731 support pack 0013)
(See SAP Note 2015878 Version 0001 or implement SAP_BW 731 support pack 0013)
(See SAP Note 2018165 Version 0002 or implement SAP_BW 731 support pack 0013)
(See SAP Note 2022522 Version 0002 or implement SAP_BW 731 support pack 0013)
(See SAP Note 2025767 Version 0001 or implement SAP_BW 731 support pack 0013)
(See SAP Note 2027615 Version 0001 or implement SAP_BW 731 support pack 0013)
(See SAP Note 2039257 Version 0001 or implement SAP_BW 731 support pack 0014)
(See SAP Note 2041600 Version 0001 or implement SAP_BW 731 support pack 0014)
(See SAP Note 2042825 Version 0001 or implement SAP_BW 731 support pack 0014)

Planning Application Kit is not up-to-date

Implement highest support package or all SAP Notes

Runtime: 0.00 sec

>>> BW Check: Logical System Rename (BDLS)

(See SAP Note 1894679 Version 0012 or implement SAP_BW 731 support pack 0016)
(See SAP Note 1912894 Version 0006 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1915498 Version 0008 or implement SAP_BW 731 support pack 0011)
(See SAP Note 1985543 Version 0006 or implement SAP_BW 731 support pack 0012)
(See SAP Note 1992683 Version 0002 or implement SAP_BW 731 support pack 0013)

- (See SAP Note 2004498 Version 0001 or implement SAP_BW 731 support pack 0013)
- (See SAP Note 1768641 Version 0008 or implement SAP_BASIS 731 support pack 0007)
- BDLS for BW is not up-to-date
- Implement highest support package or all SAP Notes in case system must be renamed

- Runtime: 0.00 sec

- >>> BW Check: SAP IQ NLS

- SAP IQ NLS interface not installed
- (See SAP Note 1796393)

- (See SAP Help /60/cf63e1b1bbb49429ee6c35e6ad03a45)

- Runtime: 0.01 sec

- >>> BW Check: SAP Note Collections for BW

- Important SAP Notes for SAP BW 7.3x, powered by SAP HANA (See SAP Note 1846493)

- Runtime: 0.00 sec

- >>> BW Check: BW Modeling Tools

- Check not relevant

- Runtime: 0.00 sec

- >>>> Corrections - Add-ons

- >>> DMIS Check: SAP Landscape Transformation (SLT) for BW

- >> Basis Prerequisites

- (See SAP Note 1762397 Version 0006 or implement SAP_BASIS 731 support pack 0007)

- (See SAP Note 1817467 Version 0018 or implement SAP_BASIS 731 support pack 0009)

- (See SAP Note 1848320 Version 0005 or implement SAP_BASIS 731 support pack 0009)

- (See SAP Note 1874353 Version 0001 or implement SAP_BASIS 731 support pack 0009)

- Basis prerequisites for SLT are not up-to-date

- Implement highest support package or all SAP Notes

- >> BW API

- (See SAP Note 1808251 Version 0004 or implement SAP_BW 731 support pack 0009)

- BW API for SLT is not up-to-date

- Implement highest support package or all SAP Notes

- >> SLT API

- Manual check of SLT server release required

- (See SAP Note 1826585)

- DMIS 2011 is required for ODP/SLT

- (See SAP Note 1882433)

- >> Summary

- Runtime: 0.00 sec

- >>> ST-A/PI Check: Feasibility Check for SAP BW on HANA

- (See SAP Note 2008670 Version 0028)

- System does not fulfill prerequisites for feasibility check

- Install or upgrade the ST-A/PI add-on and implement any listed SAP Note

- User is authorized for transaction /SDF/MON

- User is authorized for transaction DBACOCKPIT

- User is authorized for transaction RSA1

- User is authorized for transaction RSPC

- User is authorized for transaction RSRT

- User is authorized for transaction SE11

- User is authorized for transaction SE16

- User is authorized for transaction SE30

- User is authorized for transaction SE37

- User is authorized for transaction SE38

- User is authorized for transaction SLG1

- User is authorized for transaction SM37

- User is authorized for transaction SM66

- User is authorized for transaction ST02

- User is authorized for transaction ST03N

- User is authorized for transaction ST04

- User is authorized for transaction ST06

- User is authorized for transaction ST12

- User is authorized for transaction ST13

- User is authorized for transaction STAD

- Current user fulfills prerequisites for feasibility check

- For more details see attached SAP Note (See SAP Note 1777465)

- Runtime: 0.17 sec

- >>> ST-PI Check: Custom Code Maintainability Check (CCMC)

- ST-PI release 2008_1 is installed

- System fulfills prerequisites for custom code maintainability check

- For more details see attached SAP Note (See SAP Note 1861798)

- Runtime: 0.00 sec

>>> ST-PI Check: Solution Manager Integration (SAP HANA Service Sessions) ST-PI release 2008_1 is installed SolMan integration for SAP HANA is up-to-date (See SAP Note 1892593) Runtime: 0.00 sec	
>>>> BW Data Warehouse Management (BW-WHM)	
>>> BW Check: Default Client Default client: 100 Runtime: 0.00 sec	
>>> BW Check: Source Systems >> BW (BW) No source systems >> SAP (SAP) > Source System: NEP Client 100 (NEP100) Activation Status: Active Number of 3.x DataSources for Master Data Hierarchies: 1 Number of 7.x DataSources for Master Data Attributes: 1 Number of 7.x DataSources for Master Data Texts: 1 Number of 7.x DataSources for Transaction Data: 1 BW inactive in source system The following errors occurred in the source system: Result of the destination check: Name or password is incorrect (repeat logon) Source system release 702 is not the same as local information 700 SAP Basis Release: 702 > Source System: NEQ Client 100 (NEQ100) Activation Status: Active Number of 3.x DataSources for Master Data Attributes: 12 Number of 3.x DataSources for Master Data Texts: 23 Number of 3.x DataSources for Master Data Hierarchies: 45 Number of 3.x DataSources for Transaction Data: 16 Number of 7.x DataSources for Master Data Attributes: 26 Number of 7.x DataSources for Master Data Texts: 67 Number of 7.x DataSources for Transaction Data: 35 Source system connection NEQ100 OK SAP Basis Release: 702 >> ODP (ODP) No source systems >> BO DataServices (BOBJDS) No source systems >> External System (PARTNERS) No source systems >> File (FILE) > Source System: NEC Flat File (ZNECFILE) Activation Status: Active Number of 7.x DataSources for Master Data Attributes: 5 Number of 7.x DataSources for Master Data Hierarchies: 1 Number of 7.x DataSources for Transaction Data: 9 Source system connection ZNECFILE OK >> DB Connect (DB) > Source System: NEC RPro Prd (RPROODSPRD) Activation Status: Active Number of 7.x DataSources for Master Data Attributes: 7 Number of 7.x DataSources for Transaction Data: 14 Source system connection RPROODSPRD OK >> UD Connect (UDC) No source systems >> Web Service (WEB) No source systems >> Summary Check source systems (See Program RS_LOGSYS_ACTIVATE) Delete obsolete source systems (See SAP Note 1564964) Consider migration of 3.x data flows (See SAP Help 8d/6b1b58cc1744e1bce7898a50e19368) Runtime: 39.25 sec	
>>> BW Check: Data Load Method Standard tRFC Scheduling (BW >= 7.0): On Default setting is active Standard tRFC Scheduling (BW 3.x): Off Default setting is active Automatic Deregistration in SMQS (BW 3.x): Off Default setting is active Runtime: 0.00 sec	

>>> BW Check: InfoCube HANA-Optimization

>> General

Number of Basic InfoCubes: 119

Non-cumulative InfoCubes can be converted to HANA-optimized but requires compressed requests (See SAP Note 1766577)

(See SAP Note 1773398)

(See SAP Note 1780575)

>> InfoCube: /CPMB/A9INS7X

Number of loaded/uncompressed requests: 0 / 0

InfoCube /CPMB/A9INS7X can be converted to HANA-optimized

>> InfoCube: /CPMB/A9ITXMH

Number of loaded/uncompressed requests: 0 / 0

InfoCube /CPMB/A9ITXMH can be converted to HANA-optimized

>> InfoCube: /CPMB/A9IV1JA

Number of loaded/uncompressed requests: 0 / 0

InfoCube /CPMB/A9IV1JA can be converted to HANA-optimized

>> InfoCube: /CPMB/A9IWG6R

Number of loaded/uncompressed requests: 0 / 0

InfoCube /CPMB/A9IWG6R can be converted to HANA-optimized

>> InfoCube: /CPMB/JGIA2AG

Number of loaded/uncompressed requests: 0 / 0

InfoCube /CPMB/JGIA2AG can be converted to HANA-optimized

>> InfoCube: /CPMB/JGIAE0S

Number of loaded/uncompressed requests: 0 / 0

InfoCube /CPMB/JGIAE0S can be converted to HANA-optimized

>> InfoCube: /CPMB/JGIIYFM

Number of loaded/uncompressed requests: 0 / 0

InfoCube /CPMB/JGIIYFM can be converted to HANA-optimized

>> InfoCube: /CPMB/JGISROZ

Number of loaded/uncompressed requests: 0 / 0

InfoCube /CPMB/JGISROZ can be converted to HANA-optimized

>> InfoCube: /CPMB/JGITLAB

Number of loaded/uncompressed requests: 0 / 0

InfoCube /CPMB/JGITLAB can be converted to HANA-optimized

>> InfoCube: /CPMB/KEIDDBD

Number of loaded/uncompressed requests: 0 / 0

InfoCube /CPMB/KEIDDBD can be converted to HANA-optimized

>> InfoCube: /CPMB/KEIHB4X

Number of loaded/uncompressed requests: 0 / 0

InfoCube /CPMB/KEIHB4X can be converted to HANA-optimized

>> InfoCube: /CPMB/KEIWUNO

Number of loaded/uncompressed requests: 0 / 0

InfoCube /CPMB/KEIWUNO can be converted to HANA-optimized

>> InfoCube: /CPMB/KEIX7MC

Number of loaded/uncompressed requests: 2 / 2

InfoCube /CPMB/KEIX7MC can be converted to HANA-optimized

>> InfoCube: /CPMB/OBIBJ4E

Number of loaded/uncompressed requests: 82 / 5

InfoCube /CPMB/OBIBJ4E can be converted to HANA-optimized

>> InfoCube: /CPMB/OBIEEVL

Number of loaded/uncompressed requests: 1 / 1

InfoCube /CPMB/OBIEEVL can be converted to HANA-optimized

>> InfoCube: /CPMB/OBIF02E

Number of loaded/uncompressed requests: 3 / 3

InfoCube /CPMB/OBIF02E can be converted to HANA-optimized

>> InfoCube: /CPMB/OBISRXX

Number of loaded/uncompressed requests: 8 / 8

InfoCube /CPMB/OBISRXX can be converted to HANA-optimized

>> InfoCube: /CPMB/OBIU3SI

Number of loaded/uncompressed requests: 60 / 2

InfoCube /CPMB/OBIU3SI can be converted to HANA-optimized

>> InfoCube: /CPMB/XSIFM0J

Number of loaded/uncompressed requests: 5 / 0

InfoCube /CPMB/XSIFM0J can be converted to HANA-optimized

>> InfoCube: /CPMB/XSIKD5I

Number of loaded/uncompressed requests: 1 / 1

InfoCube /CPMB/XSIKD5I can be converted to HANA-optimized

>> InfoCube: /CPMB/XSIM20O

Number of loaded/uncompressed requests: 1 / 1

InfoCube /CPMB/XSIM20O can be converted to HANA-optimized

>> InfoCube: /CPMB/XSIMUCQ

Number of loaded/uncompressed requests: 20 / 20

InfoCube /CPMB/XSIMUCQ can be converted to HANA-optimized

>> InfoCube: /CPMB/XSIXLWX

Number of loaded/uncompressed requests: 7 / 7

InfoCube /CPMB/XSIXLWX can be converted to HANA-optimized

>> InfoCube: 0FIAR_C03

	Number of loaded/uncompressed requests: 1 / 1
	InfoCube 0FIAR_C03 can be converted to HANA-optimized
>>	InfoCube: 0FIGL_C10
	Number of loaded/uncompressed requests: 4 / 0
	InfoCube 0FIGL_C10 can be converted to HANA-optimized
>>	InfoCube: 0IC_C03
	Number of loaded/uncompressed requests: 16 / 7
	Non-cumulative InfoCube with uncompressed requests cannot be converted (check SAP Notes listed above)
>>	InfoCube: 0PPM_VC1
	Number of loaded/uncompressed requests: 0 / 0
	InfoCube 0PPM_VC1 can be converted to HANA-optimized
>>	InfoCube: 0TCTHP24I
	Number of loaded/uncompressed requests: 0 / 0
	InfoCube 0TCTHP24I can be converted to HANA-optimized
>>	InfoCube: 0TCT_C01
	Number of loaded/uncompressed requests: 0 / 0
	InfoCube 0TCT_C01 can be converted to HANA-optimized
>>	InfoCube: 0TCT_C02
	Number of loaded/uncompressed requests: 0 / 0
	InfoCube 0TCT_C02 can be converted to HANA-optimized
>>	InfoCube: 0TCT_C03
	Number of loaded/uncompressed requests: 0 / 0
	InfoCube 0TCT_C03 can be converted to HANA-optimized
>>	InfoCube: 0TCT_C05
	Number of loaded/uncompressed requests: 0 / 0
	InfoCube 0TCT_C05 can be converted to HANA-optimized
>>	InfoCube: 0TCT_C14
	Number of loaded/uncompressed requests: 0 / 0
	InfoCube 0TCT_C14 can be converted to HANA-optimized
>>	InfoCube: 0TCT_C15
	Number of loaded/uncompressed requests: 0 / 0
	InfoCube 0TCT_C15 can be converted to HANA-optimized
>>	InfoCube: 0TCT_C21
	Number of loaded/uncompressed requests: 0 / 0
	InfoCube 0TCT_C21 can be converted to HANA-optimized
>>	InfoCube: 0TCT_C22
	Number of loaded/uncompressed requests: 0 / 0
	InfoCube 0TCT_C22 can be converted to HANA-optimized
>>	InfoCube: 0TCT_C23
	Number of loaded/uncompressed requests: 0 / 0
	InfoCube 0TCT_C23 can be converted to HANA-optimized
>>	InfoCube: 0TCT_C25
	Number of loaded/uncompressed requests: 0 / 0
	InfoCube 0TCT_C25 can be converted to HANA-optimized
>>	InfoCube: 0TCT_C31
	Number of loaded/uncompressed requests: 0 / 0
	InfoCube 0TCT_C31 can be converted to HANA-optimized
>>	InfoCube: 0TCT_C32
	Number of loaded/uncompressed requests: 0 / 0
	InfoCube 0TCT_C32 can be converted to HANA-optimized
>>	InfoCube: 0TCT_CA1
	Number of loaded/uncompressed requests: 0 / 0
	InfoCube 0TCT_CA1 can be converted to HANA-optimized
>>	InfoCube: ZAFMM_C01
	Number of loaded/uncompressed requests: 3 / 3
	InfoCube ZAFMM_C01 can be converted to HANA-optimized
>>	InfoCube: ZAFMM_C02
	Number of loaded/uncompressed requests: 3 / 2
	InfoCube ZAFMM_C02 can be converted to HANA-optimized
>>	InfoCube: ZBJ_OPEN
	Number of loaded/uncompressed requests: 2 / 0
	InfoCube ZBJ_OPEN can be converted to HANA-optimized
>>	InfoCube: ZBJ_SALES
	Number of loaded/uncompressed requests: 1 / 0
	InfoCube ZBJ_SALES can be converted to HANA-optimized
>>	InfoCube: ZBPC_PLAN
	Number of loaded/uncompressed requests: 1 / 1
	InfoCube ZBPC_PLAN can be converted to HANA-optimized
>>	InfoCube: ZCOPA_C03
	Number of loaded/uncompressed requests: 5 / 4
	InfoCube ZCOPA_C03 can be converted to HANA-optimized
>>	InfoCube: ZCOPA_C04
	Number of loaded/uncompressed requests: 2 / 1
	InfoCube ZCOPA_C04 can be converted to HANA-optimized
>>	InfoCube: ZGLPCA_HT
	Number of loaded/uncompressed requests: 0 / 0

	InfoCube ZGLPCA_HT can be converted to HANA-optimized
>>	InfoCube: ZIC_ATP
	Number of loaded/uncompressed requests: 1 / 1
	InfoCube ZIC_ATP can be converted to HANA-optimized
>>	InfoCube: ZIC_C03
	Number of loaded/uncompressed requests: 5 / 0
	InfoCube ZIC_C03 can be converted to HANA-optimized
>>	InfoCube: ZIC_COPA
	Number of loaded/uncompressed requests: 13 / 10
	InfoCube ZIC_COPA can be converted to HANA-optimized
>>	InfoCube: ZIC_INVW
	Number of loaded/uncompressed requests: 1 / 1
	InfoCube ZIC_INVW can be converted to HANA-optimized
>>	InfoCube: ZIC_SHIP
	Number of loaded/uncompressed requests: 4 / 4
	InfoCube ZIC_SHIP can be converted to HANA-optimized
>>	InfoCube: ZPCAGLPCA
	Number of loaded/uncompressed requests: 3 / 0
	InfoCube ZPCAGLPCA can be converted to HANA-optimized
>>	InfoCube: ZPCAGLPCP
	Number of loaded/uncompressed requests: 1 / 0
	InfoCube ZPCAGLPCP can be converted to HANA-optimized
>>	InfoCube: ZPO_C01
	Number of loaded/uncompressed requests: 2 / 2
	InfoCube ZPO_C01 can be converted to HANA-optimized
>>	InfoCube: ZPO_C02
	Number of loaded/uncompressed requests: 1 / 1
	InfoCube ZPO_C02 can be converted to HANA-optimized
>>	InfoCube: ZRETAIL
	Number of loaded/uncompressed requests: 1 / 1
	InfoCube ZRETAIL can be converted to HANA-optimized
>>	InfoCube: ZSDC_OPN
	Number of loaded/uncompressed requests: 1 / 1
	InfoCube ZSDC_OPN can be converted to HANA-optimized
>>	InfoCube: ZSDC_SSL
	Number of loaded/uncompressed requests: 2 / 3
	InfoCube ZSDC_SSL can be converted to HANA-optimized
>>	InfoCube: ZSD_C15
	Number of loaded/uncompressed requests: 2 / 2
	InfoCube ZSD_C15 can be converted to HANA-optimized
>>	InfoCube: ZSD_C1501
	Number of loaded/uncompressed requests: 1 / 1
	InfoCube ZSD_C1501 can be converted to HANA-optimized
>>	InfoCube: ZSD_CON1
	Number of loaded/uncompressed requests: 1 / 1
	InfoCube ZSD_CON1 can be converted to HANA-optimized
>>	InfoCube: ZSD_CONTR
	Number of loaded/uncompressed requests: 1 / 1
	InfoCube ZSD_CONTR can be converted to HANA-optimized
>>	InfoCube: ZSD_OPN1
	Number of loaded/uncompressed requests: 1 / 1
	InfoCube ZSD_OPN1 can be converted to HANA-optimized
>>	InfoCube: ZSD_ORDER
	Number of loaded/uncompressed requests: 2 / 2
	InfoCube ZSD_ORDER can be converted to HANA-optimized
>>	InfoCube: ZSD_RPC01
	Number of loaded/uncompressed requests: 2 / 2
	Non-cumulative InfoCube with uncompressed requests cannot be converted (check SAP Notes listed above)
>>	InfoCube: ZSD_RPC03
	Number of loaded/uncompressed requests: 1 / 1
	InfoCube ZSD_RPC03 can be converted to HANA-optimized
>>	InfoCube: ZSD_RPC04
	Number of loaded/uncompressed requests: 1 / 1
	Non-cumulative InfoCube with uncompressed requests cannot be converted (check SAP Notes listed above)
>>	InfoCube: ZSD_RPC05
	Number of loaded/uncompressed requests: 1 / 1
	InfoCube ZSD_RPC05 can be converted to HANA-optimized
>>	InfoCube: ZSD_SELT
	Number of loaded/uncompressed requests: 1 / 1
	InfoCube ZSD_SELT can be converted to HANA-optimized
>>	InfoCube: ZSSL_AG01
	Number of loaded/uncompressed requests: 1 / 1
	InfoCube ZSSL_AG01 can be converted to HANA-optimized
>>	InfoCube: ZSTAT_C01
	Number of loaded/uncompressed requests: 1 / 1
	InfoCube ZSTAT_C01 can be converted to HANA-optimized

>> InfoCube: Z_CNTR00
Number of loaded/uncompressed requests: 0 / 0
InfoCube Z_CNTR00 can be converted as part of Semantic Part. Object

>> InfoCube: Z_CNTR01
Number of loaded/uncompressed requests: 0 / 0
InfoCube Z_CNTR01 can be converted as part of Semantic Part. Object

>> InfoCube: Z_CNTR02
Number of loaded/uncompressed requests: 1 / 1
InfoCube Z_CNTR02 can be converted as part of Semantic Part. Object

>> InfoCube: Z_CNTR03
Number of loaded/uncompressed requests: 1 / 1
InfoCube Z_CNTR03 can be converted as part of Semantic Part. Object

>> InfoCube: Z_CNTR04
Number of loaded/uncompressed requests: 1 / 1
InfoCube Z_CNTR04 can be converted as part of Semantic Part. Object

>> InfoCube: Z_CNTR05
Number of loaded/uncompressed requests: 1 / 0
InfoCube Z_CNTR05 can be converted as part of Semantic Part. Object

>> InfoCube: Z_COND00
Number of loaded/uncompressed requests: 0 / 0
InfoCube Z_COND00 can be converted as part of Semantic Part. Object

>> InfoCube: Z_COND01
Number of loaded/uncompressed requests: 2 / 2
InfoCube Z_COND01 can be converted as part of Semantic Part. Object

>> InfoCube: Z_COND02
Number of loaded/uncompressed requests: 2 / 2
InfoCube Z_COND02 can be converted as part of Semantic Part. Object

>> InfoCube: Z_COND03
Number of loaded/uncompressed requests: 2 / 2
InfoCube Z_COND03 can be converted as part of Semantic Part. Object

>> InfoCube: Z_COND04
Number of loaded/uncompressed requests: 2 / 2
InfoCube Z_COND04 can be converted as part of Semantic Part. Object

>> InfoCube: Z_COND05
Number of loaded/uncompressed requests: 2 / 1
InfoCube Z_COND05 can be converted as part of Semantic Part. Object

>> InfoCube: Z_COPA00
Number of loaded/uncompressed requests: 0 / 0
InfoCube Z_COPA00 can be converted as part of Semantic Part. Object

>> InfoCube: Z_COPA01
Number of loaded/uncompressed requests: 2 / 2
InfoCube Z_COPA01 can be converted as part of Semantic Part. Object

>> InfoCube: Z_COPA02
Number of loaded/uncompressed requests: 2 / 2
InfoCube Z_COPA02 can be converted as part of Semantic Part. Object

>> InfoCube: Z_COPA03
Number of loaded/uncompressed requests: 5 / 4
InfoCube Z_COPA03 can be converted as part of Semantic Part. Object

>> InfoCube: Z_COPA04
Number of loaded/uncompressed requests: 1 / 1
InfoCube Z_COPA04 can be converted as part of Semantic Part. Object

>> InfoCube: Z_COPA05
Number of loaded/uncompressed requests: 2 / 2
InfoCube Z_COPA05 can be converted as part of Semantic Part. Object

>> InfoCube: Z_IC301
Number of loaded/uncompressed requests: 0 / 0
InfoCube Z_IC301 can be converted to HANA-optimized

>> InfoCube: Z_IC302
Number of loaded/uncompressed requests: 5 / 0
InfoCube Z_IC302 can be converted to HANA-optimized

>> InfoCube: Z_IC303
Number of loaded/uncompressed requests: 1 / 0
InfoCube Z_IC303 can be converted to HANA-optimized

>> InfoCube: Z_IC304
Number of loaded/uncompressed requests: 1 / 0
InfoCube Z_IC304 can be converted to HANA-optimized

>> InfoCube: Z_IC305
Number of loaded/uncompressed requests: 1 / 0
InfoCube Z_IC305 can be converted to HANA-optimized

>> InfoCube: Z_OPN00
Number of loaded/uncompressed requests: 0 / 0
InfoCube Z_OPN00 can be converted as part of Semantic Part. Object

>> InfoCube: Z_OPN01
Number of loaded/uncompressed requests: 0 / 0
InfoCube Z_OPN01 can be converted as part of Semantic Part. Object

>> InfoCube: Z_OPN02

	Number of loaded/uncompressed requests: 1 / 1
	InfoCube Z_OPN02 can be converted as part of Semantic Part. Object
>>	InfoCube: Z_OPN03
	Number of loaded/uncompressed requests: 1 / 1
	InfoCube Z_OPN03 can be converted as part of Semantic Part. Object
>>	InfoCube: Z_OPN04
	Number of loaded/uncompressed requests: 1 / 1
	InfoCube Z_OPN04 can be converted as part of Semantic Part. Object
>>	InfoCube: Z_OPN05
	Number of loaded/uncompressed requests: 1 / 1
	InfoCube Z_OPN05 can be converted as part of Semantic Part. Object
>>	InfoCube: Z_POC02
	Number of loaded/uncompressed requests: 1 / 1
	InfoCube Z_POC02 can be converted to HANA-optimized
>>	InfoCube: Z_POC03
	Number of loaded/uncompressed requests: 1 / 1
	InfoCube Z_POC03 can be converted to HANA-optimized
>>	InfoCube: Z_POC04
	Number of loaded/uncompressed requests: 1 / 1
	InfoCube Z_POC04 can be converted to HANA-optimized
>>	InfoCube: Z_POC05
	Number of loaded/uncompressed requests: 1 / 1
	InfoCube Z_POC05 can be converted to HANA-optimized
>>	InfoCube: Z_SHIP00
	Number of loaded/uncompressed requests: 0 / 0
	InfoCube Z_SHIP00 can be converted as part of Semantic Part. Object
>>	InfoCube: Z_SHIP01
	Number of loaded/uncompressed requests: 0 / 0
	InfoCube Z_SHIP01 can be converted as part of Semantic Part. Object
>>	InfoCube: Z_SHIP02
	Number of loaded/uncompressed requests: 1 / 1
	InfoCube Z_SHIP02 can be converted as part of Semantic Part. Object
>>	InfoCube: Z_SHIP03
	Number of loaded/uncompressed requests: 0 / 0
	InfoCube Z_SHIP03 can be converted as part of Semantic Part. Object
>>	InfoCube: Z_SHIP04
	Number of loaded/uncompressed requests: 0 / 0
	InfoCube Z_SHIP04 can be converted as part of Semantic Part. Object
>>	InfoCube: Z_SHIP05
	Number of loaded/uncompressed requests: 0 / 0
	InfoCube Z_SHIP05 can be converted as part of Semantic Part. Object
>>	InfoCube: Z_SSL00
	Number of loaded/uncompressed requests: 0 / 0
	InfoCube Z_SSL00 can be converted as part of Semantic Part. Object
>>	InfoCube: Z_SSL01
	Number of loaded/uncompressed requests: 1 / 1
	InfoCube Z_SSL01 can be converted as part of Semantic Part. Object
>>	InfoCube: Z_SSL02
	Number of loaded/uncompressed requests: 1 / 1
	InfoCube Z_SSL02 can be converted as part of Semantic Part. Object
>>	InfoCube: Z_SSL03
	Number of loaded/uncompressed requests: 2 / 1
	InfoCube Z_SSL03 can be converted as part of Semantic Part. Object
>>	InfoCube: Z_SSL04
	Number of loaded/uncompressed requests: 2 / 2
	InfoCube Z_SSL04 can be converted as part of Semantic Part. Object
>>	InfoCube: Z_SSL05
	Number of loaded/uncompressed requests: 2 / 2
	InfoCube Z_SSL05 can be converted as part of Semantic Part. Object
>>	Summary
	It is recommended to fully compress (condense) InfoCubes before migrating to SAP HANA
	Number of InfoCubes that cannot be HANA-optimized: 39
	Runtime: 7.73 sec
>>>	BW Check: Data on BW Accelerator
>>	InfoCubes on BW Accelerator
	No InfoCubes found with data on BWA-only
>>	VirtualProvider Snapshots on BW Accelerator
	No VirtualProvider snapshots found
>>	Query Snapshots on BW Accelerator
	No Query snapshots found
>>	Summary
	Runtime: 0.02 sec
>>>	BW Check: DSO HANA-Optimization
>>	General

Number of Standard DSOs: 37

(See SAP Note 1849497 Version 0006 or implement SAP_BW 731 support pack 0009)

System requires conversion of standard DSOs to support HANA-optimized activation

Implement the support package or SAP Note 1849497 to support HANA-optimized activation of standard DSOs (and avoid need

(See <http://scn.sap.com/docs/DOC-41327>)

>> DataStore Object: 0AFIO_DS1

DSO checked successfully: 0AFIO_DS1

>> DataStore Object: 0FIAR_O03

DSO checked successfully: 0FIAR_O03

>> DataStore Object: 0FIGL_O10

DSO checked successfully: 0FIGL_O10

>> DataStore Object: 0TCTHP240

DSO checked successfully: 0TCTHP240

>> DataStore Object: UOM0MATE

DSO checked successfully: UOM0MATE

>> DataStore Object: ZAFSCOND

DSO checked successfully: ZAFSCOND

>> DataStore Object: ZAFSDDS1

DSO checked successfully: ZAFSDDS1

>> DataStore Object: ZDSOCOPA

DSO checked successfully: ZDSOCOPA

>> DataStore Object: ZDSOINVD

DSO checked successfully: ZDSOINVD

>> DataStore Object: ZDSOINVM

DSO checked successfully: ZDSOINVM

>> DataStore Object: ZDSOSSL

DSO checked successfully: ZDSOSSL

>> DataStore Object: ZKONDD

DSO checked successfully: ZKONDD

>> DataStore Object: ZKOTD498

DSO checked successfully: ZKOTD498

>> DataStore Object: ZMM_STAT

DSO checked successfully: ZMM_STAT

>> DataStore Object: ZPO_O01

DSO checked successfully: ZPO_O01

>> DataStore Object: ZSD_EKKN

DSO checked successfully: ZSD_EKKN

>> DataStore Object: ZSD_INBD

DSO checked successfully: ZSD_INBD

>> DataStore Object: ZSD_KNVP

DSO checked successfully: ZSD_KNVP

>> DataStore Object: ZSD_O03

DSO checked successfully: ZSD_O03

>> DataStore Object: ZSD_O04

DSO checked successfully: ZSD_O04

>> DataStore Object: ZSD_O05

DSO checked successfully: ZSD_O05

>> DataStore Object: ZSD_O06

DSO checked successfully: ZSD_O06

>> DataStore Object: ZSD_O10

DSO checked successfully: ZSD_O10

>> DataStore Object: ZSD_OSEL

DSO checked successfully: ZSD_OSEL

>> DataStore Object: ZSD_OSSL

DSO checked successfully: ZSD_OSSL

>> DataStore Object: ZSD_OTAS

DSO checked successfully: ZSD_OTAS

>> DataStore Object: ZSD_RP01

DSO checked successfully: ZSD_RP01

>> DataStore Object: ZSD_RP03

DSO checked successfully: ZSD_RP03

>> DataStore Object: ZSD_SHIP

DSO checked successfully: ZSD_SHIP

>> DataStore Object: ZSSL_TAS

DSO checked successfully: ZSSL_TAS

>> DataStore Object: ZTCURR

DSO checked successfully: ZTCURR

>> DataStore Object: Z_FIAR00

DSO checked successfully: Z_FIAR00

>> DataStore Object: Z_FIAR01

DSO checked successfully: Z_FIAR01

>> DataStore Object: Z_FIAR02

DSO checked successfully: Z_FIAR02

>> DataStore Object: Z_FIAR03

DSO checked successfully: Z_FIAR03

>> DataStore Object: Z_FIAR04

DSO checked successfully: Z_FIAR04

>> DataStore Object: Z_FIAR05

DSO checked successfully: Z_FIAR05

>> Summary

All DSOs are using HANA-optimized activation

Runtime: 0.00 sec

>>> BW Check: InfoProvider Conversions

No pending InfoProvider conversions found

Runtime: 0.04 sec

>>> BW Check: DSO Status

>> DataStore Object: Z_FIAR03

Activation not started

>> Summary

Runtime: 3.24 sec

>>> BW Check: Write-optimized DSO Consistency

Number of Write-optimized DSOs: 0

No inconsistent administration data found

Runtime: 0.00 sec

>>> BW Check: BW Accelerator Check Sets

No BWA Check Sets found

Runtime: 0.02 sec

>>> BW Check: MultiProvider Consistency

Number of MultiProviders: 81

MultiProvider: /CPMB/A9MNS7X (Compounding ok)

MultiProvider: /CPMB/A9MTXMH (Compounding ok)

MultiProvider: /CPMB/A9MV1JA (Compounding ok)

MultiProvider: /CPMB/A9MWG6R (Compounding ok)

MultiProvider: /CPMB/JGMA2AG (Compounding ok)

MultiProvider: /CPMB/JGMAE0S (Compounding ok)

MultiProvider: /CPMB/JGMIYFM (Compounding ok)

MultiProvider: /CPMB/JGMSROZ (Compounding ok)

MultiProvider: /CPMB/JGMTLAB (Compounding ok)

MultiProvider: /CPMB/KEMDDBD (Compounding ok)

MultiProvider: /CPMB/KEMHB4X (Compounding ok)

MultiProvider: /CPMB/KEMWUNO (Compounding ok)

MultiProvider: /CPMB/KEMX7MC (Compounding ok)

MultiProvider: /CPMB/OBMBJ4E (Compounding ok)

MultiProvider: /CPMB/OBMEEVL (Compounding ok)

MultiProvider: /CPMB/OBMF02E (Compounding ok)

MultiProvider: /CPMB/OBMSRXX (Compounding ok)

MultiProvider: /CPMB/OBMU3SI (Compounding ok)

MultiProvider: /CPMB/XSMFM0J (Compounding ok)

MultiProvider: /CPMB/XSMKD5I (Compounding ok)

MultiProvider: /CPMB/XSMM20O (Compounding ok)

MultiProvider: /CPMB/XSMMUCQ (Compounding ok)

MultiProvider: /CPMB/XSMXLWX (Compounding ok)

MultiProvider: 0IC_MC01 (Compounding ok)

MultiProvider: 0IC_MP04 (Compounding ok)

MultiProvider: 0TCT_MC01 (Compounding ok)

MultiProvider: 0TCT_MC02 (Compounding ok)

MultiProvider: 0TCT_MC03 (Compounding ok)

MultiProvider: 0TCT_MC05 (Compounding ok)

MultiProvider: 0TCT_MC06 (Compounding ok)

MultiProvider: 0TCT_MC07 (Compounding ok)

MultiProvider: 0TCT_MC11 (Compounding ok)

MultiProvider: 0TCT_MC12 (Compounding ok)

MultiProvider: 0TCT_MC15 (Compounding ok)

MultiProvider: 0TCT_MC21 (Compounding ok)

MultiProvider: 0TCT_MC22 (Compounding ok)

MultiProvider: 0TCT_MC23 (Compounding ok)

MultiProvider: 0TCT_MC25 (Compounding ok)

MultiProvider: 0TCT_MC31 (Compounding ok)

MultiProvider: 0TCT_MC32 (Compounding ok)

MultiProvider: 0TCT_MCA1 (Compounding ok)

MultiProvider: 0TCT_MCWS (Compounding ok)

MultiProvider: ZBPC_MP (Compounding ok)

MultiProvider: ZEA_BPC (Compounding ok)

MultiProvider: ZEA_INVMP (Compounding ok)

MultiProvider: ZEA_OOCON (Compounding ok)

MultiProvider: ZEA_OPASA (Compounding ok)

MultiProvider: ZEA_SA_SL (Compounding ok)

MultiProvider: ZEA_SCARD (Compounding ok)
MultiProvider: ZEJ_BPC (Compounding ok)
MultiProvider: ZEJ_INVMP (Compounding ok)
MultiProvider: ZEJ_OOCON (Compounding ok)
MultiProvider: ZEJ_OPASA (Compounding ok)
MultiProvider: ZEJ_SA_SL (Compounding ok)
MultiProvider: ZEJ_SCARD (Compounding ok)
MultiProvider: ZEM_BPC (Compounding ok)
MultiProvider: ZEM_INVMP (Compounding ok)
MultiProvider: ZEM_OOCON (Compounding ok)
MultiProvider: ZEM_OPASA (Compounding ok)
MultiProvider: ZEM_SA_SL (Compounding ok)
MultiProvider: ZEM_SCARD (Compounding ok)
MultiProvider: ZIC_MP05 (Compounding ok)
MultiProvider: ZJA_BPC (Compounding ok)
MultiProvider: ZJA_INVMP (Compounding ok)
MultiProvider: ZJA_OOCON (Compounding ok)
MultiProvider: ZJA_OPASA (Compounding ok)
MultiProvider: ZJA_SA_SL (Compounding ok)
MultiProvider: ZJA_SCARD (Compounding ok)
MultiProvider: ZMP_AGG01 (Compounding ok)
MultiProvider: ZMP_GLPC (Compounding ok)
MultiProvider: ZMP_OOCON (Compounding ok)
MultiProvider: ZMP_OOSEL (Compounding ok)
MultiProvider: ZMP_OPASA (Compounding ok)
MultiProvider: ZMP_SA_SL (Compounding ok)
MultiProvider: ZMP_SCARD (Compounding ok)
MultiProvider: ZNA_BPC (Compounding ok)
MultiProvider: ZNA_OOCON (Compounding ok)
MultiProvider: ZNA_OPASA (Compounding ok)
MultiProvider: ZNA_SA_SL (Compounding ok)
MultiProvider: ZNA_SCARD (Compounding ok)
MultiProvider: ZSD_RPM01 (Compounding ok)

Runtime: 48.71 sec

>>> BW Check: DataSource PSA Consistency

No inconsistencies found

No inconsistencies found

Runtime: 0.48 sec

>>> BW Check: Background Jobs

>> Process Chains

(See SAP Note 1842621 Version 0002 or implement SAP_BW 731 support pack 0008)

Missing SAP Note for check. Skipped.

>> Real-time Data Acquisition

No running RDA jobs

>> Aggregates

No jobs for filling aggregates

No InfoCubes found with aggregate jobs

>> DB Indexes and Statistics

No jobs for DB indexes and statistics

No InfoCubes found with database jobs

No obsolete jobs for updating DB statistics

>> BW Accelerator

No jobs for BW Accelerator (general)

No jobs for BW Accelerator (snapshots)

No jobs for BW Accelerator (master data daemon)

No jobs for BW Accelerator (master data deletion)

>> Document Indexing

No obsolete jobs for indexing documents

>> Summary

Runtime: 0.10 sec

>>> BW Check: Background Job Management

>> Saving Messages to Logs

Number of job for saving messages: 2

(See Jobs BI_WRITE_PROT_TO_APPLLOG*)

Only one such job required. Delete the other jobs.

>> Deleting Messages from Logs

No job found for deleting old messages (See Transaction RSBATCH)

>> Summary

Runtime: 0.00 sec

>>> BW Check: Background Job Fast Access Tables

>> Check of Hashing

Total Number of Requests: 14,496

- Number of Unhashed Requests: 831 - Number of Unhashed REQU Requests: 0	
No further actions required	
>> Check of InfoProvider Fast Access Tables - Total Number of Requests: 10,092 - Number of Requests Without Fast Access Table Entry: 5	
No further actions required	
>> Check of PSA Fast Access Tables - Total Number of Requests: 1,020 - Number of Requests Without Fast Access Table Entry: 158	
No further actions required	
>> Summary - Runtime: 2.78 sec	
>>> BW Check: Aggregates >> Aggregate Directory - Number of aggregates found in directory: 2	
Aggregates will not be migrated to BW on SAP HANA	
>> Aggregate Tables - No aggregate tables found	
>> Summary - Runtime: 0.02 sec	
>>> BW Check: Process Chains - Number of process chains with obsolete steps: 123 - Steps will be skipped in BW on SAP HANA (See Table RSPCCHAIN)	
Runtime: 0.00 sec	
>>> BW Check: Analysis and Repair of BW Objects >> RSRV Test Packages - No obsolete steps found in test packages	
>> RSRV Background Jobs - No jobs for analysis of BW objects	
>> Summary - Runtime: 0.01 sec	
>>> BW Check: Data Transfer Processes (BDLS) - Correct order of BDLS exits	
Runtime: 0.02 sec	
>>> BW Check: Formulas in Update and Transfer Rules >> Update Rules - No broken formula references	
>> Transfer Rules - No broken formula references	
>> Summary - Runtime: 1.30 sec	
>>> BW Check: InfoObject Document Properties (Metadata Search) - All InfoObject document properties are generated (See SAP Help 4a/245930b1160456e10000000a421937)	
Runtime: 0.08 sec	
>>> BW Check: InfoPackage Groups - No InfoPackage groups found	
Runtime: 0.03 sec	
>>> BW Check: Reporting Agent - No reporting agent jobs found - No reporting agent clusters found	
Runtime: 0.05 sec	
>>> BW Check: MOLAP Store - No MOLAP InfoCubes found	
Runtime: 0.09 sec	
>>> BW Check: Number Ranges - No number ranges with high levels found	
Runtime: 0.08 sec	
>>> BW Check: InfoSpokes >> InfoSpoke Support - No InfoSpokes found	
>> InfoSpoke Structures - No missing object entries found	
>> Summary	

Runtime: 0.01 sec

>>> BW Check: Change Run

Number of pending change runs: 2

Number of completed change runs: 380

Number of planned change runs: 6

(See Transaction RSA1 > Tools > Apply Hierarchy/Attribute Change)

Runtime: 0.06 sec

>>> BW Check: Near-line Storage

Number of NLS connections: 0

>> Summary

Runtime: 0.00 sec

>>> BW Check: 3.x Functionality

3.x functionality in Data Warehousing Workbench: Visible

Consider hiding 3.x functionality if it is not used

(See Transaction RSCUSTV32)

Runtime: 0.00 sec

>>> BW Check: Data Services

API: /BODS/RS_DS_BASIS DataServices Base Functions

API: /BODS/RS_DS_BW Data Services BW Function Modules

Runtime: 0.03 sec

>>> BW Check: InfoPackage Transport

InfoPackage object type not configured correctly (See SAP Note 1965709)

Runtime: 0.00 sec

>>>> BW OLAP Processor (BW-BEX)

>>> BW Check: Authorization Authorizations

>> Authorization Concept

Authorization concept: NEW

Authorization concept is set properly for BW 7.3 and higher

>> Authorization Migration

Authorizations migrated properly for BW 7.3 and higher

>> Authorization InfoObjects

>> Summary

Runtime: 0.46 sec

>>> BW Check: BEx Transport Request

No standard BEx request defined

No issues found

Runtime: 0.02 sec

>>> BW Check: BEx Query Usage and Settings

>> Usage

Total number of queries: 797

Number of queries NOT used during past 90 days: 791

Number of queries NOT used during past 365 days: 707

Consider deleting old unused queries (See Transaction RSZDELETE)

(See SAP Note 1164904)

>> Read Mode

No queries with read mode "A"

>> Cache Mode

No queries with obsolete cache modes

>> BWA/HANA Operations Mode

No queries with non-standard BWA/HANA modes

>> Summary

Runtime: 0.02 sec

>>> BW Check: BEx Query Pruning

>> MultiProviders

Number of MultiProviders: 82

Number of PartProviders: 221

Average number of PartProviders per MultiProvider: 2.7

(See Table RSDCUBEMULTI)

> Pruning based on constant values

Number of InfoCube PartProviders with constants: 0 (See Table RSDICHAPRO)

Number of DSO PartProviders with constants: 0 (See Table RSDODSOIOBJPRO)

> Pruning based on meta data

Number of MultiProviders with meta data: 0 (See Table RSIPRORANGE)

How to Efficiently Prune SAP BW Queries (See <http://scn.sap.com/docs/DOC-32982>)

(See Program RSPP_PART_MAINTAIN)

(See SAP Help 66/bc022c66654273a9b708541bfd6372)

- ▢ > Pruning based on fact-data sub queries (hint)
 - ▢ Number of MultiProviders with hints: 6 (See Table RRKMULTIPROVHINT)
 - ▢ (See SAP Note 911939)
 - ▢ How to Create Efficient MultiProvider Queries (See <http://scn.sap.com/docs/DOC-15981>)
- ▢ >> Semantically Partitioned Objects (SPO)
 - ▢ Number of SPOs: 7
 - ▢ Number of PartProviders: 35
 - ▢ Average number of PartProviders per SPO: 5.0
 - ▢ (See Table RSLPOPART)
 - ▢ > Pruning based on constant values
 - ▢ Number of SPO PartProviders with constants: 0 (See Table RSLPODBPART)
 - ▢ > Pruning based on meta data
 - ▢ Number of SPOs meta data entries: 144 (See Table RSLPOPARTRANGE)
- ▢ >> Summary
 - ▢ Runtime: 0.70 sec

- ▢ >>> BW Check: BEx Formula Variables
 - ▢ Number of formula variables: 12
 - ▢ Check if variables should be replaced before or after aggregation
 - ▢ (See SAP Note 1005772)
 - ▢ (See Program RSR_VAR_REPPATH_AGGREGATION)
- ▢ Runtime: 0.16 sec

- ▢ >>> BW Check: BEx OLAP Statistics
 - ▢ >> 3.x OLAP Statistics
 - ▢ No 3.x OLAP statistics found
 - ▢ >> 7.x OLAP Statistics
 - ▢ Number of entries for 7.x statistics: 4,381,287
 - ▢ Age of oldest OLAP statistics: 1,142 days
- ▢ >> Summary
 - ▢ Consider transferring OLAP statistics into InfoCubes 0TCT_C01 to 0TCTC03
 - ▢ (See SAP Note 934848)
- ▢ Runtime: 8.04 sec

- ▢ >>> BW Check: BEx OLAP Cache
 - ▢ OLAP Cache is active
 - ▢ Local Cache Size: 4 MB
 - ▢ Global Cache Size: 4 MB
 - ▢ Cache Persistence Mode: Flat File
 - ▢ Flat File Name: BW_OLAP_CACHE
 - ▢ Flat File Name for Application Server:
- ▢ Runtime: 0.87 sec

- ▢ >>> BW Check: BEx Web Templates
 - ▢ >> 3.x Web Templates
 - ▢ > General
 - ▢ Number of 3.x web templates: 0
 - ▢ No 3.x web templates with obsolete web items found
 - ▢ >> 7.x Web Templates
 - ▢ Number of 7.x web templates: 25
- ▢ >> Summary
 - ▢ Runtime: 0.10 sec

- ▢ >>> BW Check: BEx Bookmarks
 - ▢ >> 3.x Bookmarks
 - ▢ Total number of 3.x bookmarks (with data): 0
 - ▢ Number of 3.x bookmarks NOT used during past 90 days: 0
 - ▢ Number of 3.x bookmarks NOT used during past 365 days: 0
 - ▢ >> 7.x Bookmarks
 - ▢ Total number of 7.x bookmarks: 0
 - ▢ Number of 7.x bookmarks NOT used during past 90 days: 0
 - ▢ Number of 7.x bookmarks NOT used during past 365 days: 0
- ▢ >> Summary
 - ▢ Runtime: 0.01 sec

- ▢ >>> BW Check: BEx Workbooks / Crystal Reports
 - ▢ >> 3.x Workbooks
 - ▢ Number of 3.x workbooks: 0 (See Table RSRWBINDEX~1)
 - ▢ Total size of 3.x workbooks: 0.0 MB
 - ▢ >> 7.x Workbooks
 - ▢ Number of 7.x workbooks: 0 (See Table RSRWBINDEX~2)
 - ▢ Total size of 7.x workbooks: 0.0 MB
 - ▢ >> Crystal Reports
 - ▢ Number of Crystal reports: 0 (See Table RSRWBINDEX~3)
 - ▢ Total size of Crystal reports: 0.0 MB
- ▢ >> Summary

Runtime: 0.04 sec

>>> BW Check: BW Accelerator / Explorer

>> BW Accelerator

BW Accelerator: Not used (no RFC connection maintained)

>> Summary

Runtime: 0.00 sec

>>> BW Check: Temporary Objects

>> Temporary Tables

> BW name type: Data Selection (01)

No DB objects

No DDIC objects

Number of RSDD_TMPNM_ADM entries: 4

No DBDIFF entries

> BW name type: Pre-materialization (0P)

No DB objects

No DDIC objects

Number of RSDD_TMPNM_ADM entries: 52

No DBDIFF entries

> BW name type: TREX Index (0Q)

No DB objects

No DDIC objects

No RSDD_TMPNM_ADM entries

No DBDIFF entries

> BW name type: Stored Procedures (04)

No DB objects

No DDIC objects

No RSDD_TMPNM_ADM entries

No DBDIFF entries

> BW name type: Open Hub (OH)

No DB objects

No DDIC objects

No RSDD_TMPNM_ADM entries

No DBDIFF entries

>> Temporary Views

> BW name type: Database Views (03)

No DB objects

No DDIC objects

Number of RSDD_TMPNM_ADM entries: 1

No DBDIFF entries

> BW name type: Hierarchy Views (07)

No DB objects

No DDIC objects

No RSDD_TMPNM_ADM entries

No DBDIFF entries

>> Temporary Hierarchy Tables

> BW name type: Hierarchy Tables (02)

Number of DB objects: 204

No DDIC objects

Number of RSDD_TMPNM_ADM entries: 204

No DBDIFF entries

> BW name type: TREX Hierarchy Index (08)

No DB objects

No DDIC objects

No RSDD_TMPNM_ADM entries

No DBDIFF entries

>> Temporary SID Tables

> BW name type: One Column SID Tables (06)

Number of DB objects: 76

No DDIC objects

Number of RSDD_TMPNM_ADM entries: 76

No DBDIFF entries

>> Temporary BWA/HANA Objects

> BW name type: CRM Segmentation (0M)

No DB objects

No DDIC objects

No RSDD_TMPNM_ADM entries

No DBDIFF entries

> BW name type: MPRO Layer (0Q)

No DB objects

No DDIC objects

No RSDD_TMPNM_ADM entries

No DBDIFF entries

> BW name type: Calc Scenarios (0S)

No DB objects

No DDIC objects
No RSDD_TMPNM_ADM entries
No DBDIFF entries

>> Generated Temporary Reports

Number of temporary reports: 373

>> Temporary BWA Indexes (for Hierarchies)

No temporary BWA hierarchy indexes

>> Summary

(See SAP Note 1139396)

(See Program SAP_DROP_TMPTABLES)

Caution: Do not drop temporary tables during migration process with DMO (See SAP Note 2198483)

Runtime: 0.41 sec

>>> BW Check: BEx Time Characteristics

>> General Settings

Time Interval: From 07/01/2009 to 07/01/2019

Default Factory Calendar: 01

Text for Fiscal Year/Period: Fiscal Year

(See Transaction RSRHIERARCHYVIRT)

>> Virtual Time Hierarchies

No of active hierarchies found for 0DATE

No of active hierarchies found for 0CALMONTH

No of active hierarchies found for 0CALMONTH2

No of active hierarchies found for 0HALFYEAR1

No of active hierarchies found for 0FISCYEAR

No of active hierarchies found for 0FISCPER

Consider activating virtual time hierarchies. It is a free feature :-)

(See SAP Help 1f/83813ec8d3fe3ee10000000a114084)

(See Transaction RSRHIERARCHYVIRT)

>> Summary

Runtime: 0.00 sec

>>> BW Check: BEx Workspaces

Number of workspaces: 0

All workspaces have backups

(See SAP Note 1644694)

(See SAP Note 2064791)

Runtime: 0.16 sec

>>> BW Check: BEx Frontend

Total number of frontends used during the past 365 days: 12

Number of frontend installations used during the past 365 days:

BI 7.0 Add-On for SAP GUI, BEx 7.x (7300.1): 12

Microsoft Excel 2007: 8

Microsoft Excel 2010: 4

(See Table RSFEC)

Runtime: 0.12 sec

>>> BW Check: Information Broadcasting

>> General

Total number of Information Broadcasting settings: 0

>> Summary

Runtime: 0.04 sec

>>> BW Check: BEx Query Designer

Risk of losing Calculated Key Figure definitions (See Table RSFRONTENDINIT)

Increase minimum version for Query Designer (See SAP Note 1989353)

Runtime: 0.01 sec

>>>> BW Planning Processor (BW-PLA)

>>> BW Check: Business Planning & Simulation (BW-BPS)

Status: Active

Total number of planning areas: 90 (See Table UPC_AREA)

Number of standard planning areas (4*): 90

Number of customer planning areas: 0

Total number of planning levels: 508 (See Table UPC_PLEVEL)

Number of standard planning levels (4*): 508

Number of customer planning levels: 0

Runtime: 0.07 sec

>>> BW Check: Integrated Planning (BW-IP)

>> General Planning

Status: Not used

>> DataStore Object Planning

RSADMIN parameter RSPLS_DSO_PLANNING required

Prerequisites for DSO Planning are not fulfilled (See SAP Note 1735590)

- >> Summary
- Runtime: 0.03 sec

- >>> BW Check: Planning Application Kit (PAK)
- >> Fiscal Year Variants

No issues found

- >> General Switch

(See SAP Note 1637148 Version 0016 or implement SAP_BW 731 support pack 0011)
Status: Not active
PAK requires SAP HANA and SAP Note 1637148

- >> Summary
- Runtime: 2.53 sec

- >>>> BW Modeling Tools (BW-MT)

- >>> BW Check: Release and Support Package

BW Modeling Tools require BW 7.4 Support Package 5 or higher

- Installation Guide for Modeling Tools (See SAP SMP ~sapidb/011000358700001144122013E)
- Runtime: 0.00 sec

- >>> BW Check: Secure Network Communications (SNC)

- Overview (See SAP Help aa/38ff4fa187622fe10000000a44176d)
- Configuration (See SAP Help e6/56f466e99a11d1a5b00000e835363f)

SNC: Active
Secure Network Communications is ready for using BW Modeling Tools

- Runtime: 0.00 sec

- >>> BW Check: Single Sign-On (SSO)

System parameter login/create_sso2_ticket: 2

System parameter login/accept_sso2_ticket: 1

BW Modeling Tools require update to profile parameters (See SAP Note 1905207)

- (See Transaction RZ10)
- Runtime: 0.00 sec

- >>> BW Check: Internet Connection Manager (ICM)

Protocol HTTP : Active

Protocol SMTP : Active

BW Modeling Tools require active HTTPS protocol (See SAP Note 1905207)

- (See Transaction SMICM)
- Runtime: 0.22 sec

- >>> BW Check: Internet Communication Framework (ICF)

ICF service sap/bc/adt : Active

Internet Connection Framework is ready for using BW Modeling Tools

- Runtime: 0.00 sec

- >>> BW Check: Roles

Role SAP_BC_DWB_ABAPDEVELOPER missing

Role SAP_BC_DWB_WBDISPLAY missing

BW Modeling Tools require additional roles (See SAP Note 1905207)

- (See Transaction PFCG)
- Runtime: 0.05 sec

- >>> BW Check: Authorizations

Authorization S_RFC:16/DDIF_FIELDINFO_GET/FUNC ok

Authorization S_RFC:16/RFCPING/FUNC ok

Authorization S_RFC:16/RFC_GET_FUNCTION_INTERFACE/FUNC ok

Authorization S_RFC:16/SADT_REST_RFC_ENDPOINT/FUNC ok

Authorization S_RFC:16/SUSR_USER_CHANGE_PASSWORD_RFC/FUNC ok

Authorization S_RFC:16/SYSTEM_RESET_RFC_SERVER/FUNC ok

Authorization S_TCODE:SADT_START_TCODE ok

Authorization S_TCODE:SADT_START_WB_URI ok

Authorization S_ADT_RES:/sap/bw/modeling/* ok

Authorizations are ready for using BW Modeling Tools

- Runtime: 0.18 sec

- >>>> BW Enhanced Infrastructure (BW-EI)

- >>> BW Check: Analysis Process Designer

No entries

- Runtime: 0.00 sec

- >>>> BW System (BW-SYS)

- >>> BW Check: Generated Programs

Number of programs based on RSDRO_ACTIVATE template: 14
Number of programs based on RSAR_ODS_DATA template: 543
Number of programs based on RSDWTMPLWIDTHP template: 119
Status of programs must be reset after migration to SAP HANA (See Transaction RSSGPCLA)

Runtime: 0.12 sec

>>> BW Check: Logging, Trace, and Debug Settings

>> General Debugging User

Not active

>> Logging of 7.x Authorization Check

Not active

>> Logging of OLAP Cache

Not active

>> Logging of OLAP Statistics

Not active

>> Logging of Trace Tool

Not active

>> Logging of OLAP Trace

Not active

>> Logging of RSTT Trace

Not active

>> Debugging of BW Processes

No active RSADMIN settings

>> Logging of BW Processes

No active RSADMIN settings

>> Tracing of BW Process Monitor

No active RSADMIN settings

>> Debugging of Document Administration

Not active

>> Logging of Admin Workbench Starts

Not active

>> Logging of Lock Manager

Not active

>> Logging of BW Accelerator Processes

Not active

>> Debugging of BW Accelerator Processes

Not active

>> User Settings for Tracing and Debugging

Not active

>> Tracing of BPS API Calls

Not active

>> Summary

Runtime: 0.05 sec

>>>> BW Technical Content (BW-BCT)

>>> BW Check: Technical Content Status

>> Content Version and Master Data Read Class

InfoObject: /CPMB/PERIOD (Active version is up-to-date)

InfoObject: 0ACTUALDATA (Active version is up-to-date)

InfoObject: 0ACTUALDATV (Active version is up-to-date)

InfoObject: 0ALEAFNODCH (Active version is up-to-date)

InfoObject: 0ALEAFNODSP (Active version is up-to-date)

InfoObject: 0ARCHDOBJID (Active version is up-to-date)

InfoObject: 0ARCHDPAKID (Active version is up-to-date)

InfoObject: 0ARCHRECNO (Active version is up-to-date)

InfoObject: 0ARCHREQUID (Active version is up-to-date)

InfoObject: 0BAL_DEPEND (Active version is up-to-date)

InfoObject: 0BOOL (Active version is up-to-date)

InfoObject: 0BUCKET (Active version is up-to-date)

InfoObject: 0CALDAY (Active version is up-to-date)

InfoObject: 0CALMONTH (Active version is up-to-date)

InfoObject: 0CALMONTH2 (Active version is up-to-date)

InfoObject: 0CALQUART1 (Active version is up-to-date)

InfoObject: 0CALQUARTER (Active version is up-to-date)

InfoObject: 0CALWEEK (Active version is up-to-date)

InfoObject: 0CALYEAR (Active version is up-to-date)

InfoObject: 0CHILDID (Active version is up-to-date)

InfoObject: 0CHNGID (Active version is up-to-date)

InfoObject: 0CLIENT (Active version is up-to-date)

InfoObject: 0CURRENCY (Content version is newer)

Delivery: 3.2/01 20,030,123,130,338

Active: 0.0/00 0

InfoObject: 0DATAPAKID (Active version is up-to-date)

InfoObject: 0DATE (Active version is up-to-date)

InfoObject: 0DATEFROM (Active version is up-to-date)

InfoObject: 0DATETO (Active version is up-to-date)
InfoObject: 0FACTCOUNT (Active version is up-to-date)
InfoObject: 0FISCPER (Active version is up-to-date)
InfoObject: 0FISCPER3 (Active version is up-to-date)
InfoObject: 0FISCVARNT (Active version is up-to-date)
InfoObject: 0FISCYEAR (Active version is up-to-date)
InfoObject: 0GN_BWBEOITY (Active version is up-to-date)
InfoObject: 0HALFYEAR1 (Content version has newer master data read class)
Delivery: CL_RSMD_RS_SPEC
Active: None

InfoObject: 0HIENM (Active version is up-to-date)
InfoObject: 0HIER_HIEID (Active version is up-to-date)
InfoObject: 0HIER_NODE (Active version is up-to-date)
InfoObject: 0HIER_VERS (Active version is up-to-date)
InfoObject: 0H_ALEAFNOC (Active version is up-to-date)
InfoObject: 0H_CHILDDID (Active version is up-to-date)
InfoObject: 0H_HIENM (Active version is up-to-date)
InfoObject: 0H_HIERNODE (Active version is up-to-date)
InfoObject: 0H_INTERVL (Active version is up-to-date)
InfoObject: 0H_IOBJNM (Active version is up-to-date)
InfoObject: 0H_LEAFNOD (Active version is up-to-date)
InfoObject: 0H_LINK (Active version is up-to-date)
InfoObject: 0H_NEXTID (Active version is up-to-date)
InfoObject: 0H_NODEID (Active version is up-to-date)
InfoObject: 0H_NODEPOS (Active version is up-to-date)
InfoObject: 0H_NORESTNO (Active version is up-to-date)
InfoObject: 0H_PARENTID (Active version is up-to-date)
InfoObject: 0H_SIGNCH (Active version is up-to-date)
InfoObject: 0H_STARTLEV (Active version is up-to-date)
InfoObject: 0H_TIMESTMP (Active version is up-to-date)
InfoObject: 0H_TLEVEL (Active version is up-to-date)
InfoObject: 0H_VERSION (Active version is up-to-date)
InfoObject: 0INFOPROV (Active version is up-to-date)
InfoObject: 0INTVAL (Active version is up-to-date)
InfoObject: 0IOBJNM (Active version is up-to-date)
InfoObject: 0LANGU (Active version is up-to-date)
InfoObject: 0LEAFFROM (Active version is up-to-date)
InfoObject: 0LEAFTO (Active version is up-to-date)
InfoObject: 0LINK (Active version is up-to-date)
InfoObject: 0LOGSYS (Active version is up-to-date)
InfoObject: 0NEARLINE (Active version is up-to-date)
InfoObject: 0NEXTID (Active version is up-to-date)
InfoObject: 0NODECHAVL (Active version is up-to-date)
InfoObject: 0NODEID (Active version is up-to-date)
InfoObject: 0NODEPOSIT (Active version is up-to-date)
InfoObject: 0NORESTNODE (Active version is up-to-date)
InfoObject: 0NUMDAY (Active version is up-to-date)
InfoObject: 0NUMWDAY (Active version is up-to-date)
InfoObject: 0OBJECTID (Active version is up-to-date)
InfoObject: 0PARENTID (Active version is up-to-date)
InfoObject: 0RATE_TYPE (Active version is up-to-date)
InfoObject: 0RECORD (Active version is up-to-date)
InfoObject: 0RECORDMODE (Active version is up-to-date)
InfoObject: 0RECORDTP (Active version is up-to-date)
InfoObject: 0REQPLAN (Active version is up-to-date)
InfoObject: 0REQUEST (Active version is up-to-date)
InfoObject: 0REQUID (Active version is up-to-date)
InfoObject: 0REQ_CDATE (Active version is up-to-date)
InfoObject: 0REQ_LDATE (Active version is up-to-date)
InfoObject: 0RSPL_CREA (Active version is up-to-date)
InfoObject: 0RSPL_CTTNM (Active version is up-to-date)
InfoObject: 0RSPL_DIS0F (Active version is up-to-date)
InfoObject: 0RSPL_DISEP (Active version is up-to-date)
InfoObject: 0RSPL_DISFA (Active version is up-to-date)
InfoObject: 0RSPL_DISST (Active version is up-to-date)
InfoObject: 0RSPL_DISTP (Active version is up-to-date)
InfoObject: 0RSPL_DOBJS (Active version is up-to-date)
InfoObject: 0RSPL_FCAL (Active version is up-to-date)
InfoObject: 0RSPL_FCALF (Active version is up-to-date)
InfoObject: 0RSPL_FCALS (Active version is up-to-date)
InfoObject: 0RSPL_FCALT (Active version is up-to-date)
InfoObject: 0RSPL_FCBF (Active version is up-to-date)
InfoObject: 0RSPL_FCBEF (Active version is up-to-date)
InfoObject: 0RSPL_FCBES (Active version is up-to-date)
InfoObject: 0RSPL_FCBET (Active version is up-to-date)
InfoObject: 0RSPL_FCDMP (Active version is up-to-date)

InfoObject: 0RSPL_FCERR (Active version is up-to-date)
InfoObject: 0RSPL_FCGA (Active version is up-to-date)
InfoObject: 0RSPL_FCGAF (Active version is up-to-date)
InfoObject: 0RSPL_FCGAS (Active version is up-to-date)
InfoObject: 0RSPL_FCGAT (Active version is up-to-date)
InfoObject: 0RSPL_FCLOG (Active version is up-to-date)
InfoObject: 0RSPL_FCORD (Active version is up-to-date)
InfoObject: 0RSPL_FCOUT (Active version is up-to-date)
InfoObject: 0RSPL_FCPER (Active version is up-to-date)
InfoObject: 0RSPL_FCSIG (Active version is up-to-date)
InfoObject: 0RSPL_FCSPO (Active version is up-to-date)
InfoObject: 0RSPL_FCSTR (Active version is up-to-date)
InfoObject: 0RSPL_FCTDM (Active version is up-to-date)
InfoObject: 0RSPL_FCWHT (Active version is up-to-date)
InfoObject: 0RSPL_FCZR (Active version is up-to-date)
InfoObject: 0RSPL_FLINE (Active version is up-to-date)
InfoObject: 0RSPL_FSEQN (Active version is up-to-date)
InfoObject: 0RSPL_IOBJ (Active version is up-to-date)
InfoObject: 0RSPL_LOCK (Active version is up-to-date)
InfoObject: 0RSPL_OPT (Active version is up-to-date)
InfoObject: 0RSPL_REVAL (Active version is up-to-date)
InfoObject: 0RSPL_ROUND (Active version is up-to-date)
InfoObject: 0RSPL_SEQNR (Active version is up-to-date)
InfoObject: 0RSPL_SFAC (Active version is up-to-date)
InfoObject: 0RSPL_SGN (Active version is up-to-date)
InfoObject: 0RSPL_SSE (Active version is up-to-date)
InfoObject: 0RSPL_STAT (Active version is up-to-date)
InfoObject: 0RSPL_UOMNM (Active version is up-to-date)
InfoObject: 0RSPL_VALUE (Active version is up-to-date)
InfoObject: 0RTYPE (Active version is up-to-date)
InfoObject: 0RTYPE2 (Active version is up-to-date)
InfoObject: 0SIGNCH (Active version is up-to-date)
InfoObject: 0SOURSYSTEM (Active version is up-to-date)
InfoObject: 0STARTLEVEL (Active version is up-to-date)
InfoObject: 0SWITCH (Active version is up-to-date)
InfoObject: 0TCAACTVT (Active version is up-to-date)
InfoObject: 0TCAIPROV (Active version is up-to-date)
InfoObject: 0TCAKYFNM (Active version is up-to-date)
InfoObject: 0TCAVALID (Active version is up-to-date)
InfoObject: 0TCTCONTCT1 (Active version is up-to-date)
InfoObject: 0TCTCONTCT2 (Active version is up-to-date)
InfoObject: 0TCTHANDLTP (Active version is up-to-date)
InfoObject: 0TCTMDXFC (Active version is up-to-date)
InfoObject: 0TCTMDXRT (Active version is up-to-date)
InfoObject: 0TCTNODENAM (Active version is up-to-date)
InfoObject: 0TCTSTATEVT (Active version is up-to-date)
InfoObject: 0TCTSTATLEV (Active version is up-to-date)
InfoObject: 0TCTSTEPTP (Active version is up-to-date)
InfoObject: 0TCTWSP_MP (Active version is up-to-date)
InfoObject: 0TCTWSP_PFX (Active version is up-to-date)

InfoObject: 0TIME (Content version is newer)
Delivery: 2.0/01 19,991,221,115,928
Active: 1.2/01 0

InfoObject: 0TLEVEL (Active version is up-to-date)
InfoObject: 0TXTLG (Active version is up-to-date)
InfoObject: 0TXTMD (Active version is up-to-date)
InfoObject: 0TXTSH (Active version is up-to-date)

InfoObject: 0UNIT (Content version is newer)
Delivery: 7.1/00 20,061,228,113,459
Active: 0.0/00 0

InfoObject: 0UOMN1 (Active version is up-to-date)
InfoObject: 0UOMN1D (Active version is up-to-date)
InfoObject: 0UOMN1F (Active version is up-to-date)
InfoObject: 0UOMZ1 (Active version is up-to-date)
InfoObject: 0UOMZ1D (Active version is up-to-date)
InfoObject: 0UOMZ1F (Active version is up-to-date)
InfoObject: 0WEEKDAY1 (Active version is up-to-date)

Activate content with newer master data read classes (See SAP Note 1695112)
(See SAP Note 1387166)

Consider activating the new content version (to update master data class, select "install = on" and "match = off")
(See BI Content Transfer)

(See SAP Help 4a/913817549d38dae10000000a42189b)

>> Summary

Runtime: 3.24 sec

>>> BW Check: Technical Content Activation

Consider setting RSADMIN parameter to reduce downtime during upgrades

(See Table RSADMIN > SKIP_TCO_ACTIVATION_XPRA)

(See SAP Note 1629923)

Runtime: 0.00 sec

>>> BW Check: After Import Processing (Transport)

Automatic replication of BI Content: Active

This might lead to long processing times in after-import method in RS_AFTER_IMPORT_D

(See Table RSADMIN > REPL_D_AFTER_IMPORT)

(See SAP Note 1272301)

Runtime: 0.00 sec

>>> BW Check: After Import Processing (Upgrade)

Automatic replication of BI Content: Active

This might lead to long processing times in after-import method in RS_AFTER_IMPORT_D

(See Table RSADMIN > PSEUDO_D_AFTER_IMPORT_D)

(See SAP Note 1649901)

Runtime: 0.00 sec

>>> BW Check: Personalization

Activation of Variable Personalization failed

Activation of BEx History failed

Activation of WebReport Personalization failed

Consider activating Personalization (See Program RS_PERS_ACTIVATE)

Runtime: 0.22 sec

>>> BW Check: Admin Cockpit

Shadow object 0PAK_4C6UBFVIQJBW9D2WJ24KPMIBP cannot be expanded; chain is inconsistent

Shadow object 0PAK_5MVC36HA8BS54Y84W9HRZNFKM cannot be expanded; chain is inconsistent

Shadow object DTP_7KU36MOUFNCESEC1HHJRTDUEC cannot be expanded; chain is inconsistent

Shadow object 0PAK_41NIHOONJCF7ZXCZ0EQLSZADH cannot be expanded; chain is inconsistent

Shadow object 0PAK_4GOKQY8P10UDWL9C7MTX312RI cannot be expanded; chain is inconsistent

Shadow object 0PAK_5MVC36HA8BS54Y84W9HRZNFKM cannot be expanded; chain is inconsistent

Shadow object DTP_7KU36MOUFNCEWUOJEV02LC01Q cannot be expanded; chain is inconsistent

Shadow object 0PAK_4CHT58Q4JT202GAVSDE5W5F0L cannot be expanded; chain is inconsistent

Shadow object 0PAK_15WZYGMU6LFK85RYNCXCC480M cannot be expanded; chain is inconsistent

Shadow object 0PAK_E1IH4CXL0IZDJC3V3S63LKSD2 cannot be expanded; chain is inconsistent

Shadow object 0PAK_15WZYGMU6LFK85RYNCXCC480M cannot be expanded; chain is inconsistent

Shadow object 0PAK_5MVC36HA8BS54Y84W9HRZNFKM cannot be expanded; chain is inconsistent

Shadow object 0PAK_E1IH4CXL0IZDJC3V3S63LKSD2 cannot be expanded; chain is inconsistent

Shadow object DTP_7MODTUOAGKW4S8IRXN9FZSXTY cannot be expanded; chain is inconsistent

Shadow object 0PAK_43FGTN2BPV6CTOFRTOF9OZU4L cannot be expanded; chain is inconsistent

Shadow object DTP_7KU36MOUFNCD28ZDLQY5749Z9 cannot be expanded; chain is inconsistent

Shadow object DTP_7KU36MOUFNCESI2IU3RC71T5 cannot be expanded; chain is inconsistent

Shadow object 0PAK_41A1Y65MF3JPMKIZI7VGFP745 cannot be expanded; chain is inconsistent

Shadow object 0PAK_41C9ONTDMXUHRDY1FC71EYB7P cannot be expanded; chain is inconsistent

Shadow object DTP_7MODTUOAGKW4OYTSE87G54TG3 cannot be expanded; chain is inconsistent

Shadow object DTP_7MODTUOAGKW6IIG2PO4OQTTS cannot be expanded; chain is inconsistent

Shadow object 0PAK_4ERB7XX3M7JPOS0MA0HOEDUTA cannot be expanded; chain is inconsistent

Shadow object 0PAK_4GNN58EXS166ZVJYUWXN66DDQ cannot be expanded; chain is inconsistent

Shadow object DTP_7KU36MOUFNCESKGV495F2O0D3 cannot be expanded; chain is inconsistent

Shadow object OPAK_41CLY6H9SCRZDVHU70ION8WUD cannot be expanded; chain is inconsistent

Shadow object DTP_00O2THX18080N6VXR0253YL8Z cannot be expanded; chain is inconsistent

Shadow object DTP_00O2THX18080N6VZ8XVFXQQSI cannot be expanded; chain is inconsistent

Shadow object DTP_00O2THX18080N6VZM0HQYZSX4 cannot be expanded; chain is inconsistent

Shadow object DTP_00O2THX18080N6W05BJHF50Z2 cannot be expanded; chain is inconsistent

Shadow object DTP_7KU36MOUFNCDAGK95NXAJURCDH cannot be expanded; chain is inconsistent

Shadow object DTP_7KU36MOUFNCF0NOPKWLAEHXYE cannot be expanded; chain is inconsistent

Shadow object DTP_7KU36MOUFNCF0QSCQUJW97MB6 cannot be expanded; chain is inconsistent

Shadow object DTP_7KU36MOUFNCF0QSFCIHAD5VH9 cannot be expanded; chain is inconsistent

Shadow object DTP_7MODTUOAGKW4OSF3UAMQSVX8J cannot be expanded; chain is inconsistent

Shadow object DTP_7MODTUOAGKW6F6I8DTWG88667 cannot be expanded; chain is inconsistent

Shadow object OPAK_165HZLG8SUJV7R789NEAM0ZSO cannot be expanded; chain is inconsistent

Shadow object OPAK_38QX6830T7HC8RKVPP7M3CIEW cannot be expanded; chain is inconsistent

Shadow object OPAK_4C3NHIJHNZQJ54RDYBF5LIK3P cannot be expanded; chain is inconsistent

Shadow object OPAK_4CDR24JGA9Q2OQENAAQ403M0JP cannot be expanded; chain is inconsistent

Shadow object OPAK_4CH29HY9LC9SXYT78KU0JU6H1 cannot be expanded; chain is inconsistent

Shadow object OPAK_4CHS8DT0J3D6TWXL9KY8VX3K5 cannot be expanded; chain is inconsistent

Shadow object OPAK_4ET81H4T6NHN69YLL3W9QPMBI cannot be expanded; chain is inconsistent

Shadow object OPAK_4F2IC5F6I2H9T9YGFUJZ4KCAM cannot be expanded; chain is inconsistent

Shadow object OPAK_4GQ3HY90YIEWPKLO916DAUPMM cannot be expanded; chain is inconsistent

Shadow object OPAK_BFYU3MMMUT2TWOI50MXHCEH07 cannot be expanded; chain is inconsistent

Shadow object OPAK_DCIUJG4OI9RSUWCV72WQKGMRC cannot be expanded; chain is inconsistent

Shadow object OPAK_EYB5FSV9DCWR79X6GOQQAXPVC cannot be expanded; chain is inconsistent

Shadow object DTP_7KU36MOUFNCF0RFJORVWEDHLG cannot be expanded; chain is inconsistent

Shadow object DTP_7KU36MOUFNCF0UN2YWKGZDF0Q cannot be expanded; chain is inconsistent

Shadow object OPAK_48QC5RYN9EI1WSZ4OPCCX411H cannot be expanded; chain is inconsistent

Shadow object OPAK_4CHRY6DU1ZPBPCITLUBWE2BP cannot be expanded; chain is inconsistent

All required content objects are available in 'D' version

Object 0TCTHOS_AC of type 'RSPC' not found in active version

Object 0TCT_C0_FULL_P01 of type 'RSPC' not found in active version

Object 0TCT_C0_INIT_DELTA_P01 of type 'RSPC' not found in active version

Object 0TCT_C21_INIT_DELTA_P01 of type 'RSPC' not found in active version

Object 0TCT_C25_FULL_P01 of type 'RSPC' not found in active version

Object 0TCT_C2_INIT_DELTA_P01 of type 'RSPC' not found in active version

Object 0TCT_C2_INIT_P01 of type 'RSPC' not found in active version

Object 0TCT_C2_INIT_P02 of type 'RSPC' not found in active version

Object 0TCT_C3_INIT_DELTA_P01 of type 'RSPC' not found in active version

Object 0TCT_C4_INIT_DELTA of type 'RSPC' not found in active version

Object 0TCT_MD_CACH_FULL_P01 of type 'RSPC' not found in active version

Object 0TCT_MD_C_FULL_P01 of type 'RSPC' not found in active version

Object 0TCT_MD_S_FULL_P01 of type 'RSPC' not found in active version

DataSources correctly replicated for source system

Virtual providers of Admin Cockpit connected to source system BPQCLNT100

Consider reinstalling the Admin Cockpit (See Program RSTCT_ACTIVATEADMINCOCKPIT_NEW)

- Missing query elements in version D can be deleted (See SAP Note 1683264)
- You might have to update the Business Package for Admin Cockpit on BI Java to version 3.0 (See Downloads 012003146902000 (See SAP Note 1538696)
- (See SAP Note 1543092)
- BW Admin Cockpit Overview (See SAP Help 4e/1c145b0bf01a24e10000000a42189e)
- BW Admin Cockpit Content (See SAP Help 22/111d80cf794811af582803bd2243ef)

- ▢ BW Admin Cockpit FAQ (See SAP Note 934848)
- ▢ Runtime: 1 min 19.64 sec

▢ >>> BW Check: Obsolete 3.x DataSources

▢ No obsolete DataSources found

▢ Runtime: 0.03 sec

▢ >>> BW Check: Internet Graphics Server (IGS)

▢ IGS set up successfully

▢ Runtime: 0.47 sec

▢ >>>> BW Check: Demo Content for Features

▢ Consider installing Demo Content

▢ >>> Summary

▢ BW Demo Content for Features (See SAP Help 47/addc08e04b1599e10000000a42189c)

▢ (See Transaction RSFC)

▢ Runtime: 0.00 sec

▢ >>>> BW Check: SAP HANA-optimized Content

▢ SAP HANA-optimized content requires BI Content release 737/747 SP 4 or 757 SP 0 or higher

▢ >>> Summary

▢ SAP HANA-optimized BI Content (See SAP Note 1817520)

▢ Description of proper switch settings (See SAP Note 2257232)

▢ Display switch settings (See Transaction SFW_BROWSER)

▢ Maintain switches (See Transaction SFW5)

▢ (See SAP Help 28/a1065182d3c557e10000000a44176d)

▢ Runtime: 0.00 sec

▢ >>>> Customer Objects

▢ >>> Customer/Partner Namespaces

▢ >> Namespace: /B20/

▢ Total number of objects: 0

▢ >> Namespace: /B12/

▢ Total number of objects: 0

▢ >> Namespace: /B30/

▢ Total number of objects: 0

▢ >> Namespace: /B28/

▢ Total number of objects: 9,141

▢ Number of BPC objects: 9,141

▢ >> Namespace: /1CUM/

▢ Total number of objects: 0

▢ >> Namespace: /1RTF/

▢ Total number of objects: 0

▢ >> Summary

▢ Runtime: 4.15 sec

▢ >>> Customer Packages

▢ >> Package: ZPAK_BI

▢ Total number of objects: 23,795

▢ Number of BW objects: 23,782

▢ Number of other objects: 13 (See Package ZPAK_BI)

▢ >> Summary

▢ Please check compatibility with SAP HANA

▢ Runtime: 0.93 sec

▢ >>>> Summary

▢ (See all recommended SAP Notes)

▢ (See Transaction SNOTE)

▢ Total runtime: 4 min 0.25 sec