



Create ZSAPFACCG

Required For SAP Transports

This document contains information proprietary to, and is the property of, DeleGo Software Inc. ("DeleGo") The recipient of this document, by its retention and use, agrees to hold this document and its contents in confidence. This document shall not be transferred or communicated to any third party, without the prior written consent of DeleGo, in whole or part, by any means. This document or any other applicable documents provided by DeleGo shall be returned to DeleGo upon request.

This Proprietary Information Notice is an integral part of this document and shall not be removed or altered.

©2014 DeleGo Software Inc.

931 COMMISSIONERS ROAD EAST SUITE 200 LONDON, ONTARIO, CANADA N5Z 3H9

P: 1-855-407-1198 | E: INFO@DELEGO.CA | W: WWW.DELEGOSOFTWARE.COM



Table of Contents

1.0	Preliminary	3
2.0	Function Group Changes.....	4
2.1	FACG to ZFACG	4
2.1.1	Copy FACG	4
2.1.2	Modify ZFACG.....	5
3.0	Program Changes	6
3.1	SAPFACCG to ZSAPFACCG.....	6
3.1.1	Copy SAPFACCG.....	6
3.1.2	Modify ZSAPFACCG.....	7
4.0	Notices.....	8

“We believe transactions should be simple, technology should be seamless and security should not be stressful.”



1.0 Preliminary

This document is to be used as a guide only. The steps included are required in order to enable Delego to work the SAP environment.




2.0 Function Group Changes

Copy the function group FACG and modify as required.

2.1 FACG to ZFACG

2.1.1 Copy FACG

1. Open SE80.
2. Display Function Group FACG.



3. Copy this function group to a new function group called ZFACG.
4. The system will prompt you to copy the function modules in this group. Rename each of the modules by adding 'Z_' to the beginning of each name. For instance, FI_DOCUMENT_INIT becomes Z_FI_DOCUMENT_INIT.



2.1.2 Modify ZFACG


1. Within the new ZFACG, display the subroutine FILL_ITAB. Change the following.

Original:

```
tabname = 'BSEG'.  
PERFORM add_table TABLES itab  
        USING tabname.  
tabname = 'BSEC'.  
PERFORM add_table TABLES itab  
        USING tabname.
```

Modified:

```
tabname = 'BSEG'.  
PERFORM add_table TABLES itab  
        USING tabname.  
tabname = 'BSEGC'.  
PERFORM add_table TABLES itab  
        USING tabname.  
tabname = 'BSEC'.  
PERFORM add_table TABLES itab  
        USING tabname.
```



2. Save the function module and activate the function group.




3.0 Program Changes

Copy the program SAPFACCG and modify as required.

3.1 SAPFACCG to ZSAPFACCG

3.1.1 Copy SAPFACCG

1. Open SE80.
2. Display Program SAPFACCG.



3. Copy this function group to a new function group called ZSAPFACCG.



3.1.2 Modify ZSAPFACCG

1. Within the new ZFACG, display the subroutine FILL_ITAB. Change the following line.


Original:

```
CALL FUNCTION 'FI_DOCUMENT_INIT'.
```

Modified:

```
CALL FUNCTION 'Z_FI_DOCUMENT_INIT'.
```

ABAP Editor: Display Report ZSAPFACCG



2. Save the program.



4.0 Notices

Delego™ and any derivatives of the name such as and including DelegoMT™, DelegoSrv™, and DelegoIF™ are registered trademarks of Delego Software Inc. All other trademarks or registered trademarks are the property of their respective holders.

Delego™ contains Java™ software developed by Sun Microsystems, Inc. ©Copyright Sun Microsystems, Inc. All rights reserved. Java and Java-based marks are trademarks or registered trademarks of Sun Microsystems, Inc. in the United States and other countries.

Solaris 8 Operating Environment™ is a trademark and SPARC® is a registered trademark of Sun Microsystems, Inc. in the United States and other countries. All rights reserved.

Intel® is a registered trademark of Intel Corporation or its subsidiaries in the United States and other countries. All rights reserved.

SAP® and R/3® are trademarks or registered trademarks of SAP, AG in Germany and other countries.

Microsoft® is a registered trademark and Windows® is a trademark of Microsoft Corporation in the United States and other countries.

Delego includes software developed by the Apache Software Foundation (<http://www.apache.org/>) for processing XML documents. Copyright © 1999 The Apache Software Foundation. All rights reserved.

Encryption routines are provided by the Cryptix Development Team. Copyright ©1995 - 1999 Systemics Ltd. (<http://www.systemics.com/>) on behalf of the Cryptix Development Team (<http://www.cryptix.org/>). All rights reserved.

Every effort has been made to ensure the accuracy of this manual. Delego Software Inc. makes no representations or warranties with respect to any of the information contained in this manual and specifically disclaims any express or implied warranties of merchant-ability or fitness for a particular purpose with respect to such information. Delego Software Inc. shall not be liable for any errors or for incidental, indirect or consequential damages in connecting with the furnishing, performance or use of this manual.

© 2014 Delego Software Inc.